

MSD: Clearview

ND = Not Determined, NE = Not Established, NA = Not Applicable

Product:

Name: Clearview
Number: X905
Type: RTU Glass cleaner
Chemical Family: Cleaner

Hazard Rating:

Health: 2
Flamability: 0
Reactivity: 0
P. Protection: B

Chemical Name:

Chemical Name:	CAS NO	WT%	PEL	TWA-LTV	STEL-TLV	Carcin
Nonionic Surfactant	9016-45-9	ND	ND	ND	ND	N
Propylene Glcol Methyl Ether	1007-98-2	100	100	100	100	N
Odor Neutralizer	ND	0.1-1	ND	ND	ND	N
Optical Brightner	ND	0.1-1	ND	ND	ND	N

Boiling Range: 212 F
Vapor Pressure: ND
%Volatile: 95-99
Specific Gravity: 0.99
Extinguishing Media: NA

Vapor Density: ND
Solubility in Water: 100%
pH: 7.0
Evaporation Rate: Water

Upper Explosive Limit: NA
Unusual Fire & Explosion Hazards: NA
Special Fire Fighting Procedure: NA
Flash Point (Method Used): NA

Physical Description: Green Liquid sweet Apple Fragrance
Stability: Stable
Incompatibility: Strong Acids
Hazardous decomposition products: Normal Products of Combustion
Hazardous Polymerization: Will not occur

Precautions to be taken in handling & Storage: Keep out of reach of children. For use by trained person only. Keep container closed during storage. For Institutional use only. **Store away from fire**

Respiratory Protection: No Special Requirements if good ventilation is maintained

Protective Gloves: Waterproof or Chemical Resistant
Eye Protection: Where contact is possible wear chemical splash goggles.
Ventilation: Provide good ventilation
Spillage: Mop up or pick up with wet vac & hold for proper disposal. Rinse area with w
Disposal: In accordance with Federal, State, & Local Regulations.

Physical Hazards:

Eyes: Irritant. Liquid mist may injure/burn eyes.
Skin: Skin irritant. May cause reddening, swelling & possible skin damage
Inhalation: Inhalation of vapor or mist may irritate respiratory tract. High concentrations of vap
may cause headaches, dizziness, & nausea
Ingestion: May cause irritation to the mouth, throat, and stomach. Vomiting & diarrhea can be
expected with large doses. Preexisting eye, skin or respiratory condition may be
aggravated

Treatment:

Eyes: Flush with running water for at least 15 min. Call a physician if irritation persists.
Skin: Flush with water. See a physician if irritation develops.
Inhalation: Remove to fresh air. Call a physician in symptoms persist.
Ingestion: Drink 2 glasses of water. Seek medical attention immediately

Supplier Information:

Name: IDP LABS
Address: 1719 West Farms Rd.
Bronx, N.Y. 10460
Telephone: 1-800-877-0847