

MSD: Hot Stuff Stripper

ND = Not Determined, NE = Not Established, NA = Not Applicable

Product:

Name: Hot Stuff Rinseless Stripper
Number: c118
Type: Butyl Type Heavy Stripper
Chemical Family: Butyl- Alkaline Cleaner

Hazard Rating:

Health: 2
Flamability: 0
Reactivity: 0
P. Protection: B

Chemical Name:

| Chemical Name: | CAS NO | WT% | PEL | TWA-LTV | STEL-TLV | Carcin |
|--------------------------------|-------------|------|-----|---------|----------|--------|
| 2-Butoxyethanol | 111-76-2 | 35+- | 50 | 25 | N/A | N |
| Ethylene Glycol Phenyl Ether | 000122-99-6 | | .50 | 1.0 | ND | N |
| Diethylene Glycol Phenyl Ether | 104-68-7 | | ND | ND | ND | N |
| Monoethanolamine | 141-43-5 | 10+- | 3 | 3 | ND | N |

Boiling Range: 212 F
Vapor Pressure: ND
%Volatile: 99+-
Specific Gravity: 1.0
Extinguishing Media: NA

Vapor Density: Air
Solubility in Water: 100%
pH: 11.8
Evaporation Rate: Water

Upper Explosive Limit: NA
Unusual Fire & Explosion Hazards: NA
Special Fire Fighting Procedure: NA
Flash Point (Method Used): 200 F

Physical Description: Clear, Water thin liquid-Butyl Odor.
Stability: Stable
Incompatibility: Strong Acids
Hazardous decomposition products: Normal Products of Combustion
Hazardous Polymerization: Will not occur

Precautions to be taken in handling & Storage: Keep out of reach of children. For use by trained personnel only. Keep container closed during storage. For Institutional use only.

Respiratory Protection: No Special Requirements if good ventilation is maintained

Protective Gloves: Waterproof or Chemical Resistant
Eye Protection: Where contact is possible wear chemical goggles.
Ventilation: Required that good ventilation be maintained.
Spillage: Neutralize with mild or dilute acid. Mop up or pick up with wet vac.
Disposal: In accordance with Federal, State, & Local Regulations.

Physical Hazards:

Eyes: Severe eye irritant. Liquid & Mist may injure/Burn eyes
Skin: Skin Irritant. May cause reddening, swelling, & possible skin damage.
Inhalation: Inhalation of vapor may irritate respiratory tract. High Concentration of vapor may cause headaches, dizziness, & Nausea
Ingestion: If ingested, product may cause burns to the mouth, throat, & stomach. Pre-existing conditions of the skin, and respiratory conditions may be affected.

Treatment:

Eyes: flush with running water for 15 min. seek medical attention
Skin: Flush with water.
Inhalation: Remove to fresh air
Ingestion: Drink two glasses of water. Seek medical attention.

Supplier Information:

Name: IDP LABS
Address: 1719 West Farms Rd.
Bronx, N.Y.10460
Telephone: 1-800-877-0847