

# **Material Safety Data Sheet**

Copyright, 2002, Minnesota Mining and Manufacturing Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

# SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: 3MTMDEODORIZER - COUNTRY DAY SCENT - CONCENTRATE (Product No. 12,

Twist 'n Fill<sup>TM</sup>System)

**MANUFACTURER: 3M** 

**DIVISION:** Commercial Care Division

ADDRESS: 3M Center

St. Paul, MN 55144-1000

EMERGENCY PHONE: 1-800-364-3577 or (651) 737-6501 (24 hours)

**Issue Date:** 08/12/2002 **Supercedes Date:** 08/01/2002

**Document Group: 06-8477-9** 

**Product Use:** 

Specific Use: DEODORIZER

## SECTION 2: INGREDIENTS

Ingredient	C.A.S. No. % by Wt
POLYALKOXY ALCOHOLS	69013-18-9 30 - 60
FRAGRANCE S312 (NJTSN 004499600-6516)	Trade Secret 10 - 30
WATER	7732-18-5 10 - 30
SORBITAN POLYETHOXY MONOLAURATE	9005-64-5 7 - 13
1-METHOXY-2-PROPANOL	107-98-2 3 - 7

# SECTION 3: HAZARDS IDENTIFICATION

## 3.1 EMERGENCY OVERVIEW

Specific Physical Form: Liquid

Odor, Color, Grade: Clear; dark red color; strong floral fragrance

General Physical Form: Liquid

Immediate health, physical, and environmental hazards:

## 3.2 POTENTIAL HEALTH EFFECTS

**Eye Contact:** 

Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

**Skin Contact:** 

May Cause Allergic Skin Reaction: Signs/symptoms may include redness, swelling, blistering, and itching.

3M MATERIAL SAFETY DATA SHEET 3M<sup>TM</sup>DEODORIZER - COUNTRY DAY SCENT - CONCENTRATE (Product No. 12, Twist 'n Fill<sup>TM</sup>System) 08/12/2002

Moderate Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness.

#### Inhalation:

Single exposure may cause:

Upper Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, nausea, diarrhea and vomiting.

# SECTION 4: FIRST AID MEASURES

#### 4.1 FIRST AID PROCEDURES

The following first aid recommendations are based on an assumption that appropriate personal and industrial hygiene practices are followed.

Eye Contact: Flush eyes with large amounts of water. Get medical attention.

**Skin Contact:** Remove contaminated clothing and shoes. Immediately flush skin with large amounts of water. Get medical attention. Wash contaminated clothing and clean shoes before reuse.

Inhalation: Remove person to fresh air. If signs/symptoms develop, get medical attention.

**If Swallowed:** Do not induce vomiting. Give victim two glasses of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

# SECTION 5: FIRE FIGHTING MEASURES

## 5.1 FLAMMABLE PROPERTIES

Autoignition temperature No Data Available

Flash Point >= 212 °F [Test Method: Tagliabue Closed Cup]

Flammable Limits - LEL No Data Available
Flammable Limits - UEL No Data Available

OSHA Flammability Classification: Class IIIB Combustible Liquid

#### 5.2 EXTINGUISHING MEDIA

Ordinary combustible material. Use fire extinguishers with class A extinguishing agents (e.g., water, foam).

# 5.3 PROTECTION OF FIRE FIGHTERS

Special Fire Fighting Procedures: Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

Unusual Fire and Explosion Hazards: Not applicable.

Note: See STABILITY AND REACTIVITY (SECTION 10) for hazardous combustion and thermal decomposition information.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

Accidental Release Measures: Observe precautions from other sections. Call 3M- HELPS line (1-800-364-3577) for more information on handling and managing the spill. Ventilate the area with fresh air. Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Collect as much of the spilled material as possible. Clean up residue. Place in a closed container

3M MATERIAL SAFETY DATA SHEET 3MTMDEODORIZER - COUNTRY DAY SCENT - CONCENTRATE (Product No. 12, Twist 'n Fill<sup>TM</sup>System) 08/12/2002

approved for transportation by appropriate authorities. Dispose of collected material as soon as possible.

In the event of a release of this material, the user should determine if the release qualifies as reportable according to local, state, and federal regulations.

# SECTION 7: HANDLING AND STORAGE

## 7.1 HANDLING

This product is not intended to be used without prior dilution as specified on the product label. Avoid skin contact. Avoid eye contact with vapors, mists, or spray. Avoid breathing of vapors, mists or spray. Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water. Avoid contact with oxidizing agents. Keep container closed when not in use. Keep out of the reach of children.

## 7.2 STORAGE

Store away from oxidizing agents. Keep container in well-ventilated area.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 ENGINEERING CONTROLS

NOTE: When used as directed and diluted and dispensed with a TWIST 'n FILLTMChemical Dispenser, special ventilation is not required. Use in a well-ventilated area.

## 8.2 PERSONAL PROTECTIVE EQUIPMENT (PPE)

#### 8.2.1 Eye/Face Protection

Avoid eye contact. NOTE: When used as directed and diluted and dispensed with a TWIST 'n FILLTMChemical Dispenser, eye contact with the concentrate is not expected to occur. The following eye protection(s) are recommended: Indirect Vented Goggles.

#### 8.2.2 Skin Protection

NOTE: When used as directed and diluted and dispensed with a TWIST 'n FILL<sup>TM</sup>Chemical Dispenser, skin contact with the concentrate is not expected to occur. Avoid skin contact.

#### **8.2.3 Respiratory Protection**

NOTE: When used as directed and diluted and dispensed with a TWIST 'n FILLTMChemical Dispenser, respiratory protection is not required. Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection. Avoid breathing of vapors, mists or spray.

## 8.2.4 Prevention of Swallowing

Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water.

#### 8.3 EXPOSURE GUIDELINES

None Established

# SECTION 9: PHYSICAL AND CHOVICAL PROPERTIES

**Specific Physical Form:** 

Odor, Color, Grade:

General Physical Form:

Autoignition temperature

Flash Point

Flammable Limits - LEL Flammable Limits - UEL

**Boiling point Density** 

Vapor Density

Liquid

Clear; dark red color; strong floral fragrance

Liquid

No Data Available

>= 212 °F [Test Method: Tagliabue Closed Cup]

No Data Available No Data Available

Approximately 212 °F

No Data Available

No Data Available

# 3M MATERIAL SAFETY DATA SHEET 3MTMDEODORIZER - COUNTRY DAY SCENT - CONCENTRATE (Product No. 12, Twist 'n FillTMSystem) 08/12/2002

Vapor Pressure Specific Gravity

pH Melting point

Solubility in Water Evaporation rate

**Volatile Organic Compounds** 

Percent volatile

**VOC Less H2O & Exempt Solvents** 

Viscosity

No Data Available

Approximately 1 [Ref Std: WATER=1]

Approximately 7.55
Not Applicable
Complete

No Data Available

13 - 37 % [Test Method: calculated per CARB title 2]

23 - 67 %

13 - 37 % [Test Method: calculated per CARB title 2]

<=100 centipoise

# **SECTION 10: STABILITY AND REACTIVITY**

Stability: Stable.

Materials and Conditions to Avoid: Strong oxidizing agents

Hazardous Polymerization: Hazardous polymerization will not occur.

# **Hazardous Decomposition or By-Products**

<u>Substance</u> <u>Condition</u>

Carbon monoxideDuring CombustionCarbon dioxideDuring CombustionIrritant Vapors or GasesDuring Combustion

# **SECTION 11: TOXICOLOGICAL INFORMATION**

Please contact the address listed on the first page of the MSDS for Toxicological Information on this material and/or its components.

# SECTION 12: ECOLOGICAL INFORMATION

## **ECOTOXICOLOGICAL INFORMATION**

**Not Determined** 

# **CHEMICAL FATE INFORMATION**

**Not Determined** 

# SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Method: Incinerate in an industrial or commercial facility. As a disposal alternative, dispose of waste product in a facility permitted to accept chemical waste.

EPA Hazardous Waste Number (RCRA): Not regulated

Since regulations vary, consult applicable regulations or authorities before disposal.

## SECTION 14: TRANSPORT INFORMATION

**ID Number** 70-0708-4012-2

UPC

00-48011-20119-6

**ID Number** 70-0710-0972-7

UPC

00-48011-23895-6

3M MATERIAL SAFETY DATA SHEET 3MTMDEODORIZER - COUNTRY DAY SCENT - CONCENTRATE (Product No. 12, Twist 'n FillTMSystem) 08/12/2002

Please contact the emergency numbers listed on the first page of the MSDS for Transportation Information for this material.

# **SECTION 15: REGULATORY INFORMATION**

## US FEDERAL REGULATIONS

311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - Yes Delayed Hazard - Yes

# **CHEMICAL INVENTORIES**

All applicable chemical ingredients in this material are listed on the European Inventory of Existing Chemical Substances (EINECS), or are exempt polymers whose monomers are listed on EINECS.

The components of this product are in compliance with the chemical notification requirements of TSCA.

This MSDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

# SECTION 16: OTHER INFORMATION

#### NFPA Hazard Classification

Health: 2 Flammability: 1 Reactivity: 0 Special Hazards: None

National Fire Protection Association Hazard Codes are designed for use by firefighters, sheriffs, or other emergency response teams who are concerned with the hazards of burning or exploding materials. These NFPA codes are not intended to address the hazards of this product other than in a fire situation.

## **HMIS Hazard Classification**

Health: 2 Flammability: 1 Reactivity: 0 Protection: X - See PPE section.

HMIS codes are intended for use in everyday workplace settings to provide a rapid indication of the occupational hazards associated with chemicals used in the workplace.

DISCLAIMER: The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.

3M MSDSs are available at www.3M.com