

MSD: One Step Prep

ND = Not Determined, NE = Not Established, NA = Not Applicable

Product:

Name: One Step Prep
Number: X210
Type: Floor Finish
Chemical Family: Floor Finish

Hazard Rating:

Health: 0
Flamability: 0
Reactivity: 0
P. Protection: 0

Chemical Name:

Diethylene Glycol Methyl Ether

CAS NO

111-77-3

WT%

2-7

PEL

NE

TWA-LTV

NE

STEL-TLV

NE

Carcin

N

Boiling Range: 212 F

Vapor Density: ND

Vapor Pressure: ND

Solubility in Water: 100%

%Volatile: 70 - 80

pH: 8.5

Specific Gravity: 1.02

Evaporation Rate: Water

Extinguishing Media: NA

Upper Explosive Limit: NA

NA

Unusual Fire & Explosion Hazards: NA

NA

Special Fire Fighting Procedure: NA

NA

Flash Point (Method Used):

200 F

Physical Description:

Milky white liquid, Mild odor

Stability:

Stable

Incompatibility:

None Known

Hazardous decomposition products:

Normal Products of Combustion

Hazardous Polymerization:

Will not occur

Precautions to be taken in handling & Storage: Keep out of reach of children. For trained personnel only. Keep container closed during storage. For Institutional & Industrial use only. **Store away from fire.**

Respiratory Protection: No Special Requirements

Protective Gloves: Waterproof or Chemical Resistant

Eye Protection: Where contact is possible wear chemical goggles.

Ventilation: Provide good ventilation to keep tlv at acceptable level.

Spillage: Mop up, pickup with wet vac. Rinse area With water. For large spills dike area before clean up.

Disposal: In accordance with Federal, State, & Local Regulations.

Physical Hazards:

Eyes: May cause mild irritation.

Skin: Prolonged or repeated contact may cause irritation.

Inhalation: ND

Ingestion: May cause irritation to the mouth, throat, and stomach. Vomiting & Diarrhea can be expected with large doses. Pre-existing eye or skin conditions may be aggravated.

Treatment:

Eyes: Flush with running water for at least 15 min.

Skin: Flush with water. See physician if irritation develops or persists.

Inhalation: Remove to fresh air

Ingestion: Drink large quantity of water. Seek medical attention immediately.

Supplier Information:

Name: IDP LABS

Address: 1719 West Farms Rd.
Bronx, N.Y.10460

Telephone: 1-800-877-0847