


CONQ-R-DUST PRESSURIZED

National Fire Protection Association (NFPA)	Fire Hazard		Reactivity	Hazardous Material Information System (HMIS)	Health	1
	Health			Fire Hazard	4	
	Specific Hazard			Reactivity	0	
Protective Clothing	None required.			Emergency Overview	Clear Yellow. Aerosol. See Section 9. CAUTION: CONTENTS UNDER PRESSURE. May be mildly irritating to eyes.	

Section 1. Chemical Product and Company Identification

Product Name	CONQ-R-DUST PRESSURIZED	Code	4751
Product Use	Industrial/Institutional: Cleaning product.	PMS#	433114
MSDS#	114750005	Validation Date	1/13/2004
U.S. Headquarters	Canadian Headquarters	Print Date	1/13/2004
JohnsonDiversey, Inc. 8310 16th Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.johnsondiversev.com	JohnsonDiversey - Canada, Inc. 2401 Bristol Circle Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131	Supersedes In Case of Emergency	No Previous Validation (800) 851-7145

Section 2. Composition and Information on Ingredients

Ingredients	CAS #	% by Weight	Exposure Limits	LC50/LD50
Sorbitan Monooleate	1338-43-8	1-5	Not available. OSHA (United States). TWA: 1800 mg/m ³ ACGIH (United States). TWA: 4508 mg/m ³ OSHA PEL (United States, 1993). Notes: TWA: 1800 mg/m ³ 8 hour(s). TWA: 1000 ppm 8 hour(s)	Not available. Not available.
Propane	74-98-6	1-5		
Isobutane	75-28-5	5-10		VAPOR (LC50): Acute: 0.0057 ppm 0.25 hour(s) [Rat].
Light Naphthenic Distillate	64741-44-2	10-30	Not available.	Not available.
Isoparaffinic Hydrocarbon Solvent	64742-48-9	5-10	Not available.	Not available.
Water	7732-18-5	60-100	Not available.	Not available.

Section 3. Hazards Identification

Routes of Entry	Inhalation. Skin contact. Eye contact.
Potential Acute Health Effects	
<i>Eyes</i>	May be mildly irritating to eyes.
<i>Skin</i>	Prolonged or repeated contact may dry skin and cause irritation.
<i>Inhalation</i>	May be irritating to nose, throat, and respiratory tract.
<i>Ingestion</i>	May be harmful if swallowed.

Medical Conditions None known.
Aggravated by
Overexposure:

See Toxicological Information (section 11)

Section 4. First Aid Measures

Eye Contact Flush immediately with plenty of water. Get medical attention if irritation occurs.
Skin Contact Rinse with plenty of running water.
Inhalation If breathing is difficult: Remove to fresh air. Get medical attention.
Ingestion Immediately drink plenty of water. Do not induce vomiting unless told to do so by a poison control center or doctor.

Section 5. Fire Fighting Measures

Flammability of the Product NFPA 30B Level 2 Aerosol.
Flash Points CLOSED CUP: <-7°C (19.4°F).(propellant)
Products of Combustion None known.
Fire Fighting Media and Instructions Use water spray to keep fire-exposed containers cool. Dry chemical, carbon dioxide. Fight fire from protected location or maximum possible distance. In case of fire and/or explosion do not breathe fumes..
Protective Clothing (Fire) Put on appropriate personal protective equipment (see Section 8).
Special Remarks on Fire and Explosion Hazards Aerosol product - Containers may rocket or explode in heat of fire. Vapors may accumulate in low or confined areas.

Section 6. Accidental Release Measures

Personal Precautions Put on appropriate personal protective equipment (see Section 8).
Environmental Precautions and Clean-up Methods Eliminate all ignition sources. In the event of major spillage: Use appropriate containment to avoid environmental contamination. Take up with sand or other non-combustible material. Place in suitable clean, dry containers for disposal by approved methods.

Section 7. Handling and Storage

Handling Avoid contact with eyes. Avoid breathing vapors or spray mists. Use appropriate hygiene measures when handling product. Use only in well-ventilated areas. Do not puncture or incinerate. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.
Storage Store in a dry, cool and well-ventilated area. Protect from freezing. Keep away from heat, sparks and flame. Pressurized container: protect from sunlight and do not expose to temperature exceeding 50°C. Do not pierce or burn, even after use. KEEP OUT OF REACH OF CHILDREN.

Section 8. Exposure Controls/Personal Protection

Engineering Controls No special ventilation requirements. General room ventilation is adequate.

Personal Protection

Eyes No special requirements under normal use conditions.

Hands No special requirements under normal use conditions.

Respiratory No special requirements under normal use conditions.

Feet No special requirements under normal use conditions.

Body No special protective clothing is required.

Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid. (Aerosol.)
Odor	Mild.
Color	Clear Yellow.
Specific Gravity	0.9
Solubility in water	Negligible.

Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
Conditions of Instability	Excessive heat.
Incompatibility with Various Substances	None known.
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.
Hazardous Polymerization	Will not occur.

Section 11. Toxicological Information

Acute toxicity	ORAL (LD50) Greater than 5000 mg/kg (rat).
Effects of Chronic Exposure	None known.
Other Toxic Effects	None known.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information	If possible, recycle empty aerosol cans to the nearest steel recycling center. Use up package or give to someone who can. Dispose of according to all federal, state and local regulations.
-------------------	---

Section 14. Transport Information

DOT Classification	
DOT Proper Shipping Name	Please refer to the Bill of Lading/receiving documents for up to date shipping information.
TDG Classification	
TDG Proper Shipping Name	Please refer to the Bill of Lading/receiving documents for up to date shipping information.
TDG Class	

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2

US Regulations

Federal SARA 302/304/311/312 hazardous chemicals: Propane, Isobutane
 SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Propane, Isobutane
 Clean air act (CAA) 112 accidental release prevention: Propane, Isobutane
 Clean air act (CAA) 112 regulated flammable substances: Propane, Isobutane
 CERCLA: Hazardous substances.: Propane, Isobutane

State New Jersey: Light Naphthenic Distillate, Propane, Isobutane, Light Naphthenic Distillate
Massachusetts spill list: Propane, Isobutane
Massachusetts RTK: Propane, Isobutane
Pennsylvania RTK: Propane, Isobutane

This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Information Not applicable.

Canadian Regulations

WHMIS Classification Not controlled under WHMIS (Canada).

WHMIS Icon



Registered Product Information Not applicable.

Chemical Inventory Status All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Section 16. Other Information

Other Special Considerations Not available.

Version 1.02

Notice to Reader

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.