

TECHNIQUE FLOOR SEALER

National Fire Protection Association (NFPA) F	Fire Haz	ard Reactivity	Hazardous Information (HMIS)		Health1Fire Hazard0Reactivity0
					Reactivity 0
Protective None required. Clothing	Specific H			ay be mildly	See Section 9. rirritating to eyes. May be mildly
Section 1. Chemical Prod	uct and Con	npany Identifi	ication		
Product Name TECHNIQU	E FLOOR S	EALER		Code	4133 & 4143 & 4144
Product Use Industrial/Insti	tutional: Floor c	are.		PMS#	3101392
MSDS# 114140004				Validation I	Date 4/4/2003
U.S. Headquarters		Canadian Headqu		Print Date	4/4/2003
Johnson Wax Professional 8310 16th Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com	Johnson Wax Professional 100 Matheson Blvd. East, Suite 203 Mississauga, Ontario L4Z 2G7 Phone: (905) 755-0913 or (888) 746-5971		Supersedes <u>In Case of</u> <u>Emergency</u>	No Previous Validation (800) 851-7145	
Section 2. Composition a	nd Informati	ion on Ingred	ients		
Ingredients	CAS #	% by Weight	Exposure Li	mits	LC50/LD50
Tributoxyethyl Phosphate	78-51-3	1-5	Not available.		ORAL (LD50): Acute: 3000 mg/kg [Rat]. DERMAL (LD50): Acute: 16000 mg/kg [Rabbit].
Diethylene Glycol Ethyl Ether Acrylic Polymers	111-90-0	1-5 10-30	Not available. Not available.		ORAL (LD50): Acute: 5540 to 9740 mg/kg [Rat]. Not available.
Water	7732-18-5	60-100	Not available.		Not available.
Section 3. Hazards Identif	ication				
Routes of Entry Inhala	ation. Skin cont	act. Eye contact.			
Potential Acute Health Effects					
Eyes May I	be mildly irritati	ng to eyes.			
Skin May I	be mildly irritati	ng to skin.			
Inhalation None	known.				
Ingestion None	known.				
Medical Conditions None Aggravated by Overexposure:	known.				
See Toxicological Information (secti	on 11)				
Section 4. First Aid Measu	ires				
Eye Contact Flush	immediately w	ith plenty of wate	er. Get medical attention	on if irritation	occurs.
Skin Contact Flush	Flush immediately with plenty of water. Get medical attention if irritation occurs.				
Inhalation No sp	No specific first aid measures are required.				
			uired.		

Johnson wax PROFESSIONAL

Section 5. Fire Fighting Measures

Flammability of the Product Flash Points	None known. Closed cup: >93.333°C (200°F).
Products of Combustion	None known.
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.
Special Remarks on Fire and Explosion Hazards	None known.

Section 6. Accidental Release Measures

Personal Precautions	Put on appropriate personal protective equipment (see Section 8).		
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.		

Section 7. Handling and Storage

Handling	Avoid contact with skin and eyes. FOR INDUSTRIAL USE ONLY		
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. KEEP OUT OF REACH OF CHILDREN.		

Section 8. Exposure Controls/Personal Protection

Engineering Controls	No special ventilation requirements. General room ventilation is adequate.	
Personal Protection		
	Eyes No special requirements under normal use conditions.	
	Hands No special requirements under normal use conditions.	
Respiratory No special requirements under normal use conditions.		
Feet No special requirements under normal use conditions.		
Body No special protective clothing is required.		

Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid. (Emulsion.)
Odor	Mild.
Color	Opaque White.
рН	8.4 to 9.2 [Basic.]
Specific Gravity	1.05
Boiling/Condensation Point	100°C (212°F)
Melting/Freezing Point	0°C (32°F)
VOC	4.4 ±
Solubility in water	Complete.

Section 10. Stability and Reactivity

,	,
Stability and Reactivity	The product is stable.
Conditions of Instability	None known.
Incompatibility with Various Substances	Not available.
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.
Hazardous Polymerization	Will not occur.

Johnson Wax PROFESSIONAL TECHNI

Section 11. Toxicological Information

Acute toxicity ORAL (LD50) Estimated to be greater than 5000 mg/kg (rat).

Effects of Chronic Exposure None known.

Other Toxic Effects Not available.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information

No special precautions. Dispose of according to all federal, state and local regulations.

Section 14. Transport Information

DOT Classification

 DOT Proper
 Please refer to the Bill of Lading/receiving documents for up to date shipping information.

 Shipping Name
 Please refer to the Bill of Lading/receiving documents for up to date shipping information.

TDG Classification

TDG ProperPlease refer to the Bill of Lading/receiving documents for up to date shipping information.Shipping Name

Section 15. Regulatory Information

Reporting in this section	is based on ingredients disclosed in Section 2
US Regulations	
Federal	SARA 313 toxic chemical notification and release reporting: Tributoxyethyl Phosphate, Diethylene Glycol Ethyl Ether CERCLA: Hazardous substances.: Tributoxyethyl Phosphate, Diethylene Glycol Ethyl Ether
State	New Jersey spill list: Tributoxyethyl Phosphate, Diethylene Glycol Ethyl Ether New Jersey: Tributoxyethyl Phosphate, Diethylene Glycol Ethyl Ether Pennsylvania RTK: Tributoxyethyl Phosphate, Diethylene Glycol Ethyl Ether
	This product is not subject to the reporting requirements under California's Proposition 65.
Registered Product Information	Not applicable.
Canadian Regulations	
WHMIS Classification	Not controlled under WHMIS (Canada).
WHMIS Icon	
Registered Product Information	Not applicable.
Chemical Inventory Status	All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory



TECHNIQUE FLOOR SEALER

Section 16. Other Information		
Other Special Considerations	Not available.	
Version	1	
Notice to Reader		

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.