



ENFORCER Products
 A Division of Acuity Specialty Products
 Group, Inc.
 P.O. Box 1060
 Cartersville, GA 30120
 1-888-805-HELP
 www.zepcommercial.com

Material Safety Data Sheet and Safe Handling and Disposal Information

Section 1. Chemical Product and Company Identification

Product name **BBQ Grill & Microwave Cleaner**

Product Code **HDBBQ18**

Date of issue **07/26/05** **Supersedes** 03/22/02

Emergency Telephone Numbers **For a Medical Emergency:**
 INFOTRAC
 (877) 541-2016 (Toll Free - Calls Recorded)

For a Transportation Emergency:
 CHEMTREC
 (800) 424-9300 (Toll Free - Calls Recorded)

Printing Date:

Prepared by Compliance Services Group
 Acuity Specialty Products Group
 1420 Seaboard Industrial Blvd.
 Atlanta, GA 30318

Section 2. Composition, Information on Ingredients

Name of Hazardous Ingredients	CAS #	% by Weight	Exposure Limits
ETHANOL; ethyl alcohol; grain alcohol	64-17-5	10 - 20	ACGIH TLV / OSHA PEL (United States). TWA: 1000 ppm 8 hour(s).
HYDROCARBON PROPELLANT; blend of propane, isobutane & n-butane	75-28-5; 74-98-6; 106-97-8	1 - 10	ACGIH TLV / OSHA PEL (United States). Notes: Propane TWA: 1000 ppm 8 hour(s). OSHA PEL / ACGIH TLV (United States). Notes: n-Butane TWA: 800 ppm 8 hour(s).
ETHYLENE GLYCOL MONOBUTYL ETHER; 2-butoxyethanol; butyl cellosolve	111-76-2	1 - 5	ACGIH TLV (United States). TWA: 20 ppm 8 hour(s). OSHA PEL (United States). Skin TWA: 50 ppm 8 hour(s).
ISOPROPYL ALCOHOL; ipa; dimethylcarbinol; 2-propanol	67-63-0	1 - 5	ACGIH TLV (United States). TWA: 200 ppm 8 hour(s). OSHA PEL (United States). TWA: 400 ppm 8 hour(s). ACGIH/OSHA (United States). STEL: 400 ppm 15 minute(s).

Section 3. Hazards Identification

Acute Effects **Routes of Entry** Dermal contact. Eye contact. Inhalation.

Skin Hazardous in case of skin contact (irritant, permeator). Direct contact may cause irritation and redness. Product may be dermal absorbed. Skin inflammation is characterized by itching, scaling, or reddening.

Eyes Hazardous in case of eye contact (irritant). Inflammation of the eye is characterized by redness, watering, and itching.

Inhalation Hazardous in case of inhalation. Avoid breathing vapors or spray mists. Over-exposure by inhalation may cause respiratory irritation. Can cause central nervous system depression.

Ingestion Unlikely in this form.

Carcinogenic Effects Ingredients: Not listed as carcinogen by OSHA, NTP or IARC.

Chronic Effects Overexposure of this product by inhalation or absorption can produce central nervous system depression resulting in headache, nausea and/or dizziness. The substance may be toxic to blood, kidneys, liver, upper respiratory tract, skin, eyes, central nervous system (CNS). Repeated or prolonged exposure to the substance can produce target organs damage.

See Toxicological Information (section 11)


HMIS	
Health	1
Fire Hazard	1
Reactivity	0
Personal Protection	B

Section 4. First Aid Measures

Eye Contact	Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention immediately.
Skin Contact	In case of contact, immediately flush skin with plenty of water. Get medical attention if irritation develops.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If irritation persists, get medical attention.
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If affected person is conscious, give plenty of water to drink. Get medical attention immediately.

Section 5. Fire Fighting Measures

Flash Point	Not determined.	Flammable Limits	Not applicable.
Flammability	Non-flammable. (CSMA)		
Fire Hazard	CONTENTS UNDER PRESSURE. Container explosion may occur under fire conditions or when heated.		
Fire-Fighting Procedures	Use an extinguishing agent suitable for surrounding fires. Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosion.		

**Section 6. Accidental Release Measures**

Spill Clean up	Large spills are unlikely due to packaging.
-----------------------	---

Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin and clothing. Do not ingest. Avoid breathing vapors or spray mists. Use only with adequate ventilation. Wash thoroughly after handling.
Storage	CONTENTS UNDER PRESSURE. Do not puncture or incinerate container. Store and use away from heat, sparks, open flame, or any other ignition source. Keep container in a cool, well-ventilated area. Store between 40°F - 120°F (4.4°C - 49°C). Keep out of the reach of children.

Section 8. Exposure Controls, Personal Protection

	Personal Protection	Protective Clothing (Pictograms)
Eyes	Safety glasses.	
Body	Protective gloves should be worn under conditions of prolonged use.	
Respiratory	A respirator is not needed under normal and intended conditions of product use.	

Section 9. Physical and Chemical Properties

Physical State	Liquid. (Aerosol.)	Color	Cloudy, Colorless.
pH	10.0 - 11.0	Odor	Pleasant. (Slight.)
Boiling Point	185°C (365°F)	Vapor Pressure	Not determined.
Specific Gravity	1.1 (Water = 1)	Vapor Density	Not determined.
Solubility	Soluble	Evaporation Rate	1 compared to Water
		VOC (Consumer)	297.92 (g/l). 2.49 lbs/gal 27.13%

Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
Incompatibility	None identified.
Hazardous Polymerization	Will not occur.
Hazardous Decomposition Products	Carbon oxides (CO, CO2) and organic chemicals.

Section 11. Toxicological Information

Toxicity to Animals	Ethylene Glycol Monobutyl Ether:
	ORAL (LD50): Acute: 1746 mg/kg [Rat].
	DERMAL (LD50): Acute: 680 mg/kg [Rabbit].
	VAPOR (LC50): Acute: 450 ppm 4 hour(s) [Rat (Female)].
	Isopropyl Alcohol:
	ORAL (LD50): Acute: 4700 mg/kg [Rat].
	DERMAL (LD50): Acute: 13000 mg/kg [Rabbit].
	VAPOR (LC50): Acute: 22500 ppm 8 hour(s) [Rat (Male)]. 19000 ppm 8 hour(s) [Rat (Female)].
	Ethanol:
	ORAL (LD50): Acute: 7060 mg/kg [Rat].

Section 12. Ecological Information**Ecotoxicity** Not available.**Biodegradable/OECD** Not available.**Section 13. Disposal Considerations****Waste Information** Waste must be disposed of in accordance with federal, state and local environmental control regulations.**Waste Stream** Non-regulated waste**Consult your local or regional authorities.****Section 14. Transport Information****Proper shipping name** Consumer Commodity**DOT Classification** ORM-D**UN number** Not applicable.**TDG Classification** Consumer Commodity ORM-D**Section 15. Regulatory Information****U.S. Federal Regulations** SARA 313 toxic chemical notification and release reporting:

Ethylene Glycol Monobutyl Ether

Clean Water Act (CWA) 311: No products were found.

Clean air act (CAA) 112 regulated toxic substances: Ethylene Glycol Monobutyl Ether

State Regulations California prop. 65: No products were found.**WHMIS (Canada)** Class D-1B: Material causing immediate and serious toxic effects (TOXIC).

Class D-2B: Material causing other toxic effects (TOXIC).

Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.