



# Material Safety Data Sheet

This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200



CLASS B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).  
CLASS D-1B: Material causing immediate and serious toxic effects (TOXIC).  
CLASS E: Corrosive liquid.

Class: Combustible liquid having a flash point between 37.8°C (100°F) and 93.3°C (200°F).

HCS Class: Corrosive liquid.

WHMIS (Pictograms)

WHMIS (Classification)

HCS

## Section 1. Chemical Product and Company Identification

Product Name/ Trade name **Cleanitizer**

Code **411**

Synonym Concentrated Carpet Sanitizer/Deodorizer/Cleaner

CAS # Mixture.

Chemical Family Not available.

Validation Date **3/26/2004**

Chemical Formula Not applicable.

Print Date **3/27/2004**

Manufacturer/ Supplier Betco Corporation  
1001 Brown Avenue  
Toledo, Oh 43607  
(419) 241-2156

In Case of Emergency Chemtrec (800) 424-9300

TSCA TSCA Inventory: All components listed or are exempt from listing.

DSL/ NDSL All components listed unless noted elsewhere on this MSDS

Protective Clothing



## Section 2. Composition and Information on Ingredients

Name	CAS #	% by Weight	Exposure Limits	LC <sub>50</sub> /LD <sub>50</sub>
1) Quaternary Ammonium Chloride	68391-01-5	2	Not available.	Not available.
2) Sodium Carbonate	497-19-8	0-5	Not available.	Not available.
3) Propylene Glycol	57-55-6	0-5	Not available.	ORAL (LD50): Acute: 5000 mg/kg [Rat].
4) Tetrapotassium Pyrophosphate	7320-34-5	0-5	Not available.	Not available.
5) Sodium Hydroxide	1310-73-2	0-5	TWA: 2 (mg/m <sup>3</sup> ) from OSHA (PEL) [United States]	Not available.
6) Sodium Lauryl Sulfate	151-21-3	0-5	Not available.	Not available.
7) Sodium Silicate	1344-09-8	0-5	Not available.	Not available.
8) Nonionic Surfactant	9016-45-9	0-5	Not available.	Not available.

## Section 3. Hazards Identification

**Potential Acute Health Effects** Very hazardous in case of skin contact (corrosive, irritant), of eye contact (irritant, corrosive), of ingestion. Hazardous in case of inhalation. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Severe over-exposure can result in death. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

**Potential Chronic Health Effects** Prolonged exposure may result in skin burns and ulcerations.

**Carcinogenic Effects** Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

#### Section 4. First Aid Measures

Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.
Skin Contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Ingestion	If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

#### Section 5. Fire Fighting Measures

Products of Combustion	Not available.
Fire Fighting Media and Instructions	Non-flammable substance.
Special Remarks on Fire Hazards	Water is very effective.
Special Remarks on Explosion Hazards	Products of combustion are toxic.


#### Section 6. Accidental Release Measures

Small Spill and Leak	Safety glasses or chemical anti-splash goggles recommended.
Large Spill and Leak	Absorb with an inert material and put the spilled material in an appropriate waste disposal.
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

#### Section 7. Handling and Storage

Precautions	Avoid breathing vapors or spray mists. Avoid contact with skin and eyes
Incompatibility	No incompatible product according to our data base.
Storage	Keep out of the reach of children. Not for use or storage in or around the home.

#### Section 8. Exposure Controls/Personal Protection

Engineering Controls	Good general ventilation should be sufficient to control airborne levels.
Personal Protection	
<i>Eyes</i>	Splash goggles.
<i>Body</i>	
<i>Respiratory</i>	Wear appropriate respirator when ventilation is inadequate.
<i>Hands</i>	Gloves (impervious).
Protective Clothing (Pictograms)	
Exposure Limits	<b>Sodium Hydroxide</b> TWA: 2 (mg/m <sup>3</sup> ) from OSHA (PEL) [United States]  Consult local authorities for acceptable exposure limits.

### Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid.	Odor	Pleasant.
Molecular Weight	Not applicable.	Taste	
pH	13 [Basic.]	Color	Yellow.
Boiling/Condensation Point	Not available.		
Melting/Freezing Point	Not available.		
Critical Temperature	Not available.		
Instability Temperature	Not available.		
Specific Gravity	1.07 (Water = 1)		
Vapor Pressure	Not available.		
Vapor Density	>1 (Air = 1)		
Volatility	>80		
VOC	<1%		
Evaporation Rate	<1		
Dispersion Properties	Not available.		
Solubility	Not available.		
The Product is:	Combustible.		
Auto-ignition Temperature	Not available.		
Flash Points	CLOSED CUP: 79.1111°C (174.4°F).		
Flammable Limits	Not available.		
Fire Hazards in Presence of Various Substances	Not available.		
Explosion Hazards in Presence of Various Substances	Not applicable		

### Section 10. Stability and Reactivity Data

Stability	The product is stable.
Incompatibility with Various Substances	No incompatible product according to our data base.
Hazardous Decomposition Products	Will not occur.

### Section 11. Toxicological Information

Routes of Entry	Absorbed through skin. Eye contact. Inhalation. Ingestion.
Toxicity to Animals	Acute oral toxicity (LD50): 140 mg/kg [Rat]. (Sodium Hydroxide).
Acute Effects on Humans	<p><i>Eyes</i> Very hazardous in case of eye contact (irritant, corrosive). Eye contact can result in corneal damage or blindness.</p> <p><i>Skin</i> Very hazardous in case of skin contact (corrosive, irritant). Skin contact may produce burns. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.</p> <p><i>Inhalation</i> Hazardous in case of inhalation. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath.</p> <p><i>Ingestion</i> Harmful if swallowed. May cause gastrointestinal discomfort. May cause headache, dizziness, nausea, vomiting and diarrhea.</p>
Chronic Effects on Humans	Prolonged exposure may result in skin burns and ulcerations.
Special Remarks on Toxicity to Animals	Not available.
Special Remarks on Chronic Effects on Humans	Not available.



### Section 12. Ecological Information

Ecotoxicity	Not available.
BOD5 and COD	Not available.
Products of Biodegradation	Not available.
Toxicity of the Products of Biodegradation	Not available.
Special Remarks on the Products of Biodegradation	Not available.



### Section 13. Disposal Considerations

Waste Information	Waste must be disposed of in accordance with federal, state and local environmental control regulations.
Waste Stream	Not available.

### Section 14. Transport Information

DOT (U.S.A) (Pictograms)		
TDG Classification	TDG Class 8: Corrosive liquid.	
PIN UN, Proper Shipping Name, PG	1760 Corrosive liquid n.o.s.	
Maritime Transportation	Not available.	

**Section 15. Other Regulatory Information and Pictograms**

<b>WHMIS (Classification)</b>		CLASS B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F). CLASS D-1B: Material causing immediate and serious toxic effects (TOXIC). CLASS E: Corrosive liquid.							
<b>Regulatory Lists</b>		No products were found.							
<b>Other Regulations</b>		OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).							
<b>Other Classifications</b>	<b>HCS (U.S.A.)</b>	Class: Combustible liquid having a flash point between 37.8°C (100°F) and 93.3°C (200°F).  HCS Class: Corrosive liquid.							
	<b>USA Regulatory Lists</b>	California prop. 65: This product contains the following ingredients for which the State of California has found to cause reproductive harm (female) which would require a warning under the statute: Ethylene Oxide < 1 ppm California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: Ethylene Oxide < 1 ppm Pennsylvania RTK: Propylene Glycol Massachusetts RTK: Ethylene Oxide SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Sodium Hydroxide: immediate health hazard							
	<b>DSD (EEC)</b>	This product is not classified according to the EU regulations.							
	<b>International Regulations Lists</b>	No products were found.							
<b>Hazardous Material Information System (U.S.A.)</b>		<table><tr><td>Health</td><td>3</td></tr><tr><td>Flammability</td><td>1</td></tr><tr><td>Physical Hazard</td><td>0</td></tr></table>	Health	3	Flammability	1	Physical Hazard	0	<b>National Fire Protection Association (U.S.A.)</b>  Health 3      Flammability 1 Instability 0      Specific Hazard 0
Health	3								
Flammability	1								
Physical Hazard	0								
The Hazard Ranking systems presented on this MSDS provide only a quick reference for hazard information. The ENTIRE MSDS must be consulted to determine any specific hazards, First Aid measures, and PPE associated with this product.									

**Section 16. Other Information**

Validated by CRushton on 3/26/2004.

Verified by CRushton.

Printed 3/27/2004.

**Information Contact**    **Betco Corporation**  
1001 Brown Avenue  
Toledo, Ohio 43607

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

*Continued on Next Page*