

ECLIPSE® NEUTRAL ALL PURPOSE CLEANER

Low pH, all-purpose daily floor cleaner removes dirt and soil without harming the shine. May be used on all washable surfaces.

FEATURES

- Concentrated for economical use
- Low foaming – easily applied with mop, sponge or autoscrubber
- Effective cleaner for deep scrubbing
- Excellent cleaner for use after stripping or deep scrubbing to neutralize the floor surface
- Pleasant light, lemon fragrance



RECOMMENDED FLOOR SURFACES

All washable surfaces; all resilient tile flooring, linoleum, terrazzo, marble and quarry tile and treated wood floors.

PRODUCT DATA

Description:	All-purpose synthetic water-based cleaner
Appearance:	Pink viscous liquid
Fragrance:	Slight lemon
Viscosity (Brookfield):	200 ± 50 centipoise @ 68.F. (20.C)
pH:	9.0 ± 0.25 ASTM E70-77
pH @ 1:64:	8.5 ± 0.25 ASTM E70-77
Flash Point:	None
Shelf Life:	2 years, ASTM D1791-93 (1998)
Density:	8.5 lb per gal @ 68°F 1.02 kg per liter @ 20°C
Freeze/Thaw:	Passes 3 cycles ASTM D3209-93 (1998)

PRECAUTIONS

Keep out of reach of children. Keep container sealed when not in use. Avoid freezing. If frozen, allow to return to room temperature slowly and mix thoroughly before using.

ORDERING INFORMATION

Product #301FS:	2 x 2.5 gallon per case (2 x 9.5 liters)
Product #301MP:	4 x 1.06 gallon per case (4 x 4 liters)

DIRECTIONS FOR USE: ROUTINE MAINTENANCE

1. Dust mop floor with a mop treated with Eclipse® Dust Mop Treatment or with an untreated dust mop.
2. Mix Eclipse Neutral Cleaner in mop bucket or autoscrubber per the following dilution ratio:
1:128 1 US oz per gal water (40 ml per 5 liters water)
3. Damp mop or autoscrub floor with Pioneer Eclipse light cleaning pad.
4. Burnish with recommended Pioneer Eclipse burnisher and pad.

DIRECTIONS FOR USE: DEEP SCRUB MAINTENANCE

1. Dust mop floor with a mop treated with Eclipse Dust Mop Treatment or with an untreated dust mop.
2. **Autoscrubber method:**
Mix Eclipse Neutral Cleaner in autoscrubber per the following dilution ratio:
1:32 4 US oz per gal water (160 ml per 5 liters water)
Autoscrub using Pioneer Eclipse deep scrub pad leaving the cleaning solution on the floor. Autoscrub again with deep scrub pad only this time vacuum up the dirty solution. Rinse floor with clean cold water and allow to dry.
3. **Mop Bucket method:**
Mix Eclipse Neutral Cleaner in mop bucket per the following dilution ratio:
1:32 4 US oz per gal water (160 ml per 5 liters water).
Fill a second mop bucket with clean, cold water. Apply cleaning solution using clean wet-mop. Rinse and wring out mop in clean water before returning to cleaning solution to prevent contamination of cleaning solution. Change clean water bucket as it becomes soiled. Deep scrub the floor using a Pioneer Eclipse low speed floor machine equipped with the appropriate deep scrubbing pad. Pick up dirty solution with wet vac. Rinse floor with clean cold water and allow to dry.
4. Recoat with recommended Pioneer Eclipse floor coating per product label directions.

NOTE: Eclipse Neutral Cleaner is an effective all-purpose cleaner for any washable surface.

Pioneer Eclipse®

ECLIPSE NEUTRAL ALL PURPOSE CLEANER

LAST REVISION DATE: 2/20/06
MANUFACTURER: Pioneer Eclipse® Corporation
 Sparta, NC 28675 Phone: 1-336-372-8080
FOR CHEMICAL EMERGENCY: Spill, Leak, Fire,
 Exposure or Accident **CALL CHEMTREC - Day or
 Night 1-800-424-9300** Toll Free in the
 Continental US **483-7616** in DISTRICT OF
 COLUMBIA. For calls originating outside the US:
 Call Collect **1-202-483-7616** Washington, DC.

SECTION I: GENERAL INFORMATION

PRODUCT NAME: Eclipse Neutral All Purpose Cleaner
PRODUCT #: 301
PRODUCT TYPE: All-purpose synthetic
 water-based cleaner
PRECAUTIONS: Possible skin and eye irritant.
 Keep container sealed when not in use. Keep out
 of reach of children.


HEALTH: 1

FLAMMABILITY: 0

REACTIVITY: 0

NFPA HAZARD RATINGS

4-EXTREME 3-HIGH 2-MODERATE
 1-SLIGHT 0-INSIGNIFICANT

**SECTION II: HAZARDOUS INGREDIENTS**

INGREDIENT: Anionic/nonionic surfactants
CAS #: N/A
%: 5-10 %
OSHA PEL: N/A
ACGIH TLV: N/A
LD₅₀ SPECIES & ROUTE: N/A

N/E = Not Established, N/L = Not Listed,
 N/A = Not Applicable.

SECTION III: PHYSICAL/CHEMICAL DATA

APPEARANCE: Pink viscous liquid
PHYSICAL STATE: Liquid
pH: 9.0 ± 0.25
BOILING POINT: 100°C / 212°F
EVAPORATION RATE: Less than water
FREEZING POINT: 0°C / 32°F
VAPOR DENSITY: Less than air
VOLATILE BY WEIGHT: 92-94%
VAPOR PRESSURE: Less than water
DENSITY: 8.5 lb per gal @ 68°F
 1.02 kg per liter @ 20°C
SOLUBILITY IN WATER: Miscible

SECTION IV: FIRE AND EXPLOSION DATA

FLASH POINT: Non-combustible
EXPLOSIVE LIMITS:
 LOWER: N/A UPPER: N/A
EXTINGUISHING MEDIA: N/A
SPECIAL FIRE FIGHTING PROCEDURES: None
HAZARDOUS COMBUSTIBLE PRODUCTS: None
UNUSUAL FIRE AND EXPLOSION HAZARDS:
 Materials can splatter above 100°C / 212°F.

SECTION V: REACTIVITY DATA

STABILITY: Stable
HAZARDOUS POLYMERIZATION: Will not occur.
INCOMPATIBILITY (MATERIALS TO AVOID):
 Strong acids and bases
HAZARDOUS DECOMPOSITION PRODUCTS: N/A
REACTIVITY CONDITIONS: None

SECTION VI: HEALTH HAZARD DATA

EYES: Slightly irritating to eyes. For eye contact,
 flush with a large amount of water for at least
 15 minutes. See a physician if irritation persists.
SKIN: Slightly irritating to skin upon repeated or
 prolonged contact. For skin contact, wash
 affected areas with soap and water.
INHALATION: Vapor or mist may cause
 irritation of the eyes, nose, throat and lungs.
 For overexposure, move subject to fresh air.
INGESTION: May cause irritation to mouth,
 esophagus and stomach. If ingested, drink
 several glasses of water and do not induce
 vomiting. Seek medical attention.
CHRONIC EFFECTS AND MEDICAL CONDITIONS
AGGRAVATED BY OVEREXPOSURE: Prolonged or
 repeated contact can cause drying, defatting and
 dermatitis to skin.
CARCINOGEN: Non-carcinogenic
REPRODUCTIVE EFFECTS: N/E
TERATOGENICITY: N/E
MUTAGENICITY: N/E
THRESHOLD LIMIT VALUE: See Section II.

SECTION VII: SPILL, LEAK & DISPOSAL PROCEDURES

SMALL SPILLS: Absorb spill with inert material
 (e.g. sand, earth) and dispose of as waste
 material in accordance with local, state and
 federal regulations.
LARGE SPILLS: Keep spectators away. Floors
 may be slippery; use care to avoid falling. Dike
 and contain spill with inert material (e.g. sand,
 earth). Transfer liquid to containers for recovery
 or disposal and solid diking material to separate
 containers for disposal. Keep spills and cleaning
 runoff out of sewers and open bodies of water.
WASTE DISPOSAL: Dispose of as waste
 material in accordance with local, state, and
 federal regulations.

SECTION VIII: SPECIAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT (PPE)
EYES: None required under normal conditions of
 use. Safety glasses recommended.
SKIN: If prolonged or repeated contact is
 possible, chemical-resistant clothing (e.g., rubber
 gloves) is recommended.
RESPIRATORY: No respiratory protection is
 required if ventilation is adequate.

ENGINEERING CONTROLS: Good general room
 ventilation is expected to be adequate. Local
 exhaust ventilation (e.g., fans) may be necessary
 when general ventilation does not keep airborne
 concentrations below any exposure limits.

SECTION IX: SPECIAL PRECAUTIONS

HANDLING AND STORAGE:
 Storage temperature (MAX. 60°C / 140°F)
 (MIN. 1°C / 34°F)
OTHER PRECAUTIONS: Keep from freezing;
 product may coagulate.

SECTION X: ADDITIONAL INFORMATION

Neither this data sheet nor any statement
 contained herein grants or extends any license,
 expressed or implied, in connection with patents
 issued or pending which may be the property of
 the manufacturer or others. The information in
 this data sheet has been assembled by the
 manufacturer based on its own studies and the
 work of others. The manufacturer makes no
 warranties, expressed or implied, as to the
 accuracy, completeness or adequacy of the
 information contained herein. The manufacturer
 shall not be liable (regardless of fault) or the
 vendee, the vendee's employees or anyone for
 any direct, special or consequential damages
 arising out of or in connection with the
 accuracy, completeness, adequacy or
 furnishing of such information.

This MSDS has been provided to you in accordance with
 the OSHA HAZARD COMMUNICATION STANDARD
 (29CFR1910.1200).

***IMPORTANT SAFETY INFORMATION
 DO NOT DISCARD***
 PLEASE ROUTE TO COMPANY SAFETY OFFICER

Pioneer Eclipse®