Page 1 of 4 MSDS # 110210006

FINE WOOD* PASTE WAX

Date Issued: 20Oct2005		Supersedes: 29Jun2001		
US MANUFACTURER: S.C. Johnson & Son, Inc. Phone: (800) 725-6737 Racine, Wisconsin 53403-2236 Emergency Phone: (866) 231-5406 International Emergency Phone: (952) 852-4647		CANADIAN MANUFACTURER: S.C. Johnson and Son, Limited Phone: (800) 725-6737 1 Webster Street Brantford, Ontario N3T 5R1 Transportation Emergency: CANUTEC (collect) (613) 996-6666 Poison Control: (866) 231-5406		
	IS HAZARD NFP.			
4-Very High	1 Health 0	S.C. Johnson and Son, Limited Phone: (800) 725-6737 1 Webster Street Brantford, Ontario N3T 5R1		
SECTION 1 - PRODUCT IDENTIFICATION				
PRODUCT NAME FINE WOOD* PASTE WAX PRODUCT USE Furniture care				
SECTION 2 - INGREDIENT INFORMATION				
		WEIGHT% EXPOSURE LIMIT/TOXICITY		
		. 3-7 NOT ESTABLISHED . 60-90 100 ppm ACGIH TLV-TWA , 200 ppm ACGIH STEL 500 ppm OSHA PEL (SUPPLIER RECOMMENDED)		
SECTION 3 - HEALTH HAZARDS IDENTIFICATION (Also See Section 11)				
ROUTE(S) OF ENTRY Skin contact. Inhalation. EFFECTS OF ACUTE EXPOSURE: EYE May cause: Mild eye irritation. SKIN Prolonged or repeated contact may cause: Mild skin irritation. INHALATION None known. INGESTION None known. MEDICAL CONDITIONS None known. GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE				
SECTION 4 - FIRST AID MEASURES				
	No special requireme Do not induce vomitior milk. Seek immedi	ea with water and soap. nts. ng! Immediately drink 1-2 glasses of water ate medical attention.		
		NFORMATION		
FLASH POINT	88°F (31°C) (TCC)			

Page 2 of 4 MSDS # 110210006

FINE WOOD* PASTE WAX

Date Issued: 20Oct2005 Supersedes: 29Jun2001

----- SECTION 5 - FIRE AND EXPLOSION INFORMATION (continued) -----FLAMMABLE LIMITS..... Not available.

AUTOIGNITION..... Not available.

TEMPERATURE

EXTINGUISHING MEDIA.... Foam. CO2. Dry chemical. Water fog.

SPECIAL FIREFIGHTING... Fight fire from maximum distance or protected area. Cool and use

caution when approaching or handling fire-exposed containers. PROCEDURES Fire fighters should wear self-contained breathing apparatus and

protective clothing.

UNUSUAL FIRE AND..... Liquid run-off to sewers may create fire/explosion hazard.

EXPLOSION HAZARDS

------ SECTION 6 - PREVENTIVE RELEASE MEASURES ------

STEPS TO BE TAKEN IN... Eliminate all ignition sources. Dike large spills. Absorb with CASE MATERIAL IS oil-dri or similar inert material. Sweep or scrape up and RELEASED OR SPILLED containerize.

----- SECTION 7 - HANDLING AND STORAGE ------

Harmful if swallowed. If swallowed, do not induce vomiting. PRECAUTIONARY..... drink milk, egg white or gelatin solution. If these are not INFORMATION

available, drink large quantities of water.

OTHER HANDLING AND..... Keep from freezing. Keep container well closed when not in use.

STORAGE CONDITIONS Keep out of reach of children.

----- SECTION 8 - SPECIAL PROTECTION INFORMATION ------

RESPIRATORY PROTECTION. No special requirements under normal use conditions.

VENTILATION..... No special requirements.

PROTECTIVE GLOVES..... No special requirements under normal use conditions. EYE PROTECTION...... No special requirements under normal use conditions.

OTHER PROTECTIVE..... No special requirements.

MEASURES

----- SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES -----

COLOR..... Opaque PRODUCT STATE..... Solid

(H2O=1)

VAPOR DENSITY (AIR=1).. Not available. EVAPORATION RATE (BUTYL Not available.

ACETATE=1)

VAPOR PRESSURE (mm HG). Not available. BOILING POINT..... Not available. FREEZING POINT..... Not applicable. COEFFICIENT OF..... Not available. WATER/OIL

PERCENT VOLATILE BY.... Not available.

VOLUME (%)

Page 3 of 4 MSDS # 110210006

FINE WOOD* PASTE WAX

Date Issued: 20Oct2005	Supersedes: 29Jun2001		
SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES (continued)			
VOLATILE ORGANIC COMPOUND (VOC)	Not available.		
THEORETICAL VOC (LB/GAL)	Not available.		
SECTION 10 - STABILITY AND REACTIVITY			
STABILITYSTABILITY - CONDITIONS. TO AVOID			
PRODUCTS	When exposed to fire: Produces normal products of combustion.		
HAZARDOUS POLYMERIZATION			
HAZARDOUS POLYMERIZATION - CONDITIONS TO AVOID	Not applicable.		
SECTION 11 - TOXICOLOGY INFORMATION (Also See Section 3)			
LD50 (ACUTE DERMAL TOX)	Greater than 5000 mg/kg (rats) Not available. >3,000 mg/kg (rat) 4 hrs.		
EFFECTS OF CHRONIC EXPOSURE	None known.		
SENSITIZATIONCARCINOGENICITY			
REPRODUCTIVE TOXICITY			
TERATOGENICITY MUTAGENICITY			
SECTION 12 - ECOLOGICAL INFORMATION			
ENVIRONMENTAL DATA	Not available.		
SECTION 13 - DISPOSAL CONSIDERATIONS			
WASTE DISPOSAL	No special method. Observe all applicable Federal/ Provincial/ State regulations and Local/ Municipal ordinances regarding disposal of non-hazardous materials.		
SECTION 14 - TRANSPORTATION INFORMATION			
US DOT INFORMATION CANADIAN SHIPPING NAME. TDG CLASSIFICATION PIN/NIP PACKING GROUP EXEMPTION NAME	Buffing or polishing compounds, N.O.I. Consumer commodity, ORM-D FINE WOOD* PASTE WAX Non-regulated. Not applicable. Not applicable. Not applicable.		

MATERIAL SAFETY DATA SHEET

Page 4 of 4 MSDS # 110210006

FINE WOOD* PASTE WAX

Date Issued: 20Oct2005	Supersedes: 29Jun2001
SECTION 15 - I	REGULATORY INFORMATION
WHMIS CLASSIFICATION	Non-regulated.
	roduct are listed or are excluded from listing on the U.S. Toxic SCA) Chemical Substance Inventory.
	roduct comply with the New Substances Notification requirements nmental Protection Act (CEPA).
This product is not subje	ct to the reporting requirements under California's Proposition 65.
SECTION 16 - 0	OTHER INFORMATION
ADDITIONAL INFORMATION. EPA REGISTRATION #	
PREPARATION	INFORMATION
PREPARED BY	Manufacturer's Technical Support Department. Refer to page 1 (Manufacturer) for contact information.

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

*This is a trademark of S.C. Johnson & Son, Inc.

PRINT DATE: 200ct2005