

# MATERIAL SAFETY DATA SHEET

Page 1 of 4

MSDS # 127390001

## GLADE® PLUG-INS SCENTED OIL - CLEAN LINEN\*

Date Issued: 12Oct2005

Supersedes: 04Aug2003

### US MANUFACTURER:

S.C. Johnson & Son, Inc.  
Phone: (800) 725-6737  
Racine, Wisconsin 53403-2236  
Emergency Phone: (866) 231-5406  
International Emergency Phone:  
(952) 852-4647

### CANADIAN MANUFACTURER:

S.C. Johnson and Son, Limited  
Phone: (800) 725-6737  
1 Webster Street  
Brantford, Ontario N3T 5R1  
Transportation Emergency:  
CANUTEC (collect) (613) 996-6666  
Poison Control: (866) 231-5406

| HAZARD RATING   | HMIS | HAZARD       | NFPA | DISTRIBUTED IN CANADA BY:     |
|-----------------|------|--------------|------|-------------------------------|
| 4-Very High     | 2    | Health       | 2    | S.C. Johnson and Son, Limited |
| 3-High          | 2    | Flammability | 2    | Phone: (800) 725-6737         |
| 2-Moderate      | 0    | Reactivity   | 0    | 1 Webster Street              |
| 1-Slight        |      | Special      |      | Brantford, Ontario N3T 5R1    |
| 0-Insignificant |      |              |      |                               |

## SECTION 1 - PRODUCT IDENTIFICATION

PRODUCT NAME..... GLADE® PLUG-INS SCENTED OIL - CLEAN LINEN\*  
PRODUCT USE..... Household: Air care

## SECTION 2 - INGREDIENT INFORMATION

| INGREDIENT                   | WEIGHT% | EXPOSURE LIMIT/TOXICITY |
|------------------------------|---------|-------------------------|
| Mixture of Perfume Oils..... | >90.0   | NOT ESTABLISHED         |

## SECTION 3 - HEALTH HAZARDS IDENTIFICATION (Also See Section 11)

ROUTE(S) OF ENTRY..... Skin contact. Eye contact.

### EFFECTS OF ACUTE EXPOSURE:

EYE..... May cause: Moderate eye irritation.  
SKIN..... Prolonged or repeated contact may cause: Drying/defatting of skin.  
INHALATION..... Irritation to nose, throat and respiratory tract.  
INGESTION..... May cause irritation to mouth, throat and stomach.  
MEDICAL CONDITIONS..... Persons with pre-existing skin disorders may be more susceptible to irritating effects.  
GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE

## SECTION 4 - FIRST AID MEASURES

EYE CONTACT..... Flush immediately with plenty of water for at least 15 to 20 minutes. If irritation persists, get medical attention.  
SKIN CONTACT..... Wash contaminated area with water and soap. If irritation persists, get medical attention.  
INHALATION..... Remove to fresh air.  
INGESTION..... Rinse mouth immediately. Immediately drink 1-2 glasses of water. Seek immediate medical attention.

## SECTION 5 - FIRE AND EXPLOSION INFORMATION

FLASH POINT..... 156°F (69°C) (TCC)

# MATERIAL SAFETY DATA SHEET

Page 2 of 4

MSDS # 127390001

## GLADE® PLUG-INS SCENTED OIL - CLEAN LINEN\*

Date Issued: 12Oct2005

Supersedes: 04Aug2003

### ----- SECTION 5 - FIRE AND EXPLOSION INFORMATION (continued) -----

|                                            |                                                                                       |
|--------------------------------------------|---------------------------------------------------------------------------------------|
| FLAMMABLE LIMITS.....                      | Not available.                                                                        |
| AUTOIGNITION.....                          | Not available.                                                                        |
| TEMPERATURE                                |                                                                                       |
| EXTINGUISHING MEDIA....                    | Foam. CO2. Dry chemical.                                                              |
| SPECIAL FIREFIGHTING...<br>PROCEDURES      | Fire fighters should wear self-contained breathing apparatus and protective clothing. |
| UNUSUAL FIRE AND.....<br>EXPLOSION HAZARDS | No special hazards known.                                                             |

### ----- SECTION 6 - PREVENTIVE RELEASE MEASURES -----

|                                                                    |                                                                                                                                                                                                  |
|--------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STEPS TO BE TAKEN IN...<br>CASE MATERIAL IS<br>RELEASED OR SPILLED | Eliminate all ignition sources. Dike large spills. Do not let spilled or leaking material enter watercourse. Absorb with oil-dri or similar inert material. Sweep or scrape up and containerize. |
|--------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### ----- SECTION 7 - HANDLING AND STORAGE -----

|                                               |                                                                                                                                                                                                                                                    |
|-----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PRECAUTIONARY.....<br>INFORMATION             | WARNING: Skin and eye irritant. Do not get in eyes, on skin or on clothing. If such contact occurs, flush immediately with plenty of water for at least 15 to 20 minutes. If irritation persists, seek medical aid. Keep out of reach of children. |
| OTHER HANDLING AND.....<br>STORAGE CONDITIONS | Store in a cool, dry place with adequate ventilation. Observe good personal hygiene practices.                                                                                                                                                     |

### ----- SECTION 8 - SPECIAL PROTECTION INFORMATION -----

|                                   |                                                                                                                                                                |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RESPIRATORY PROTECTION.           | No special requirements under normal use conditions.                                                                                                           |
| VENTILATION.....                  | General room ventilation is normally adequate. Substantial amounts of mists/vapors can be controlled with local exhaust ventilation or respiratory protection. |
| PROTECTIVE GLOVES.....            | If prolonged or repeated contact is possible: Any impervious material.                                                                                         |
| EYE PROTECTION.....               | Chemical splash-proof goggles.                                                                                                                                 |
| OTHER PROTECTIVE.....<br>MEASURES | If major exposure is possible to eyes/skin, wear/use appropriate protective equipment.                                                                         |

### ----- SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES -----

|                                       |                |
|---------------------------------------|----------------|
| COLOR.....                            | Yellow         |
| PRODUCT STATE.....                    | Liquid.        |
| ODOR.....                             | Fresh Clean    |
| pH.....                               | Not available. |
| ODOR THRESHOLD.....                   | Not available. |
| SOLUBILITY IN WATER....               | Negligible     |
| SPECIFIC GRAVITY.....<br>(H2O=1)      | 0.947          |
| VISCOSITY.....                        | Not available  |
| VAPOR DENSITY (AIR=1)..               | Not available. |
| EVAPORATION RATE (BUTYL<br>ACETATE=1) | Not available. |
| VAPOR PRESSURE (mm HG).               | Not available. |
| BOILING POINT.....                    | Not available. |
| FREEZING POINT.....                   | Not available. |

# MATERIAL SAFETY DATA SHEET

Page 3 of 4

MSDS # 127390001

## GLADE® PLUG-INS SCENTED OIL - CLEAN LINEN\*

Date Issued: 12Oct2005

Supersedes: 04Aug2003

### ----- SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES (continued) -----

COEFFICIENT OF..... Not available.  
WATER/OIL  
PERCENT VOLATILE BY.... > 99  
VOLUME (%)  
VOLATILE ORGANIC..... Not applicable.  
COMPOUND (VOC)  
THEORETICAL VOC..... Not applicable.  
(LB/GAL)

### ----- SECTION 10 - STABILITY AND REACTIVITY -----

STABILITY..... Stable  
STABILITY - CONDITIONS. Not available.  
TO AVOID  
INCOMPATIBILITY..... Strong acids (eg., muriatic acid). Strong oxidizing materials  
(e.g. liquid chlorine).  
HAZARDOUS DECOMPOSITION PRODUCTS When exposed to fire: Produces normal products of combustion.  
HAZARDOUS..... Will not occur.  
POLYMERIZATION  
HAZARDOUS..... Not applicable.  
POLYMERIZATION -  
CONDITIONS TO AVOID

### ----- SECTION 11 - TOXICOLOGY INFORMATION (Also See Section 3) -----

LD50 (ACUTE ORAL TOX).. Not available.  
LD50 (ACUTE DERMAL TOX) Not available.  
LC50 (ACUTE INHALATION. Not available.  
TOX)  
EFFECTS OF CHRONIC..... None known.  
EXPOSURE  
SENSITIZATION..... None known.  
CARCINOGENICITY..... None known.  
REPRODUCTIVE TOXICITY.. None known.  
TERATOGENICITY..... None known.  
MUTAGENICITY..... None known.

### ----- SECTION 12 - ECOLOGICAL INFORMATION -----

ENVIRONMENTAL DATA..... Not available.

### ----- SECTION 13 - DISPOSAL CONSIDERATIONS -----

WASTE DISPOSAL..... Observe all Federal, Provincial, State and Municipal  
INFORMATION regulations.

### ----- SECTION 14 - TRANSPORTATION INFORMATION -----

US DOT INFORMATION..... Please refer to the Bill of Lading/receiving documents for  
up-to-date shipping information.

# MATERIAL SAFETY DATA SHEET

Page 4 of 4

MSDS # 127390001

## GLADE® PLUG-INS SCENTED OIL - CLEAN LINEN\*

Date Issued: 12Oct2005

Supersedes: 04Aug2003

### ----- SECTION 14 - TRANSPORTATION INFORMATION (continued) -----

CANADIAN SHIPPING NAME. GLADE® PLUG-INS SCENTED OIL - CLEAN LINEN\*  
TDG CLASSIFICATION..... Not applicable.  
PIN/NIP..... Not applicable.  
PACKING GROUP..... Not applicable.  
EXEMPTION NAME..... Not applicable.

### ----- SECTION 15 - REGULATORY INFORMATION -----

WHMIS CLASSIFICATION... Non-regulated.

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

All ingredients in this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

This product is not subject to the reporting requirements under California's Proposition 65.

### ----- SECTION 16 - OTHER INFORMATION -----

ADDITIONAL INFORMATION. Use as directed.  
EPA REGISTRATION #..... Not applicable.

### ----- PREPARATION INFORMATION -----

PREPARED BY..... Manufacturer's Technical Support Department. Refer to page 1  
(Manufacturer) for contact information.

-----  
This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

\*This is a trademark of S.C. Johnson & Son, Inc.

PRINT DATE: 12Oct2005