

# MATERIAL SAFETY DATA SHEET

Page 1 of 4

MSDS # 126394003

## GLADE PLUG-INS SCENTED OIL - HAWAIIAN BREEZE

Date Issued: 09Apr2004

Supersedes: 16Dec2002

### US MANUFACTURER:

S.C. Johnson & Son, Inc.  
Phone: (800) 725-6737  
Racine, Wisconsin 53403-2236  
Emergency Phone: (866) 231-5406  
International Emergency Phone:  
(952) 852-4647

### CANADIAN MANUFACTURER:

S.C. Johnson and Son, Limited  
Phone: (800) 725-6737  
1 Webster Street  
Brantford, Ontario N3T 5R1  
Transportation Emergency:  
CANUTEC (collect) (613) 996-6666  
Poison Control: (866) 231-5406

HAZARD RATING	HMIS	HAZARD	NFPA	DISTRIBUTED IN CANADA BY:
4-Very High	2	Health	2	S.C. Johnson and Son, Limited
3-High	2	Flammability	2	Phone: (800) 725-6737
2-Moderate	0	Reactivity	0	1 Webster Street
1-Slight		Special		Brantford, Ontario N3T 5R1
0-Insignificant				

## SECTION 1 - PRODUCT IDENTIFICATION

PRODUCT NAME..... GLADE PLUG-INS SCENTED OIL - HAWAIIAN BREEZE  
REASON FOR CHANGE..... No significant changes.  
PRODUCT USE..... Household: Air care

UPC	SCJ CODE	QUANTITY	US SIZE	CANADIAN SIZE
62300 00991	991	12		1 EA.

## SECTION 2 - INGREDIENT INFORMATION

INGREDIENT	WEIGHT%	EXPOSURE LIMIT/TOXICITY
Mixture of Perfume Oils.....	>90.0	NOT ESTABLISHED

## SECTION 3 - HEALTH HAZARDS IDENTIFICATION (Also See Section 11)

ROUTE(S) OF ENTRY..... Skin contact. Eye contact.  
EFFECTS OF ACUTE EXPOSURE:  
EYE..... May cause: Moderate eye irritation.  
SKIN..... Prolonged or repeated contact may cause: Drying/defatting of skin.  
INHALATION..... Irritation to nose, throat and respiratory tract.  
INGESTION..... May cause irritation to mouth, throat and stomach.  
MEDICAL CONDITIONS..... Persons with pre-existing skin disorders may be more susceptible  
GENERALLY RECOGNIZED to irritating effects.  
AS BEING AGGRAVATED  
BY EXPOSURE

## SECTION 4 - FIRST AID MEASURES

EYE CONTACT..... Flush immediately with plenty of water for at least 15 to 20 minutes. If irritation persists, get medical attention.  
SKIN CONTACT..... Wash contaminated area with water and soap. If irritation persists, get medical attention.  
INHALATION..... Remove to fresh air.

# MATERIAL SAFETY DATA SHEET

Page 2 of 4

MSDS # 126394003

## GLADE PLUG-INS SCENTED OIL - HAWAIIAN BREEZE

Date Issued: 09Apr2004

Supersedes: 16Dec2002

### SECTION 4 - FIRST AID MEASURES (continued)

INGESTION..... Rinse mouth immediately. Immediately drink 1-2 glasses of water  
Seek immediate medical attention.

### SECTION 5 - FIRE AND EXPLOSION INFORMATION

FLASH POINT..... 153°F (67°C) (TCC)  
FLAMMABLE LIMITS..... Not available.  
AUTOIGNITION..... Not available.  
TEMPERATURE  
EXTINGUISHING MEDIA.... Foam. CO2. Dry chemical.  
SPECIAL FIREFIGHTING... Fire fighters should wear self-contained breathing apparatus and  
PROCEDURES protective clothing.  
UNUSUAL FIRE AND..... No special hazards known.  
EXPLOSION HAZARDS

### SECTION 6 - PREVENTIVE RELEASE MEASURES

STEPS TO BE TAKEN IN... Eliminate all ignition sources. Dike large spills. Do not let  
CASE MATERIAL IS spilled or leaking material enter watercourse. Absorb with  
RELEASED OR SPILLED oil-dri or similar inert material. Sweep or scrape up and  
containerize.

### SECTION 7 - HANDLING AND STORAGE

PRECAUTIONARY..... WARNING: Skin and eye irritant. Do not get in eyes, on skin or  
INFORMATION on clothing. If such contact occurs, flush immediately with  
plenty of water for at least 15 to 20 minutes. If irritation  
persists, seek medical aid. Keep out of reach of children.  
OTHER HANDLING AND..... Store in a cool, dry place with adequate ventilation. Observe  
STORAGE CONDITIONS good personal hygiene practices.

### SECTION 8 - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION. No special requirements under normal use conditions.  
VENTILATION..... General room ventilation is normally adequate. Substantial  
amounts of mists/vapors can be controlled with local exhaust  
ventilation or respiratory protection.  
PROTECTIVE GLOVES..... If prolonged or repeated contact is possible: Any impervious  
material.  
EYE PROTECTION..... Chemical splash-proof goggles.  
OTHER PROTECTIVE..... If major exposure is possible to eyes/skin, wear/use appropriate  
MEASURES protective equipment.

### SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

COLOR..... Colorless to Pale Yellow  
PRODUCT STATE..... Liquid.  
ODOR..... Fruity  
pH..... Not available.  
ODOR THRESHOLD..... Not available.  
SOLUBILITY IN WATER.... Negligible  
SPECIFIC GRAVITY..... 0.94  
(H2O=1)  
VISCOSITY..... Not available  
VAPOR DENSITY (AIR=1).. > 1

# MATERIAL SAFETY DATA SHEET

Page 3 of 4

MSDS # 126394003

## GLADE PLUG-INS SCENTED OIL - HAWAIIAN BREEZE

Date Issued: 09Apr2004

Supersedes: 16Dec2002

### ----- SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES (continued) -----

EVAPORATION RATE (BUTYL ACETATE=1) Not available.  
VAPOR PRESSURE (mm HG). 0.70  
BOILING POINT..... Not available.  
FREEZING POINT..... Not available.  
COEFFICIENT OF..... Not available.  
WATER/OIL  
PERCENT VOLATILE BY.... > 99  
VOLUME (%)  
VOLATILE ORGANIC..... Not applicable.  
COMPOUND (VOC)  
THEORETICAL VOC..... Not applicable.  
(LB/GAL)

### ----- SECTION 10 - STABILITY AND REACTIVITY -----

STABILITY..... Stable  
STABILITY - CONDITIONS. Not available.  
TO AVOID  
INCOMPATIBILITY..... Strong acids (eg., muriatic acid). Strong oxidizing materials  
(e.g. liquid chlorine).  
HAZARDOUS DECOMPOSITION PRODUCTS When exposed to fire: Produces normal products of combustion.  
HAZARDOUS..... Will not occur.  
POLYMERIZATION  
HAZARDOUS..... Not applicable.  
POLYMERIZATION -  
CONDITIONS TO AVOID

### ----- SECTION 11 - TOXICOLOGY INFORMATION (Also See Section 3) -----

LD50 (ACUTE ORAL TOX).. Not available.  
LD50 (ACUTE DERMAL TOX) Not available.  
LC50 (ACUTE INHALATION. Not available.  
TOX)  
EFFECTS OF CHRONIC..... None known.  
EXPOSURE  
SENSITIZATION..... None known.  
CARCINOGENICITY..... None known.  
REPRODUCTIVE TOXICITY.. None known.  
TERATOGENICITY..... None known.  
MUTAGENICITY..... None known.

### ----- SECTION 12 - ECOLOGICAL INFORMATION -----

ENVIRONMENTAL DATA..... Not available.

### ----- SECTION 13 - DISPOSAL CONSIDERATIONS -----

WASTE DISPOSAL..... Observe all Federal, Provincial, State and Municipal  
INFORMATION regulations.

# MATERIAL SAFETY DATA SHEET

Page 4 of 4

MSDS # 126394003

## GLADE PLUG-INS SCENTED OIL - HAWAIIAN BREEZE

Date Issued: 09Apr2004

Supersedes: 16Dec2002

### ----- SECTION 14 - TRANSPORTATION INFORMATION -----

US DOT INFORMATION..... Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.  
CANADIAN SHIPPING NAME. GLADE PLUG-INS SCENTED OIL - HAWAIIAN BREEZE  
TDG CLASSIFICATION..... Not applicable.  
PIN/NIP..... Not applicable.  
PACKING GROUP..... Not applicable.  
EXEMPTION NAME..... Not applicable.

### ----- SECTION 15 - REGULATORY INFORMATION -----

WHMIS CLASSIFICATION... Non-regulated.

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

All ingredients in this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

This product is not subject to the reporting requirements under California's Proposition 65.

### ----- SECTION 16 - OTHER INFORMATION -----

ADDITIONAL INFORMATION. Use as directed.  
EPA REGISTRATION #..... Not applicable.

### ----- PREPARATION INFORMATION -----

PREPARED BY..... Manufacturer's Technical Support Department. Refer to page 1 (Manufacturer) for contact information.

-----  
This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

PRINT DATE: 12Oct2005