

# MATERIAL SAFETY DATA SHEET

Page 1 of 4

MSDS # 126723001

## GLADE PLUG-INS SCENTED OIL - VANILLA

Date Issued: 03Mar2003

Supersedes: 24May1999

### US MANUFACTURER:

S.C. Johnson & Son, Inc.  
Phone: (800) 725-6737  
Racine, Wisconsin 53403-2236  
Emergency Phone: (866) 231-5406  
International Emergency Phone:  
(952) 852-4647

### CANADIAN MANUFACTURER:

S.C. Johnson and Son, Limited  
Phone: (800) 725-6737  
1 Webster Street  
Brantford, Ontario N3T 5R1  
Transportation Emergency:  
CANUTEC (collect) (613) 996-6666  
Poison Control: (866) 231-5406

HAZARD RATING	HMIS	HAZARD	NFPA	DISTRIBUTED IN CANADA BY:
4-Very High	2	Health	2	S.C. Johnson and Son, Limited
3-High	2	Flammability	2	Phone: (800) 725-6737
2-Moderate	0	Reactivity	0	1 Webster Street
1-Slight		Special		Brantford, Ontario N3T 5R1
0-Insignificant				

## SECTION 1 - PRODUCT IDENTIFICATION

PRODUCT NAME..... GLADE PLUG-INS SCENTED OIL - VANILLA  
REASON FOR CHANGE..... No significant changes.  
PRODUCT USE..... Household: Air care

## SECTION 2 - INGREDIENT INFORMATION

INGREDIENT	WEIGHT%	EXPOSURE LIMIT/TOXICITY
Mixture of Perfume Oils.....	>95	NOT ESTABLISHED

## SECTION 3 - HEALTH HAZARDS IDENTIFICATION (Also See Section 11)

ROUTE(S) OF ENTRY..... Skin contact.  
EFFECTS OF ACUTE EXPOSURE:  
EYE..... May cause: Severe eye irritation.  
SKIN..... May cause: Mild skin irritation.  
INHALATION..... None known.  
INGESTION..... None known.  
MEDICAL CONDITIONS..... None known.  
GENERALLY RECOGNIZED  
AS BEING AGGRAVATED  
BY EXPOSURE

## SECTION 4 - FIRST AID MEASURES

EYE CONTACT..... Flush immediately with plenty of water for at least 15 to 20 minutes. If irritation persists, get medical attention.  
SKIN CONTACT..... Wash contaminated area with water and soap. If irritation persists, get medical attention.  
INHALATION..... No special requirements.  
INGESTION..... Seek immediate medical attention.

## SECTION 5 - FIRE AND EXPLOSION INFORMATION

FLASH POINT..... 161°F (72°C) (TCC)  
FLAMMABLE LIMITS..... Not available.

# MATERIAL SAFETY DATA SHEET

Page 2 of 4

MSDS # 126723001

## GLADE PLUG-INS SCENTED OIL - VANILLA

Date Issued: 03Mar2003

Supersedes: 24May1999

### ----- SECTION 5 - FIRE AND EXPLOSION INFORMATION (continued) -----

AUTOIGNITION..... Not available.  
TEMPERATURE  
EXTINGUISHING MEDIA.... Foam. CO2. Dry chemical. Water fog.  
SPECIAL FIREFIGHTING... Normal fire fighting procedure may be used.  
PROCEDURES  
UNUSUAL FIRE AND..... No special hazards known.  
EXPLOSION HAZARDS

### ----- SECTION 6 - PREVENTIVE RELEASE MEASURES -----

STEPS TO BE TAKEN IN... Eliminate all ignition sources. Dike large spills. Absorb with  
CASE MATERIAL IS oil-dri or similar inert material. Sweep or scrape up and  
RELEASED OR SPILLED containerize.

### ----- SECTION 7 - HANDLING AND STORAGE -----

PRECAUTIONARY..... Do not remove or puncture clear film covering gel. Avoid contact  
INFORMATION with eyes. If such contact occurs, flush immediately with plenty  
of water for at least 15 to 20 minutes. If irritation persists,  
seek medical aid. Do not place open cartridges on finished wood  
surfaces. Keep out of reach of children.  
OTHER HANDLING AND..... Keep from freezing.  
STORAGE CONDITIONS

### ----- SECTION 8 - SPECIAL PROTECTION INFORMATION -----

RESPIRATORY PROTECTION. No special requirements under normal use conditions.  
VENTILATION..... No special requirements.  
PROTECTIVE GLOVES..... No special requirements under normal use conditions.  
EYE PROTECTION..... No special requirements under normal use conditions.  
OTHER PROTECTIVE..... No special requirements.  
MEASURES

### ----- SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES -----

COLOR..... Pale Yellow  
PRODUCT STATE..... Liquid.  
ODOR..... Vanilla  
pH..... Not applicable.  
ODOR THRESHOLD..... Not available.  
SOLUBILITY IN WATER.... Negligible  
SPECIFIC GRAVITY..... 0.94-0.97  
(H2O=1)  
VISCOSITY..... > 100 (S.U.S.)  
VAPOR DENSITY (AIR=1).. Not available.  
EVAPORATION RATE (BUTYL Not available.  
ACETATE=1)  
VAPOR PRESSURE (mm HG). 0.65 mm Hg  
BOILING POINT..... Not available.  
FREEZING POINT..... Not available.  
COEFFICIENT OF..... Not available.  
WATER/OIL  
PERCENT VOLATILE BY.... > 95  
VOLUME (%)

# MATERIAL SAFETY DATA SHEET

Page 3 of 4

MSDS # 126723001

## GLADE PLUG-INS SCENTED OIL - VANILLA

Date Issued: 03Mar2003

Supersedes: 24May1999

### ----- SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES (continued) -----

VOLATILE ORGANIC..... Not available.  
COMPOUND (VOC)  
THEORETICAL VOC..... Not available.  
(LB/GAL)

### ----- SECTION 10 - STABILITY AND REACTIVITY -----

STABILITY..... Stable  
STABILITY - CONDITIONS. Not applicable.  
TO AVOID  
INCOMPATIBILITY..... Not applicable.  
HAZARDOUS DECOMPOSITION No special requirements.  
PRODUCTS  
HAZARDOUS..... Will not occur.  
POLYMERIZATION  
HAZARDOUS..... Not applicable.  
POLYMERIZATION -  
CONDITIONS TO AVOID

### ----- SECTION 11 - TOXICOLOGY INFORMATION (Also See Section 3) -----

LD50 (ACUTE ORAL TOX).. Estimated to be greater than 5000 mg/kg (rats).  
LD50 (ACUTE DERMAL TOX) Not applicable.  
LC50 (ACUTE INHALATION. Not applicable.  
TOX)  
EFFECTS OF CHRONIC..... None known.  
EXPOSURE  
SENSITIZATION..... None known.  
CARCINOGENICITY..... None known.  
REPRODUCTIVE TOXICITY.. None known.  
TERATOGENICITY..... None known.  
MUTAGENICITY..... None known.

### ----- SECTION 12 - ECOLOGICAL INFORMATION -----

ENVIRONMENTAL DATA..... Not applicable.

### ----- SECTION 13 - DISPOSAL CONSIDERATIONS -----

WASTE DISPOSAL..... No special method. Observe all applicable Federal/ Provincial/  
INFORMATION State regulations and Local/ Municipal ordinances regarding  
disposal of non-hazardous materials.

### ----- SECTION 14 - TRANSPORTATION INFORMATION -----

US DOT INFORMATION..... Not applicable.  
CANADIAN SHIPPING NAME. GLADE PLUG-INS SCENTED OIL - VANILLA  
TDG CLASSIFICATION..... Non-regulated.  
PIN/NIP..... Not applicable.  
PACKING GROUP..... Not applicable.  
EXEMPTION NAME..... Not applicable.

### ----- SECTION 15 - REGULATORY INFORMATION -----

WHMIS CLASSIFICATION... Non-regulated.

# MATERIAL SAFETY DATA SHEET

Page 4 of 4

MSDS # 126723001

## GLADE PLUG-INS SCENTED OIL - VANILLA

Date Issued: 03Mar2003

Supersedes: 24May1999

### ----- SECTION 15 - REGULATORY INFORMATION (continued) -----

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

All ingredients in this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

This product is not subject to the reporting requirements under California's Proposition 65.

### ----- SECTION 16 - OTHER INFORMATION -----

ADDITIONAL INFORMATION. Use as directed.

EPA REGISTRATION #..... Not applicable.

### ----- PREPARATION INFORMATION -----

PREPARED BY..... Manufacturer's Technical Support Department. Refer to page 1  
(Manufacturer) for contact information.

-----  
This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

PRINT DATE: 12Oct2005