Page 1 of 4 MSDS # 110668005

GLADE PLUG-INS® - TROPICAL MIST®

Date Issued: 16Dec2002			Supersedes: 18Aug1998		
US MANUFACTURER: S.C. Johnson & Son, Inc. Phone: (800) 725-6737 Racine, Wisconsin 53403-2236 Emergency Phone: (866) 231-5406 International Emergency Phone: (952) 852-4647			S.C. o Phone 1 Webs Branti Trans CANU	AN MANUFACTURER: Johnson and Son, Limited : (800) 725-6737 ster Street Ford, Ontario N3T 5R1 portation Emergency: JTEC (collect) (613) 996-6666 in Control: (866) 231-5406	
4-Very High 3-High 2-Moderate 1-Slight 0-Insignificant	1 Health2 Flammability0 ReactivitySpecial	1 2 5	S.C. d Phone 1 Webs Branti	Johnson and Son, Limited : (800) 725-6737	
PRODUCT NAME GLADE PLUG-INS® - TROPICAL MIST® PRODUCT USE Air care					
UPC	SCJ CODE QUANTITY	US :	SIZE	CANADIAN SIZE	
62300 00589	50589 12 10696 12			1.00 EA 3.00 EA	
SECTION 2 - INGREDIENT INFORMATION					
	INGREDIENT	WEI	GHT%	EXPOSURE LIMIT/TOXICITY	
Amorphous Fumed Silica (CAS# 7631-86-9)		1		5 mg/m³ (RESPIRABLE DUST) , 10 mg/m³ (TOTAL DUST) ACGIH-NUISANCE DUST. (SUPPLIER RECOMMENDED)	
Mixture of Perfume Oils					
SECTION 3 - HEALTH HAZARDS IDENTIFICATION (Also See Section 11)					
ROUTE(S) OF ENTRY Skin contact. EFFECTS OF ACUTE EXPOSURE: EYE May cause: Moderate eye irritation. SKIN May cause: Mild skin irritation. INHALATION None known. INGESTION None known. MEDICAL CONDITIONS None known. GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE					

----- SECTION 4 - FIRST AID MEASURES -----

EYE CONTACT...... Flush immediately with plenty of water for at least 15 to 20 minutes. If irritation persists, get medical attention.

SKIN CONTACT..... Wash contaminated area with water and soap. If irritation persists, get medical attention.

Page 2 of 4 MSDS # 110668005

GLADE PLUG-INS® - TROPICAL MIST®

Date Issued: 16Dec2002 Supersedes: 18Aug1998 ----- SECTION 4 - FIRST AID MEASURES (continued) ------INHALATION..... No special requirements. INGESTION..... Seek immediate medical attention. ------ SECTION 5 - FIRE AND EXPLOSION INFORMATION ------FLASH POINT......... 156°F (69°C) (TCC) FLAMMABLE LIMITS..... Not applicable. AUTOIGNITION..... Not applicable. TEMPERATURE EXTINGUISHING MEDIA.... Foam. CO2. Dry chemical. Water fog. SPECIAL FIREFIGHTING... Normal fire fighting procedure may be used. **PROCEDURES** UNUSUAL FIRE AND...... No special hazards known. EXPLOSION HAZARDS ------ SECTION 6 - PREVENTIVE RELEASE MEASURES -------STEPS TO BE TAKEN IN... Eliminate all ignition sources. Dike large spills. Absorb with CASE MATERIAL IS oil-dri or similar inert material. Sweep or scrape up and RELEASED OR SPILLED containerize. ------ SECTION 7 - HANDLING AND STORAGE ------PRECAUTIONARY..... Do not remove or puncture clear film covering gel. Avoid contact INFORMATION with eyes. If such contact occurs, flush immediately with plenty of water for at least 15 to 20 minutes. If irritation persists, seek medical aid. Do not place open cartridges on finished wood surfaces. Keep out of reach of children. OTHER HANDLING AND.... Keep from freezing. STORAGE CONDITIONS ----- SECTION 8 - SPECIAL PROTECTION INFORMATION ------RESPIRATORY PROTECTION. No special requirements under normal use conditions. VENTILATION..... No special requirements. PROTECTIVE GLOVES..... No special requirements under normal use conditions. EYE PROTECTION...... No special requirements under normal use conditions. OTHER PROTECTIVE..... No special requirements. **MEASURES** ------ SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES -----COLOR..... Clear Yellow PRODUCT STATE..... ODOR..... Fragrant pH..... Not applicable. ODOR THRESHOLD..... Not available. SOLUBILITY IN WATER.... Negligible SPECIFIC GRAVITY..... 0.959 (H2O=1)VAPOR DENSITY (AIR=1).. Not available. EVAPORATION RATE (BUTYL Not available. ACETATE=1) VAPOR PRESSURE (mm HG). Not available. BOILING POINT..... Not available.

Page 3 of 4 MSDS # 110668005

GLADE PLUG-INS® - TROPICAL MIST®

Date Issued: 16Dec2002 Supersedes: 18Aug1998 ----- SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES (continued) ------FREEZING POINT..... Not available. COEFFICIENT OF Not available. WATER/OIL PERCENT VOLATILE BY.... 95-99 VOLUME (%) VOLATILE ORGANIC..... Not available. COMPOUND (VOC) THEORETICAL VOC..... Not available. (LB/GAL) ----- SECTION 10 - STABILITY AND REACTIVITY -----STABILITY..... Stable STABILITY - CONDITIONS. Not applicable. TO AVOID INCOMPATIBILITY..... Not applicable. HAZARDOUS DECOMPOSITION No special requirements. PRODUCTS HAZARDOUS..... Will not occur. POLYMERIZATION HAZARDOUS..... Not applicable. POLYMERIZATION -CONDITIONS TO AVOID ----- SECTION 11 - TOXICOLOGY INFORMATION (Also See Section 3) ------LD50 (ACUTE ORAL TOX) .. Estimated to be greater than 5000 mg/kg (rats). LD50 (ACUTE DERMAL TOX) Not applicable. LC50 (ACUTE INHALATION. Not applicable. TOX) EFFECTS OF CHRONIC.... None known. EXPOSURE SENSITIZATION..... None known. CARCINOGENICITY..... None known. REPRODUCTIVE TOXICITY.. None known. TERATOGENICITY..... None known. MUTAGENICITY..... None known. ------ SECTION 12 - ECOLOGICAL INFORMATION ------ENVIRONMENTAL DATA.... Not applicable. ----- SECTION 13 - DISPOSAL CONSIDERATIONS ------WASTE DISPOSAL.... No special method. Observe all applicable Federal/ Provincial/ INFORMATION State regulations and Local/ Municipal ordinances regarding disposal of non-hazardous materials. ------ SECTION 14 - TRANSPORTATION INFORMATION --------US DOT INFORMATION.... Deodorants, N.O.I., VNX \$2.00 lb. (Combustible Non-bulk Exemption)

Page 4 of 4 MSDS # 110668005

GLADE PLUG-INS® - TROPICAL MIST®

Date Issued: 16Dec2002	Supersedes: 18Aug1998
SECTION 14 - T	TRANSPORTATION INFORMATION (continued)
TDG CLASSIFICATION PIN/NIP PACKING GROUP EXEMPTION NAME	Not applicable. Not applicable.
WHMIS CLASSIFICATION	
All ingredients of this p	roduct are listed or are excluded from listing on the U.S. Toxic SCA) Chemical Substance Inventory.
	roduct comply with the New Substances Notification requirements nmental Protection Act (CEPA).
This product is not subje	ct to the reporting requirements under California's Proposition 65.
SECTION 16 - 0	OTHER INFORMATION
ADDITIONAL INFORMATION. EPA REGISTRATION #	
PREPARATION	INFORMATION
PREPARED BY	Manufacturer's Technical Support Department. Refer to page 1 (Manufacturer) for contact information.

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

PRINT DATE: 120ct2005