HAZARD RATING
4-EXTREME
3-HIGH
2-MODERATE
1-SLIGHT



MATERIAL SAFETY DATA SHEET

(Prepared according to 29 CFR 1910. 1200)

Date Prepared: 6-19-07

SECTION 1 - PRODUCT IDENTIFICATION	- Ia	Talanka a Ala	200 505 5050
Company Name Daley International	Emergency Telephone No.		800-535-5053
Address 4100 W. 76th Street, Chicago, IL 60652	Information Telephone No.		773-284-6565
Product Name / ID# High Shine (7395) Product Type Liquid Polish X Proprietory Product			
SECTION 2 - HAZARDOUS INGREDIENTS			71.11(0
Chemical Name/Common Name	Cas No.	Percent (optional)	TLV (Source)
Mineral Seal Oil	64741-44-2	< 25 %	5mg/m3 (TWA)
			0.000 0 1.000
* Substances X Contains no substances - subject to the reporting requirements of SARA 313 and 40 CFR Part 372.			
SECTION 3 - PHYSICAL DATA			
Boiling Point (°F) Approx. 212°F Specific Gravity (H ₂ O=1.0) 0.960 ± 0.005 pH 8.5 ± 0.5 % VOC (ww) 0.19 %			
Solubility In Water Complete	Insoluble X Emul	sifiable or (Dispersible)	
Evaporation Rate (vs H ₂ O) Faster Slower	About the Same Vapor	r Pressure NE	Vapor Density NE
Appearance and Odor Pink opacified thin liquid. Slight banana odor.			
SECTION 4 - FIRE AND EXPLOSION HAZARD DATA			
Flash Point (T.C.C.) > 200°F None to boiling Flammable Limits Upper NE Lower NE			
Extinguishing Media Carbon Dioxide, dry chemical or foam. Use water spray only to cool container.			
Special Fire Fighting Procedures None			
Unusual Fire Explosion Hazards None			
SECTION 5 - REACTIVE DATA			
Stability Stable Incompatibility Strong oxidizers.			
Hazardous Decomposition Products Burning may yield carbon dioxide and /or carbon monoxide.			
SECTION 6 - HEALTH HAZARDS			
Threshold Limit Value Product See Section 2 for Ingredients TLV X None Established Not Applicable Primary routes of Exposure X Eyes X Skin X Oral X Inhalation			
Signs Symptoms of Over-exposure (Acute) Irritation to eyes and skin. Inhalation may cause nasal and respiratory irritation. Inhalation or			
ingestion may cause headache, nausea, drowsiness, fatique. Ingestion may cause possible narcosis.			
Signs Symptoms of Over-exposure (Chronic) Demittis, pneumonitos, pulmonary edema, peripheral nervous system effects and kidney damage.			
Medical Conditions Aggravated by Over-exposure Impaired pulmonary function, especially those with impaired airway diseases.			
Carcinogen/Suspected Carcinogen Ingredients:		NTP NAR	OSHA X None
SECTION 7 - FIRST AID PROCEDURES - (If any Condition persists - Consult a physician.)			
Eyes Flush with water for at least 15 minutes.			
Skin Remove all contaminated clothing and wash before reuse. Wash with mild soap and water.			
Ingestion DO NOT INDUCE VOMITING. Call physician immediately.			
Inhalation Remove victim to fresh air. If qualified, give artificial respiration and seek medical attention.			
SECTION 8 - SPECIAL PROTECTION INFORMATION			
Respiratory Protection Organic vapor respirator.			
Ventilation requirements XLocal Exhaust Mechanical As needed to keep below any listed TLV or for general good ventilation.			
Protective Gloves Nitrile PVC or Neoprene gloves. Eye Protection Safety goggles.			
Other Protective Clothing Protective apron.			
SECTION 9 - SPILL OR LEAK PROCEDURES			
Steps to be Taken if Released or Spilled Remove sources of ignition. Pick up with inert absorbent and place in container for			
disposal.			
Waste Disposal Methods Approved sanitary landfill or incineration. Check all government regulations.			
SECTION 10 - STORAGE AND HANDLING INFORMATION			
Precautions to be Taken in handling and Storage Keep away from sparks or flame. Do not store near strong oxidizers. Keep			
out of reach of children. Wash thoroughly after handling.			