

Material Safety Data Sheet This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200

K		Not controlled under WHMIS (Canada).	ŀ	HCS Clas	ss: Irritating substance.
WHMIS (Pictogram	ns)	WHMIS (Classification)			HCS
Section 1. Che	emica	Product and Company Identification			
Product Name/ Trade name	Bet	co Express® Floor Finish	Code	9	658
Synonym	Floor	Finish	CAS	#	Mixture.
Chemical Family	Not av	vailable.	Valic	dation Da	ate 11/12/2004
Chemical Formula	Not a	oplicable.	Print	t Date	11/12/2004
Manufacturer/ Supplier	1001 Toled	Corporation Brown Avenue o, Ohio 43607 666-2156	<u>In Cas</u> <u>Emer</u> g		CHEMTREC (800) 424-9300
TSCA	TSCA I	nventory: All components listed or are exempt from listing.			
DSL/ NDSL	All con	nponents listed unless noted elsewhere on this MSDS		I J	Protective Clothing

Section 2. Composition and Information on Ingredients				
Name	CAS #	% by Weight	Exposure Limits	LC ₅₀ /LD ₅₀
Acrylic Copolymer	NJTSR# 71-091799	10 - 15	Not available.	Not available.
Diethylene Glycol Ethyl Ether	111-90-0	1 - 5	TWA: 25 ppm CEIL: 25 ppm	ORAL (LD50): Acute: 5540 mg/kg [Rat].
Dipropylene Glycol Methyl Ether	34590-94-8	1 - 5	Not available.	Not available.

Section 3. Hazards Identification	
Potential Acute Health Effects	Hazardous in case of eye contact (irritant), of ingestion. Slightly hazardous in case of skin contact (irritant), of inhalation. Non-corrosive for skin. Non-corrosive to the eyes.
Potential Chronic Health Effects	Repeated skin exposure can produce local skin destruction, or dermatitis.
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

Section 4. First Aid Measures		
Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention.	
Skin Contact	Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops. Cold water may be used.	
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms appear.	

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately.

Section 5. Fire Fighting Measures		
Products of Combustion	Not available.	
Fire Fighting Media and Instructions	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet.	
Special Remarks on Fire Hazards	Not available.	
Special Remarks on Explosion Hazards	Not available.	

Section 6. Accidental Release Measures

Small Spill and Leak	Absorb with an inert material and place in an appropriate waste disposal container.
Large Spill and Leak	Absorb with an inert material and put the spilled material in an appropriate waste disposal.
Personal Protection in Case of a Large Spill	Splash goggles. Boots. Vapor respirator. Gloves.

Section 7. Handling and Storage

Precautions	Avoid breathing vapors of this product. After handling, always wash hands thoroughly with soap and water.
Incompatibility	Reactive with oxidizing agents, combustible materials.
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area.

Section 8. Exposu	re Controls/Personal Protection
Engineering Controls	Good general ventilation should be sufficient to control airborne levels.
Personal Protection Eyes	s Safety glasses.
Body	v Lab coat.
Respiratory	A respirator is not needed under normal and intended conditions of product use.
Hands	Gloves.
Protective Clothing (Pictograms)	
Exposure Limits	Not available.

Section 9. Physical and Chemical Properties				
Physical State and Appearance	Liquid.	Odor	Characteristic.	
Molecular Weight	Not applicable.	Taste	Not available.	
рН	Not available.	Color	White.	
Boiling/Condensation Point	100°C (212°F)			

Melting/Freezing Point	May start to solidify at 0°C (32°F) based on data for: Water.
Critical Temperature	Not available.
Instability Temperature	Not available.
Specific Gravity	1.02739 (Water = 1)
Vapor Pressure	Not available.
Vapor Density	Not available.
Volatility	>50% (w/w).
VOC	0.1948 lbs/gal
Evaporation Rate	<1 compared to Butyl acetate.
Dispersion Properties	See solubility in water, methanol, acetone.
Solubility	Easily soluble in methanol, acetone. Partially soluble in cold water, hot water.
The Product is:	May be combustible at high temperature.
Auto-ignition Temperature	Not available.
Flash Points	Not available.
Flammable Limits	Not available.
Fire Hazards in Presence of Various Substances	Not available.
Explosion Hazards in Presence of Various Substances	Not available.

Section 10. Stability and Reactivity Data	
Stability	The product is stable.
Incompatibility with Various Substances	Reactive with oxidizing agents, combustible materials.
Hazardous Decomposition Products	Not available.

Routes of Entry	Dermal contact. Eye contact. Inhalation. Ingestion.
Toxicity to Animals	Acute oral toxicity (LD50): 5540 mg/kg [Rat]. (Diethylene Glycol Ethyl Ether).
Acute Effects on Humans	
Eyes	Hazardous in case of eye contact (irritant). Non-corrosive to the eyes.
Skin	Sensitization of the product: Not available. Slightly hazardous in case of skin contact (irritant). Non-corrosive for skin. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.
Inhalation	Slightly hazardous in case of inhalation.
Ingestion	Hazardous in case of ingestion.

Chronic Effects on Humans	Repeated skin exposure can produce local skin destruction, or dermatitis.
Special Remarks on Toxicity to Animals	Not available.
Special Remarks on Chronic Effects on Humans	Not available.

Section 12. Ecolog	gical Information	
Ecotoxicity	Not available.	
BOD5 and COD	Not available.	
Products of Biodegradation	Not available.	
Toxicity of the Products of Not available. Biodegradation		
Special Remarks on the Products of Biodegradation	Not available.	

Section 13. Disp	oosal Considerations
Waste Information	Waste must be disposed of in accordance with federal, state and local environmental control regulations.
Waste Stream	Not available.

Section 14. Transport Information					
DOT (U.S.A) (Pictograms)					
TDG Classification	- Not a TDG controlled material.				
PIN UN, Proper Shipping Name, PG	Not applicable.				
Maritime Transportation	Not available.				
Special Provisions for Transport	Not available.				

WHMIS (Classification)	Not controlled under \	NHMIS (Canada).	A	
Regulatory Lists	No products were	ducts were found.		
Other Regulations	Not available. or of its ingredients			
Other Classifications	HCS (U.S.A.)	HCS Class: Irritating substance.		
	USA Regulatory Lists	 WARNING: This product contains chemical(s) known to the state of California to cause cancer, birth defects or other reproductive harm: Acrylonitrile WARNING: This product contains chemical(s) known to the state of California to cause cancer.: Acrylonitrile SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Diethylene Glycol Ethyl Ether: Fire hazard 		
	DSD (EEC)	This product is not classified according to the EU regulations.		
	International Regulations Lists	No products were found.		
Hazardous Material Information System (U.S.A.)	Health Flammability Physical Hazard	1National Fire0Protection0Association(U.S.A.)	Health 1 0 Flammability Instability	
		vide only a quick reference for hazard information. T Is, First Aid measures, and PPE associated with this		
	<u> </u>			
Section 16. Other				
Validated by CRushton on 11/12/2004.		Verified by CRushton. Printed 11/12/2004.		

Toledo, Ohio 43607

1001 Brown Avenue

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Validated on 11/12/2004.

Betco Express® Floor Finish

Page: 5/5

Continued on Next Page