





Material Safety Data Sheet

This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200

	Not controlled under WHMIS (Canada).	HCS Class: Irritating substance.
WHMIS (Pictograms)	WHMIS (Classification)	HCS

Section 1. Chemical Product and Company Identification

Product Name/ Trade name	Hydroseal	Code	656
Synonym	Floor Finish	CAS #	Mixture.
Chemical Family	Waterborne paint.	Validation Date	8/18/2005
Chemical Formula	Not applicable.	Print Date	8/19/2005
Manufacturer/ Supplier	Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607 (800) 333-2156	In Case of Emergency	CHEMTREC (800) 424-9300
TSCA	TSCA Inventory: All components listed or are exempt from listing.		
DSL/ NDSL	All components listed unless noted elsewhere on this MSDS		
Protective Clothing 			

Section 2. Composition and Information on Ingredients

Name	CAS #	% by Weight	Exposure Limits	LC ₅₀ /LD ₅₀
Dipropylene Glycol Butyl Ether	29911-28-2	1 - 5	Not available.	Not available.
Diethylene Glycol Ethyl Ether	111-90-0	1 - 5	TWA: 25 ppm CEIL: 25 ppm	ORAL (LD50): Acute: 5540 mg/kg [Rat].

Section 3. Hazards Identification

Potential Acute Health Effects	Hazardous in case of eye contact (irritant). Slightly hazardous in case of skin contact (irritant), of inhalation.
Potential Chronic Health Effects	Repeated skin exposure can produce local skin destruction, or dermatitis.
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

Section 4. First Aid Measures

Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention.
Skin Contact	Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops. Cold water may be used.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms appear.
Ingestion	Contact a poison control center immediately for treatment advice. Do not induce vomiting unless instructed to do so by poison control center or doctor. Take small sips of water if able to swallow. Do not give anything to by mouth to an unconscious person.

Section 5. Fire Fighting Measures

Products of Combustion	Not available.
Fire Fighting Media and Instructions	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet.
Special Remarks on Fire Hazards	Not available.
Special Remarks on Explosion Hazards	Not available.


Section 6. Accidental Release Measures

Small Spill and Leak	Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.
Large Spill and Leak	Absorb with an inert material and put the spilled material in an appropriate waste disposal.
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product.

Section 7. Handling and Storage

Precautions	Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Avoid contact with eyes. Wear suitable protective clothing. If ingested, seek medical advice immediately and show the container or the label.
Incompatibility	acids alkalis oxidizing agents
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area. S2- Keep out of the reach of children. Not for use or storage in or around the home.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective occupational exposure limits. Ensure that eyewash stations and safety showers are proximal to the work-station location.
Personal Protection	
<i>Eyes</i>	Splash goggles.
<i>Body</i>	Lab coat.
<i>Respiratory</i>	Vapor respirator. Be sure to use an approved/certified respirator or equivalent.
<i>Hands</i>	Gloves.
Protective Clothing (Pictograms)	
Exposure Limits	See Section 2 For Applicable Exposure Limits

Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid.	Odor	Characteristic.
Molecular Weight	Not applicable.	Taste	Not available.
pH	7 to 8 [Basic.]	Color	White.
Boiling/Condensation Point	192.78 to 198.33°C (379 to 389°F)		
Melting/Freezing Point	May start to solidify at 0°C (32°F) based on data for: Water.		
Critical Temperature	Not available.		
Instability Temperature	Not available.		
Specific Gravity	1.0579 (Water = 1)		
Vapor Pressure	Not available.		
Vapor Density	Not available.		
Volatility	Not available.		
VOC	192 (g/l).		
Evaporation Rate	<1 compared to Butyl acetate.		
Dispersion Properties	See solubility in water, methanol, acetone.		
Solubility	Easily soluble in methanol, acetone. Partially soluble in cold water, hot water.		
The Product is:	May be combustible at high temperature.		
Auto-ignition Temperature	Not available.		
Flash Points	Closed cup: >148.89°C (300°F).		
Flammable Limits	Not available.		
Fire Hazards in Presence of Various Substances	Not available.		
Explosion Hazards in Presence of Various Substances	Not available.		

Section 10. Stability and Reactivity Data

Stability	The product is stable.
Incompatibility with Various Substances	acids alkalis oxidizing agents
Hazardous Decomposition Products	Not available.

Section 11. Toxicological Information

Routes of Entry	Dermal contact. Eye contact. Inhalation. Ingestion.
Toxicity to Animals	Acute oral toxicity (LD50): 5540 mg/kg [Rat]. (Diethylene Glycol Ethyl Ether).
Acute Effects on Humans	<p><i>Eyes</i> Hazardous in case of eye contact (irritant).</p> <p><i>Skin</i> Sensitization of the product: Not available. Slightly hazardous in case of skin contact (irritant). Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.</p> <p><i>Inhalation</i> Slightly hazardous in case of inhalation.</p> <p><i>Ingestion</i> Not available.</p>
Chronic Effects on Humans	Repeated skin exposure can produce local skin destruction, or dermatitis.
Special Remarks on Toxicity to Animals	Not available.
Special Remarks on Chronic Effects on Humans	Not available.



Section 12. Ecological Information

Ecotoxicity	Not available.
BOD5 and COD	Not available.
Products of Biodegradation	Not available.
Toxicity of the Products of Biodegradation	Not available.
Special Remarks on the Products of Biodegradation	Not available.

Section 13. Disposal Considerations

Waste Information	Waste must be disposed of in accordance with federal, state and local environmental control regulations.
Waste Stream	Not available.

Section 14. Transport Information

DOT (U.S.A) (Pictograms)	
TDG Classification	- 
PIN UN, Proper Shipping Name, PG	Not applicable.

Maritime Transportation Not available.

Special Provisions for Transport Not available.

Section 15. Other Regulatory Information and Pictograms

WHMIS (Classification) Not controlled under WHMIS (Canada).



Regulatory Lists No products were found.

Other Regulations Not available. or of its ingredients

Other Classifications

HCS (U.S.A.) HCS Class: Irritating substance.

USA Regulatory Lists

WARNING: This product contains chemical(s) known to the state of California to cause cancer, birth defects or other reproductive harm: 1,4-Dioxane ; N-Methyl-2-Pyrrolidone

WARNING: This product contains chemical(s) known to the state of California to cause reproductive harm (female): Ethylene Oxide

WARNING: This product contains chemical(s) known to the state of California to cause birth defects or other reproductive harm.: N-Methyl-2-Pyrrolidone

WARNING: This product contains chemical(s) known to the state of California to cause cancer.: 1,4-Dioxane ; Ethylene Oxide

Massachusetts RTK: 1,4-Dioxane ; Ethylene Oxide

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Diethylene Glycol Ethyl Ether: Fire hazard

DSD (EEC)

This product is not classified according to the EU regulations.


International Regulations Lists

No products were found.

Hazardous Material Information System (U.S.A.)

Health	1
Flammability	0
Physical Hazard	0

National Fire Protection Association (U.S.A.)



The Hazard Ranking systems presented on this MSDS provide only a quick reference for hazard information. The ENTIRE MSDS must be consulted to determine any specific hazards, First Aid measures, and PPE associated with this product.

Specific Hazard

Section 16. Other Information

Validated by CRushton on 8/18/2005.

Verified by CRushton.

Printed 8/19/2005.

Information Contact Betco Corporation
1001 Brown Avenue
Toledo, Ohio 43607

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Continued on Next Page