



Material Safety Data Sheet

This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200

	CLASS D-2B: Material causing other toxic effects (TOXIC).	HCS Class: Irritating substance.
WHMIS (Pictograms)	WHMIS (Classification)	HCS

Section 1. Chemical Product and Company Identification

Product Name/ Trade name	LV Finish	Code	546
Synonym	Not available.	CAS #	Mixture.
Chemical Family	Not available.	Validation Date	2/28/2005
Chemical Formula	Not applicable.	Print Date	2/28/2005
Manufacturer/ Supplier	Betco Corporation 1001 Brown Avenue Toledo, Oh 43607 (419) 241-2156	In Case of Emergency	Chemtrec (800) 424-9300
TSCA	TSCA Inventory: All components listed or are exempt from listing.		
DSL/ NDSL	All components listed unless noted elsewhere on this MSDS		
Protective Clothing 			

Section 2. Composition and Information on Ingredients

Name	CAS #	% by Weight	Exposure Limits	LC ₅₀ /LD ₅₀
Polymer Emulsion	N/A	20 - 25	Not available.	Not available.
Diethylene Glycol Ethyl Ether	111-90-0	1 - 5	TWA: 25 ppm CEIL: 25 ppm	ORAL (LD50): Acute: 5540 mg/kg [Rat].
Tributoxyethyl Phosphate	78-51-3	1 - 5	Not available.	Not available.
Oxidized Ethylene Copolymer	68441-17-8	0.1 - 5	Not available.	Not available.

Section 3. Hazards Identification

Potential Acute Health Effects	This product is an eye irritant.
Potential Chronic Health Effects	Over-exposure by inhalation may cause respiratory irritation. Prolonged exposure may produce anesthetic or narcotic effects. May aggravate existing respiratory conditions such as asthma. This product may aggravate existing skin conditions such as dermatitis.
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

Section 4. First Aid Measures

Eye Contact	Avoid contact with eyes. In case of contact with eyes, rinse immediately with plenty of water. Seek medical attention.
Skin Contact	After contact with skin, wash immediately with plenty of water. After contact with skin, wash immediately with plenty of water. Seek medical attention if irritation persists.
Inhalation	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration., preferably mouth to mouth if possible.

Ingestion	Call a poison control center immediately for treatment advice. Do NOT induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person
------------------	---

Section 5. Fire Fighting Measures

Products of Combustion	carbon oxides (CO, CO2)
Fire Fighting Media and Instructions	Use water spray or fog.
Special Remarks on Fire Hazards	Not available.
Special Remarks on Explosion Hazards	Not available.


Section 6. Accidental Release Measures

Small Spill and Leak	Absorb with an inert material and place in an appropriate waste disposal container.
Large Spill and Leak	Do not allow any potentially contaminated water including rain water, runoff from fire fighting or spills to enter any waterway, sewer or drain. Prevent entry into sewers, basements or confined areas; dike if needed.
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Boots. Gloves.

Section 7. Handling and Storage

Precautions	Avoid contact with skin and eyes
Incompatibility	acids, oxidizing agents, heat
Storage	Store in an appropriate container. Keep away from heat, sparks and flame. Keep out of the reach of children. Not for use or storage in or around the home.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.
Personal Protection	
<i>Eyes</i>	Safety glasses.
<i>Body</i>	No special recommendations.
<i>Respiratory</i>	Use appropriate respiratory protection if there is the potential to exceed the exposure limit(s). Vapor respirator, with organic vapor cartridge.
<i>Hands</i>	Gloves, Chemical resistant.
Protective Clothing (Pictograms)	
Exposure Limits	<p>Diethylene Glycol Ethyl Ether TWA: 25 CEIL: 25 (ppm)</p> <p>Consult local authorities for acceptable exposure limits.</p>

Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid.	Odor	Characteristic.
Molecular Weight	Not applicable.	Taste	Not available.
pH	8 to 9 [Basic.]	Color	White.
Boiling/Condensation Point	100°C (212°F)		
Melting/Freezing Point	Not available.		
Critical Temperature	Not available.		
Instability Temperature	Not available.		
Specific Gravity	1.025 (Water = 1)		
Vapor Pressure	Not available.		
Vapor Density	Not available.		
Volatility	>30% (w/w).		
VOC	-4 (%)		
Evaporation Rate	<1 compared to Water		
Dispersion Properties	Not available.		
Solubility	Not available.		
The Product is:	May be combustible at high temperature.		
Auto-ignition Temperature	Not available.		
Flash Points	CLOSED CUP: >98.889°C (210°F).		
Flammable Limits	Not available.		
Fire Hazards in Presence of Various Substances	Not available.		
Explosion Hazards in Presence of Various Substances	Containers may explode when heated.		

Section 10. Stability and Reactivity Data

Stability	The product is stable.
Incompatibility with Various Substances	acids, oxidizing agents, heat
Hazardous Decomposition Products	Thermal degradation may produce solvent vapors, oxides of carbon, sulfur, calcium and nitrogen.

Section 11. Toxicological Information

Routes of Entry	Skin , Eyes, Ingestion, Inhalation.
Toxicity to Animals	Acute oral toxicity (LD50): 5540 mg/kg [Rat]. (Diethylene Glycol Ethyl Ether).
Acute Effects on Humans	
<i>Eyes</i>	Moderately irritating to the eyes.
<i>Skin</i>	May cause irritation.
<i>Inhalation</i>	May cause headache, dizziness.
<i>Ingestion</i>	Harmful if swallowed. May cause headache, dizziness, nausea, vomiting and diarrhea.
Chronic Effects on Humans	Over-exposure by inhalation may cause respiratory irritation. Prolonged exposure may produce anesthetic or narcotic effects. May aggravate existing respiratory conditions such as asthma. This product may aggravate existing skin conditions such as dermatitis.
Special Remarks on Toxicity to Animals	Not available.
Special Remarks on Chronic Effects on Humans	Not available.

Section 12. Ecological Information


Ecotoxicity	Not available.
BOD5 and COD	Not available.
Products of Biodegradation	Not available.
Toxicity of the Products of Biodegradation	Not available.
Special Remarks on the Products of Biodegradation	Not available.

Section 13. Disposal Considerations

Waste Information	Waste must be disposed of in accordance with federal, state and local environmental control regulations.
Waste Stream	Not available.

Section 14. Transport Information

DOT (U.S.A)
(Pictograms)



TDG Classification Not controlled under TDG (Canada).



PIN UN, Proper Shipping Name, PG Not applicable.

Maritime Transportation Not available.

Special Provisions for Transport Not applicable.

Section 15. Other Regulatory Information and Pictograms

WHMIS (Classification) CLASS D-2B: Material causing other toxic effects (TOXIC).



Regulatory Lists No products were found.

Other Regulations Not available. or of its ingredients

Other Classifications

HCS (U.S.A.) HCS Class: Irritating substance.

USA Regulatory Lists

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Diethylene Glycol Ethyl Ether: fire; Potassium Hydroxide: immediate health hazard
SARA 313 toxic chemical notification and release reporting: Diethylene Glycol Ethyl Ether


DSD (EEC)

International Regulations Lists No products were found.

Hazardous Material Information System (U.S.A.)

Health	1
Flammability	0
Physical Hazard	0

National Fire Protection Association (U.S.A.)



The Hazard Ranking systems presented on this MSDS provide only a quick reference for hazard information. The ENTIRE MSDS must be consulted to determine any specific hazards, First Aid measures, and PPE associated with this product.

Specific Hazard

Section 16. Other Information

Validated by DThomas on 2/28/2005.

Verified by DThomas.

Printed 2/28/2005.

Information Contact Betco Corporation
1001 Brown Avenue
Toledo, Ohio 43607

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.
Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Continued on Next Page