

## **Buckeye International, Inc.**

2700 Wagner Place Maryland Heights, MO 63043 314/291-1900 N. F. P. A. 4 = Extreme 3 = High 2 = Moderate 1 = Slight

0 = Insignificant

4	HEALTH	3
Ø.	FIRE	0
K S	REACTIVITY	0

# **Material Safety Data Sheet**

24 Hour Medical Emergency Telephone Number: 1-800-303-0441. Outside North America call: 651-632-8956. 24 Hour Transportation Emergency Telephone Number: 1-800-535-5053. Outside North America call: 352-323-3500.

PRODUCT	M I - IDEN	TIFICATIO	)N			
	NAME					DATE PREPARED
		BUCKEYE	AMBUSH			April 1, 2005
CHEMICA	L FAMILY					CODE
Heavy Duty Cleaner Degreaser			r, Water Base	d	5070	
PROPER D	D.O.T.	-	-			•
SHIPPING	NAME	Corrosive L	iquids, n.o.s. (cont	ains Sodium I	Hydroxide), 8	, UN 1760, PG III.
D.O.T. HA	ZARD		-			
CLASSIFIC	CATION	Corrosive M	<b>I</b> aterial			
SECTIO	ON II - INGI	REDIENTS	AND IDENTITY	INFORMA	ΓΙΟΝ	
% By WGT		MATERIAL		PEL	T.L.V.	C.A.S. NO.
2.0	Sodium Hydrox	ide		2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>	1310-73-2
>88.0	ž			NE	NE	7732-18-5
<3.0			r	NE	NE	770-35-4
< 5.0				NE	NE	26896-20-8
<2.0	Additives less th	nan 1%		NA	NA	NA
ITEMS N	MARKED * ARE SA	ARA TITLE III	SEC 313 REPORTABL	ES. ALL INGRE	DIENTS ARE ON	TSCA INVENTORY.
SECTIO	ON III - PHY	SICAL DA	ΓΑ			
BOILING I	POINT°F		212°F	pH (CONC.)		$12.8 \pm 0.2$
OLIDI						
OLUBILI	TY IN WATER		Infinite	pH (USE DILU	UTION) 1:10	$12.3 \pm 0.2$
	TY IN WATER TLE BY WEIGHT		Infinite 93.0		UTION) 1:10 N RATE (Water=1)	$12.3 \pm 0.2$ $1.0$
% VOLAT					N RATE (Water=1)	
% VOLAT SPECIFIC APPEARA	ILE BY WEIGHT GRAVITY NCE AND ODOR		93.0 1.03 Clear Green Solution	EVAPORATION	N RATE (Water=1)	1.0
% VOLAT SPECIFIC APPEARA	ILE BY WEIGHT GRAVITY NCE AND ODOR		93.0 1.03	EVAPORATION	N RATE (Water=1)	1.0
% VOLAT SPECIFIC APPEARA SECTIO	ILE BY WEIGHT GRAVITY NCE AND ODOR	E AND EXI	93.0 1.03 Clear Green Solution	EVAPORATION	N RATE (Water=1)	1.0 Liquid
6 VOLAT SPECIFIC APPEARA SECTIC FLASH PO	ILE BY WEIGHT GRAVITY NCE AND ODOR ON IV - FIR	E AND EXI	93.0 1.03 Clear Green Solution PLOSION DATA	EVAPORATION	N RATE (Water=1) DRM FLAMMABL	1.0 Liquid
6 VOLAT SPECIFIC APPEARA SECTIC FLASH PO EXTINGUI	ILE BY WEIGHT GRAVITY NCE AND ODOR ON IV - FIR DINT (Test Method)	E AND EXI	93.0 1.03 Clear Green Solution PLOSION DATA Closed Cup: None! NA	EVAPORATION PRODUCT FO	N RATE (Water=1) ORM FLAMMABL Γ: NA	1.0 Liquid E LIMITS
6 VOLAT SPECIFIC APPEARA SECTIC FLASH PO EXTINGUI	ILE BY WEIGHT GRAVITY NCE AND ODOR ON IV - FIR DINT (Test Method) ISHING MEDIA	E AND EXI	93.0 1.03 Clear Green Solution PLOSION DATA Closed Cup: None! NA	EVAPORATION PRODUCT FO	N RATE (Water=1) ORM FLAMMABL Γ: NA	1.0 Liquid E LIMITS
6 VOLAT SPECIFIC APPEARA SECTIC FLASH PO EXTINGUI	ILE BY WEIGHT GRAVITY NCE AND ODOR ON IV - FIR DINT (Test Method) ISHING MEDIA	E AND EXI	93.0 1.03 Clear Green Solution PLOSION DATA Closed Cup: None! NA	EVAPORATION PRODUCT FO	N RATE (Water=1) ORM FLAMMABL Γ: NA	1.0 Liquid E LIMITS
6 VOLAT SPECIFIC APPEARA SECTIC FLASH PO EXTINGUI SPECIAL I	ILE BY WEIGHT GRAVITY NCE AND ODOR ON IV - FIR DINT (Test Method) ISHING MEDIA	E AND EXI Tag ROCEDURES	93.0 1.03 Clear Green Solution PLOSION DATA Closed Cup: None! NA	EVAPORATION PRODUCT FO	FLAMMABL  T: NA tant clothing.	1.0 Liquid E LIMITS
6 VOLAT SPECIFIC APPEARA SECTIC FLASH PO EXTINGUI SPECIAL I	ILE BY WEIGHT GRAVITY NCE AND ODOR N IV - FIR OINT (Test Method) ISHING MEDIA FIRE FIGHTING P	E AND EXI Tag ROCEDURES	93.0 1.03 Clear Green Solution PLOSION DATA Closed Cup: None! NA	EVAPORATION PRODUCT FO  UPPER LIMIT Wear alkali resis	FLAMMABL T: NA tant clothing.	1.0 Liquid E LIMITS
% VOLAT SPECIFIC APPEARA SECTIC FLASH PO EXTINGUI SPECIAL I	ILE BY WEIGHT GRAVITY NCE AND ODOR N IV - FIR OINT (Test Method) ISHING MEDIA FIRE FIGHTING P	E AND EXI Tag ROCEDURES	93.0 1.03 Clear Green Solution PLOSION DATA Closed Cup: None! NA	EVAPORATION PRODUCT FO  UPPER LIMIT Wear alkali resis	FLAMMABL T: NA tant clothing.	1.0 Liquid E LIMITS
6 VOLAT SPECIFIC APPEARA SECTIC FLASH PO EXTINGUI SPECIAL I	ILE BY WEIGHT GRAVITY NCE AND ODOR N IV - FIR OINT (Test Method) ISHING MEDIA FIRE FIGHTING P	E AND EXI  Tag  ROCEDURES  OSION HAZAF	93.0 1.03 Clear Green Solution PLOSION DATA Closed Cup: None! NA	EVAPORATION PRODUCT FO  UPPER LIMIT Wear alkali resis	FLAMMABL T: NA tant clothing.	1.0 Liquid E LIMITS
6 VOLATE SPECIFIC APPEARA SECTIC FLASH PO EXTINGUE SPECIAL I	ILE BY WEIGHT GRAVITY NCE AND ODOR N IV - FIRI DINT (Test Method) ISHING MEDIA FIRE FIGHTING PI L FIRE AND EXPL	E AND EXI  Tag  ROCEDURES  OSION HAZAF	93.0 1.03 Clear Green Solution PLOSION DATA Closed Cup: None! NA	EVAPORATION PRODUCT FO  UPPER LIMIT Wear alkali resis	FLAMMABL T: NA tant clothing.	1.0 Liquid E LIMITS
6 VOLATE SPECIFIC SPECTIC FLASH PO EXTINGUE SPECIAL I JNUSUAL SECTIC STABILIT	ILE BY WEIGHT GRAVITY NCE AND ODOR N IV - FIRI DINT (Test Method) ISHING MEDIA FIRE FIGHTING PI L FIRE AND EXPL	Tag ROCEDURES OSION HAZAF CTIVITY D Stabl	93.0 1.03 Clear Green Solution PLOSION DATA Closed Cup: None! NA	EVAPORATION PRODUCT FO  UPPER LIMIT Wear alkali resis	FLAMMABL T: NA tant clothing.	1.0 Liquid E LIMITS
6 VOLATE SPECIFIC SPECTIC FLASH PO EXTINGUE SPECIAL I  JNUSUAL STABILIT CONDITIC	ILE BY WEIGHT GRAVITY NCE AND ODOR N IV - FIR DINT (Test Method) ISHING MEDIA FIRE FIGHTING PI L FIRE AND EXPL ON V - REACY	Tag  ROCEDURES  OSION HAZAF  CTIVITY D  Stabl	93.0 1.03 Clear Green Solution PLOSION DATA Closed Cup: None! NA  RDS  GATA e	EVAPORATION PRODUCT FO  UPPER LIMIT Wear alkali resis  Products of comb Dxides of carbon	FLAMMABL T: NA tant clothing.	1.0 Liquid E LIMITS
6 VOLATE SPECIFIC SPECTIC FLASH PO EXTINGUE SPECIAL F  JNUSUAL SECTIC STABILIT CONDITIC NCOMPA	ILE BY WEIGHT GRAVITY  NCE AND ODOR  N IV - FIRI DINT (Test Method) ISHING MEDIA FIRE FIGHTING P	E AND EXI  Tag  ROCEDURES  OSION HAZAF  CTIVITY D  Stabl  None Do n	93.0 1.03 Clear Green Solution PLOSION DATA Closed Cup: None! NA  RDS  ATA e known. ot mix with chlorine b	EVAPORATION PRODUCT FO  UPPER LIMIT Wear alkali resis  Products of comb Dxides of carbon	FLAMMABL T: NA tant clothing.	1.0 Liquid E LIMITS

**CODE: 5070** 

SECTION VI - HEALTH HAZARD DATA

ROUTE(S) OF ENTRY: INHALATION? Yes SKIN? Yes INGESTION? Yes

HEALTH HAZARDS (Acute and Chronic)

Corrosive. Will cause burns to eyes and skin. May be harmful if swallowed. Mist will be irritating to skin and mucous membranes and may cause burns.

CARCINOGENICITY: NTP? No IARC MONOGRAPHS? No OSHA REGULATED? No

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

For Eyes: Redness or burning sensation. For Skin: Redness of skin or a warming sensation.

For Ingestion: Nausea, headache.

For Inhalation: Irritation and burning sensation.

MEDICAL CONDITIONS

GENERALLY AGGRAVATED BY EXPOSURE

Dermatitis. Can cause defatting of skin tissue.

EMERGENCY AND FIRST AID PROCEDURES

For Eyes: Flush with cool water for 15 minutes. See physician.

For Skin: Flush with water for 15 minutes. If irritation occurs and persists, see physician.

For Ingestion: Give two large glasses of water. DO NOT induce vomiting. Call physician immediately!

Never give anything by mouth to an unconscious person.

#### SECTION VII - SPILL OR LEAK PROCEDURES

SPILL RESPONSE

Pick up with mop, wet/dry vac or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic.

WASTE DISPOSAL METHOD

Flush to sanitary sewer or send to sanitary landfill, following local, state and federal laws.

#### SECTION VIII - SPECIAL PROTECTION INFORMATION

EYE PROTECTION VENTILATION

Wear safety glasses or chemical

splash goggles. Normal room ventilation.

SKIN PROTECTION RESPIRATORY PROTECTION

None normally required. Dust/mist respirator is

Rubber gloves or other impervious gloves. needed when product is sprayed.

OTHER PROTECTION

Wear water or chemical resistant footwear when scrubbing floors. Chemical goggles and face shield with clothing that will keep the skin covered and dry is needed when product is sprayed.

Follow good personal hygiene practices.

### SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS IN	KEEP OUT OF REACH OF CHILDREN!	

HANDLING AND STORAGE Keep container closed when not in use. Store away from acids. Store at room

temperature. Store on low shelves. Rinse container before discarding.

If concentrated or diluted product is allowed to dry on glass, etching may occur.

OTHER This product is not regulated under CERCLA. This product is not regulated under RCRA PRECAUTIONS when product label and MSDS spill directions are followed. If more than 10,000 lbs. is

stored in a single day, product may require reporting under SARA Title III, Section

NE = Not Established 311/312 as an immediate health hazard. Product produced under one or more of the following

NA = Not Applicable U.S. Patents: 5,080,822; 5,080,831; 5,158,710; 5,419,848; 5,585,341 and 5,849,682.

Other patents pending.

### **PREPARED BY:** Mark Gindling, Director of Research

Disclaimer of Liability

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of the material. Information contained herein is believed to be true and accurate but all statements or suggestions are made without any warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Conforms to OSHA 174, Sept. 1985