MATERIAL SAFETY DATA SHEET (Prepared According to 29 CFR 1910.1200)

Distributor		IDENTIFICATI				
	Airex Laboratories			Emergency	Phone (610) 534-8900	
Address	1640 Delmar Drive Folcro	oft, PA 19032				
Trade Name	AIRX 75 ANTIBACTERIA	L HEAVY DUTY CLEANER	& ODOR COUNTERACTA	NT Product Type	e Spray Disinfectant Cle	aner
SECTION	N 2 - HAZARDO	US INGREDIEN	TS	·		
	CHEMICAL NAME/	COMMON NAME	CASI	NO. PERCENT	(optiona)	TLV(Source)
n-Alkyl dimeth	yl benzyl ammonium chloric	des	68391-01-5*		Not Established	
n-Alkyldimethy	yl ethylbenzyl ammonium c	hlorides	68956-79-6	*	Not Established	1
Diethylene Gly	col Butyl ether*		112-34-5	5-10	Not Established	
Tetrasodium ethylenediamine tetraacetate			64-02-8		Not Established	1
		_	D INGREDIENT(S) AT THE		AGES	
Ŭ,	nts in this product are :		6 by weight or less than 0.1%	6 for carcinogens	X Not hazardous	X Declared to be Trade Secret
SECTIO	N 3 - PHYSICAL					
Boiling point((°F.) near 212	Specific Gravity	(H2O=1.0) (± 0.005)	1.010	pH (± 0.5)	12.5
Vapor Pressu		Unknown	Vapor Der	nsity(Air=1)		Unknown
Solubility in v	water 🔀 Com	plete Insolu	ble Emulsifia	ole (or Dispersible)	Slight (or P	artial)
	Rate(vs. H2O)	Faster	Slow	/er	X About the Same	
Appearance						
		EXPLOSION HA	AZARD DATA			
Flash Point([↑]	I.C.C.)	°F. X None	to Boiling Flammat	ole Limits Upper	Unknown Lower	Jnknown
Extinguishing Media CO2, dry chemical, foam, water spray.						
			aces without protective clot	hing and self-contained	l air supply.	
Unusual Fire	and Explosion Hazard	s None known.				
	N 5 - REACTIVI					
	Stable	Incompatibil				
Hazardous D	Decomposition Product	S Carbon monoxide and	other unidentified organic ga	ses may occur during in	ncomplete combustion.	
	N 6 - HEALTH H					
-	tes of Exposure		Skin x	Oral	N Inhalation	Other
Signs and Symptor	Prolonged or repeate				161.1	
						concentrated product may cause
of Overexpo	ms damage to mouth, th		product with skin and/or eyon n of mist or spray may cause			
of Overexpo (Acute)	ms damage to mouth, th					
(Acute)	ns damage to mouth, th sure		n of mist or spray may cause			
(Acute) Signs and Sy	ns damage to mouth, th sure ymptoms of Overexpos	roat or stomach. Inhalatio	n of mist or spray may cause	e irritation to nose, throa		ilation is not employed.
(Acute) Signs and Sy Medical Condit Aggravated by	ns damage to mouth, th sure ymptoms of Overexpos ions Overexposure None know	roat or stomach. Inhalatio ure(Chronic) None known /n	n of mist or spray may cause	e irritation to nose, throa	at or lungs if adequate ven	ilation is not employed.
(Acute) Signs and Sy Medical Condit Aggravated by SECTIOI	ns damage to mouth, th sure ymptoms of Overexpos ions Overexposure None know N 7 - EMERGEN	ure(Chronic) None known	n of mist or spray may cause	e irritation to nose, throa	at or lungs if adequate ven	ilation is not employed.
(Acute) Signs and Sy Medical Condit Aggravated by SECTIOI Eyes	ns damage to mouth, th sure ymptoms of Overexpos overexposure None know N 7 - EMERGEN Flush immediately with wat	roat or stomach. Inhalatio ure(Chronic) None known m ICY AND FIRST ter for at least 15 minutes.	n of mist or spray may cause	e irritation to nose, throa Carcinogen/Suspect	at or lungs if adequate vent	Ilation is not employed.
(Acute) Signs and Sy Medical Condit Aggravated by SECTIOI Eyes Skin	ns damage to mouth, th sure (mptoms of Overexpos overexposure None know N 7 - EMERGEN Flush immediately with wat Flush skin with plenty of w	roat or stomach. Inhalatio ure(Chronic) None known m ICY AND FIRST ter for at least 15 minutes. (ater for at least 15 minutes.	n of mist or spray may cause AID PROCEDU Call a physician. Remove contaminated cloth	e irritation to nose, throa Carcinogen/Suspect RES ning/ shoes. Call a phys	at or lungs if adequate vent Carcinogen Ingredient	
(Acute) Signs and Sy Medical Condit Aggravated by SECTIOI Eyes Skin Ingestion Inhalation	ns damage to mouth, th sure (mptoms of Overexpos overexposure None know N 7 - EMERGEN Flush immediately with wat Flush skin with plenty of w If swallowed do NOT induc No known ill effects from in	roat or stomach. Inhalation ure(Chronic) None known m ICY AND FIRST ter for at least 15 minutes. (ater for at least 15 minutes.) ce vomiting. Give large quar nhalation. If breathing becom	n of mist or spray may cause AID PROCEDU Call a physician. Remove contaminated cloth ntities of water, followed by mes difficult, remove expose	e irritation to nose, throa Carcinogen/Suspect RES hing/ shoes. Call a physone oz. of vinegar in ar	at or lungs if adequate vent Carcinogen Ingredient sician. Wash clothing befo requal amount of water. C	
(Acute) Signs and Sy Medical Condit Aggravated by SECTIOI Eyes Skin Ingestion Inhalation	ns damage to mouth, th sure (mptoms of Overexpos overexposure None know N 7 - EMERGEN Flush immediately with wat Flush skin with plenty of w If swallowed do NOT induc No known ill effects from in	roat or stomach. Inhalation ure(Chronic) None known m ICY AND FIRST ter for at least 15 minutes. ater for at least 15 minutes. ce vomiting. Give large quar	n of mist or spray may cause AID PROCEDU Call a physician. Remove contaminated cloth ntities of water, followed by mes difficult, remove expose	e irritation to nose, throa Carcinogen/Suspect RES hing/ shoes. Call a physone oz. of vinegar in ar	at or lungs if adequate vent Carcinogen Ingredient sician. Wash clothing befo requal amount of water. C	ilation is not employed. INTP OSHA IARC NONE re reuse. all a physician.
(Acute) Signs and Sy Medical Condit Aggravated by SECTIOI Eyes Skin Ingestion Inhalation	ns damage to mouth, th sure ymptoms of Overexpose Overexposure None know N 7 - EMERGEN Flush immediately with wat Flush skin with plenty of w If swallowed do NOT induc No known ill effects from in N 8 - SPECIAL	roat or stomach. Inhalation ure(Chronic) None known m ICY AND FIRST ter for at least 15 minutes. (ater for at least 15 minutes.) ce vomiting. Give large quar nhalation. If breathing becom	n of mist or spray may cause AID PROCEDU Call a physician. Remove contaminated cloth ntities of water, followed by mes difficult, remove expose NFORMATION	e irritation to nose, throa Carcinogen/Suspect RES hing/ shoes. Call a physone oz. of vinegar in ar	at or lungs if adequate vent Carcinogen Ingredient sician. Wash clothing befo requal amount of water. C	ilation is not employed. INTP OSHA IARC NONE re reuse. all a physician.
(Acute) Signs and Sy Medical Condit Aggravated by SECTIOI Eyes Skin Ingestion Inhalation SECTIOI	ns damage to mouth, th sure (mptoms of Overexposions overexposure None know N 7 - EMERGEN Flush immediately with wat Flush skin with plenty of w If swallowed do NOT induc No known ill effects from in N 8 - SPECIAL Protection Not neede	roat or stomach. Inhalation ure(Chronic) None known m ICY AND FIRST ter for at least 15 minutes. (ater for at least 15 minutes.) ce vomiting. Give large quain nhalation. If breathing becom PROTECTION II d under normal conditions	n of mist or spray may cause AID PROCEDU Call a physician. Remove contaminated cloth ntities of water, followed by mes difficult, remove expose NFORMATION	e irritation to nose, throa Carcinogen/Suspect RES ning/ shoes. Call a phys one oz. of vinegar in ar ad person to fresh air. T	at or lungs if adequate vent Carcinogen Ingredient sician. Wash clothing befo requal amount of water. C	ilation is not employed. INTP OSHA IARC NONE re reuse. all a physician.
(Acute) Signs and Sy Medical Condit Aggravated by SECTIOI Eyes Skin Ingestion Inhalation SECTIOI Respiratory I Ventilation R	ns damage to mouth, the sure of Overexpose of Overexpose of Overexpose None know N 7 - EMERGEN Flush immediately with wath Flush skin with plenty of w If swallowed do NOT induce No known ill effects from in N 8 - SPECIAL Protection Not needed equirements	roat or stomach. Inhalation ure(Chronic) None known m ICY AND FIRST ter for at least 15 minutes. (ater for at least 15 minutes.) ce vomiting. Give large quain nhalation. If breathing becom PROTECTION II d under normal conditions of	n of mist or spray may cause AID PROCEDU Call a physician. Remove contaminated cloth ntities of water, followed by mes difficult, remove expose NFORMATION of use. echanical Othe	e irritation to nose, throa Carcinogen/Suspect RES ning/ shoes. Call a phys one oz. of vinegar in ar ed person to fresh air. T er	at or lungs if adequate vent Carcinogen Ingredient sician. Wash clothing befo equal amount of water. C freat symptomatically and	ilation is not employed. INTP OSHA IARC NONE re reuse. all a physician.
(Acute) Signs and Sy Medical Condit Aggravated by SECTIOI Eyes Skin Ingestion Inhalation SECTIOI Respiratory I Ventilation R Protective G	ms damage to mouth, the sure sure sure motions of Overexposure None know N 7 - EMERGEN Flush immediately with wath flush skin with plenty of w If swallowed do NOT induce No known ill effects from in N 8 - SPECIAL Protection Not needee equirements to the subset	roat or stomach. Inhalation ure(Chronic) None known m ICY AND FIRST ter for at least 15 minutes. (ater for at least 15 minutes.) ce vomiting. Give large quar nhalation. If breathing becom PROTECTION II d under normal conditions of Local Exhaust X M	n of mist or spray may cause AID PROCEDU Call a physician. Remove contaminated cloth ntities of water, followed by mes difficult, remove expose NFORMATION of use. echanical Other tes/goggles Other	e irritation to nose, throa Carcinogen/Suspect RES ning/ shoes. Call a phys one oz. of vinegar in ar ed person to fresh air. T er	at or lungs if adequate vent Carcinogen Ingredient sician. Wash clothing befo equal amount of water. C freat symptomatically and	INTP OSHA IARC NONE re reuse. all a physician. investigate other possibilities.
(Acute) Signs and Sy Medical Condit Aggravated by SECTIOI Eyes Skin Ingestion Inhalation SECTIOI Respiratory I Ventilation R Protective G	ms damage to mouth, the sure sure sure sure sure sure sure to mouth, the sure sure of Overexposure of Overexposure of Overexposure of the sure sure sure sure sure sure sure sur	roat or stomach. Inhalation ure(Chronic) None known n ICY AND FIRST ter for at least 15 minutes. ater for at least 15 m	n of mist or spray may cause AID PROCEDUI Call a physician. Remove contaminated cloth ntities of water, followed by mes difficult, remove expose NFORMATION of use. echanical Othe tes/goggles Other URES	e irritation to nose, throa Carcinogen/Suspect RES hing/ shoes. Call a physione oz. of vinegar in an ed person to fresh air. The person to fresh a	at or lungs if adequate vent Carcinogen Ingredient sician. Wash clothing befor equal amount of water. C Freat symptomatically and ingMay be needed where	INTP OSHA IARC NONE re reuse. all a physician. investigate other possibilities.
(Acute) Signs and Sy Medical Condit Aggravated by SECTIOI Eyes Skin Ingestion Inhalation SECTIOI Respiratory Ventilation R Protective G SECTIOI Steps to be T if Released c Waste Dispo	ms damage to mouth, the sure ymptoms of Overexpose Overexposure None know N 7 - EMERGEN Flush immediately with wath Flush skin with plenty of w If swallowed do NOT induce No known ill effects from in N 8 - SPECIAL Protection Not needed equirements I the loves Rubber Ey N 9 - SPILL OR Flaken Small spill sal Methods Dispose	roat or stomach. Inhalation rure(Chronic) None known rn ICY AND FIRST ter for at least 15 minutes. (ater for at least 15 minut	n of mist or spray may cause AID PROCEDUI Call a physician. Remove contaminated cloth ntities of water, followed by mes difficult, remove expose NFORMATION of use. echanical Othe tes/goggles Other URES	e irritation to nose, throa Carcinogen/Suspect RES ning/ shoes. Call a physione oz. of vinegar in an ed person to fresh air. The r ther Protective Cloth Is. Large spills: Remove cal ordinances.	at or lungs if adequate vent Carcinogen Ingredient sician. Wash clothing befor equal amount of water. C Freat symptomatically and ingMay be needed where	INTP OSHA IARC NONE Te reuse. all a physician. investigate other possibilities. likely exposure may occur
(Acute) Signs and Sy Medical Condit Aggravated by SECTIOI Eyes Skin Ingestion Inhalation SECTIOI Respiratory I Ventilation R Protective G SECTIOI Steps to be T if Released c Waste Dispo	ms damage to mouth, the sure ymptoms of Overexpose Overexposure None know N 7 - EMERGEN Flush immediately with wath Flush skin with plenty of w If swallowed do NOT induce No known ill effects from in N 8 - SPECIAL Protection Not neede equirements I function N 9 - SPILL OR Faken Small spill sal Methods Dispose N 10 - STORAG to be Taken Donot getineye	roat or stomach. Inhalation re(Chronic) None known re ICY AND FIRST ter for at least 15 minutes. (ater for at least 15 minutes	n of mist or spray may cause AID PROCEDUI Call a physician. Remove contaminated cloth ntities of water, followed by mes difficult, remove expose NFORMATION of use. echanical Othe tes/goggles Other URES eutralize spill with dilute acide icable Federal, State and Lo	e irritation to nose, throa Carcinogen/Suspect RES ning/ shoes. Call a phys one oz. of vinegar in an ed person to fresh air. T r her Protective Cloth Is. Large spills: Remove cal ordinances. DN	at or lungs if adequate vent Carcinogen Ingredient sician. Wash clothing befor a equal amount of water. C freat symptomatically and ingMay be needed where a as much material as poss	illation is not employed. INTP OSHA IARC NONE re reuse. all a physician. investigate other possibilities. likely exposure may occur sible, then neutralize residue as under
(Acute) Signs and Sy Medical Condit Aggravated by Eyes Skin Ingestion Inhalation SECTIOI Respiratory I Ventilation R Protective G SECTIOI Steps to be T if Released of Waste Dispo SECTIOI Precautions T in Handling a	ms damage to mouth, the sure ymptoms of Overexpose Overexposure None know N 7 - EMERGEN Flush immediately with wath Flush skin with plenty of w If swallowed do NOT induce No known ill effects from in N 8 - SPECIAL Protection Not neede equirements I I Hoves Rubber Ey N 9 - SPILL OR Taken Small spill sal Methods Dispose N 10 - STORAG to be Taken Donot get in eye azards given on this M	roat or stomach. Inhalation ure(Chronic) None known n ICY AND FIRST ter for at least 15 minutes. ater for at least 15 minutes. (ater for at least 15 minutes. (b) (ater for at least 15 minutes. (ater for at least 15 minutes. (b) (ater for at least 15 minutes. (b) (b) (c) (c) (c) (c) (c) (c) (c) (c	n of mist or spray may cause AID PROCEDUI Call a physician. Remove contaminated cloth ntities of water, followed by mes difficult, remove expose NFORMATION of use. echanical Othe wes/goggles Other URES eutralize spill with dilute acid icable Federal, State and Lo NG INFORMATIC hing vapor or mist. Keep container clar et apply to this product i	e irritation to nose, throa Carcinogen/Suspect RES hing/ shoes. Call a phys one oz. of vinegar in ar ed person to fresh air. T r ther Protective Cloth Is. Large spills: Remove cal ordinances. DN n its concentrated for	at or lungs if adequate vent Carcinogen Ingredient ician. Wash clothing befo equal amount of water. C Treat symptomatically and ingMay be needed where e as much material as poss ation. Wash thoroughly after handli prm(as supplied) and m	illation is not employed. INTP OSHA IARC NONE re reuse. all a physician. investigate other possibilities. likely exposure may occur sible, then neutralize residue as under ng. ng. nay differ significantly at use dilution to the routine exposure to the

RX75