

# MATERIAL SAFETY DATA SHEET

21 PHENEX NS Cleaner, Disinfectant, Deodorant Ready-to-Use Date Prepared: 10/30/2000 Date Revised: 10/30/2000

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name/Use: 21 PHENEX NS Cleaner, Disinfectant, Deodorant Ready-to-Use A 1:256 dilution of PHENEX NS Cleaner, Disinfectant, Deodorant

Product Synonyms: Command Center 21 PHENEX NS Cleaner, Disinfectant, Deodorant Ready-to-Use A 1:256 dilution of Command Center 21 PHENEX NS Cleaner, Disinfectant, Deodorant

#### **MANUFACTURER**

The Butcher Company
67 Forest Street
Marlborough, MA 01752-3012
Butcher left
Emergency
CHEMTRE

 Butcher Telephone Number:
 800-225-9475

 Emergency Telephone (24 hours):
 800-228-5635

 CHEMTREC (U.S./Can.):
 800-424-9300

 CHEMTREC (Int'I):
 +1 703-527-3887

# 2. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT(S)	CAS NO.	% BY WEIGHT	
para-tertiary-Amylphenol	80-46-6	<0.1	
ortho-Benzyl-para-chlorophenol	120-32-1	<0.1	
ortho-Phenylphenol	90-43-7	<0.1	
Isopropyl alcohol	67-63-0	<0.1	

See Section 8 for Exposure Limits NA - Not Applicable

OSHA REGULATORY STATUS: This product is classified as hazardous under OSHA regulations.

# 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

Clear, Amber Liquid. Mild, Ether Odor. Causes Eye Burns and Skin Irritation. Harmful if Swallowed.

<b>POTENTIAL</b>	<b>HEALTH EFFEC</b>	<b>TS</b> (See Se	ection	11 for	Toxicological	Information)
	DOLLTE( ) OF E	VDOOLIDE	1/	_	V 01	

PRIMARY ROUTE(s) OF EXPOSURE: X Eye X Skin Contact Skin Absorption X Inhalation X Ingestion

#### **EFFECTS OF ACUTE EXPOSURE**

EYES:

Causes eye burns. Symptoms may include pain, tearing, redness, and eye injury.

SKIN:

Causes severe skin irritation. Symptoms may include pain, redness, rash, and swelling.

MSDS No: 4218 RTU Page: 1 of 7

Date Prepared: 10/30/2000 Date Revised: 10/30/2000

#### INHALATION:

High concentrations of vapor or mist may cause nose, throat and respiratory tract irritation. Symptoms may include coughing and a burning sensation in the nose and throat. High concentrations of vapor or mist may also cause central nervous system effects including headache, dizziness and nausea.

### INGESTION:

Harmful if swallowed. May cause mouth, throat and stomach burns. Symptoms may include nausea, vomiting, diarrhea, and severe stomach pain. May also cause central nervous system effects including headache, dizziness and weakness.

## **EFFECTS OF CHRONIC EXPOSURE:**

Prolonged or repeated contact may cause skin irritation.

#### **MEDICAL CONDITIONS AGGRAVATED:**

May aggravate pre-existing eye, skin and respiratory conditions.

### 4. FIRST AID MEASURES

#### EYES:

Immediately flush eyes with plenty of water while holding eyelids apart. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Do not put any medication in the victim's eyes unless instructed by a physician. Get immediate medical attention.

#### SKIN:

Immediately flush with plenty of water, then wash with soap and water. Remove saturated clothing. Get medical attention if irritation develops or persists. Thoroughly wash (or discard) clothing and shoes before reuse.

## INHALATION:

Remove to fresh air. If not breathing, give respiration; if breathing is difficult, give oxygen (by trained personnel only). Get medical attention if symptoms persist.

#### INGESTION:

Do not induce vomiting. Drink large quantities of water. Get immediate medical attention. Never give anything by mouth to an unconscious person.

#### NOTES TO PHYSICIAN:

Possible mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

# 5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD: >200°F 93°C TCC

AUTOIGNITION TEMPERATURE: Not applicable.

#### **EXTINGUISHING MEDIA:**

Use extinguishing media appropriate for surrounding fire.

MSDS No: 4218 RTU Page: 2 of 7

Date Prepared: 10/30/2000 Date Revised: 10/30/2000

#### HAZARDOUS COMBUSTION PRODUCTS:

Normal products of combustion (carbon monoxide and carbon dioxide) and hydrogen chloride.

### FIRE AND EXPLOSION HAZARDS:

None known.

#### FIRE FIGHTING INSTRUCTIONS:

This product is not flammable. As in any fire, MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear should be worn.

# 6. ACCIDENTAL RELEASE MEASURES

See Section 8, Exposure Controls/Personal Protection and Section 3, Hazard Identification. Floors may be slippery. Use care to avoid falling. Contain and isolate spill. Keep non-essential personnel from entering spill area. Use mop, absorbent, or wet vacuum to collect material for proper disposal. Rinse area with water.

# 7. HANDLING AND STORAGE

#### HANDLING:

Follow label use directions. Do not mix with other chemicals unless instructed by label directions. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Remove contaminated clothing. Wash clothing and equipment before reuse.

## STORAGE:

Keep container closed when not in use. Store away from incompatible materials. (See Section 10, Stability and Reactivity).

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# PERSONAL PROTECTIVE EQUIPMENT (PPE)

EYE:

Where eye contact is possible, wear chemical splash goggles (ANSI Z87.1-approved).

SKIN:

Where skin contact is possible, chemical-resistant clothing (e.g., gloves) should be worn.

#### RESPIRATORY:

No respiratory protection is required if ventilation is adequate.

# **ENGINEERING CONTROLS:**

Good general room ventilation is expected to be adequate. If user operations generate vapor or mist, ventilation should be used to keep airborne concentrations below exposure limits.

MSDS No: 4218 RTU Page: 3 of 7

Date Prepared: 10/30/2000 Date Revised: 10/30/2000

**EXPOSURE LIMITS:** 

INGREDIENT(S) OSHA PEL/STEL ACGIH TLV/STEL

para-tertiary-Amylphenol NA NA ortho-Benzyl-para-chlorophenol NA NA ortho-Phenylphenol NA NA NA

Isopropyl alcohol 400 ppm (980 mg/m3)/ 400 ppm (983 mg/m3)/ 500 ppm (1225 mg/m3) 500 ppm (1230 mg/m3)

NA - Not Available

# 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid ODOR: Mild, Ether

APPEARANCE: Clear, Amber

pH: 10

PERCENT VOLATILE BY WEIGHT: 100 VAPOR PRESSURE: Not Available VAPOR DENSITY: Not Available BOILING POINT: Not Available

FREEZING/MELTING POINT: Not Available

SOLUBILITY IN WATER: Complete EVAPORATION RATE: Not Available

SPECIFIC GRAVITY: 1.0 VISCOSITY: Water Thin

OCTANOL/WATER PARTITION COEFFICIENT: Not Available

ODOR THRESHOLD: Not Available

# 10. STABILITY AND REACTIVITY

STABILITY (CONDITIONS TO AVOID):

Stable.

POLYMERIZATION:

Will not occur.

HAZARDOUS DECOMPOSITION:

Not Available

INCOMPATIBLE MATERIALS:

Strong acids (e.g., hydrochloric), oxidizers (e.g., bleach) and chlorine.

# 11. TOXICOLOGICAL INFORMATION

#### ACUTE DATA:

This product causes eye burns and severe skin irritation. Based on acute toxicity testing, this product is harmful if swallowed. It is not considered to be toxic by skin absorption. The following data are available for this product and its ingredients:

MSDS No: 4218 RTU Page: 4 of 7

Date Prepared: 10/30/2000 Date Revised: 10/30/2000

PRODUCT/INGREDIENT	ORAL LD <sub>50</sub> (rat)	DERMAL LD <sub>50</sub> (rabbit)	INHALATION LC <sub>50</sub> (rat)
21 PHENEX NS Cleaner, Disinfectant, Deodorant Ready-to-Use	3526 mg/kg	>2000 mg/kg	>5.6 mg/L (4-hr)
para-tertiary-Amylphenol	1830 mg/kg	2000 mg/kg	Not Available
ortho-Benzyl-para-chlorophenol	1700 mg/kg	Not Available	Not Available
ortho-Phenylphenol	2000 mg/kg	Not Available	Not Available
Isopropyl alcohol	4710 mg/kg	12870 mg/kg	17000 ppm (4-hr)

#### SENSITIZATION DATA:

No data available.

#### CHRONIC DATA:

No data available.

## REPRODUCTIVE/TERATOGENIC DATA:

No data available.

## CARCINOGENIC/MUTAGENIC DATA:

Not listed as carcinogenic by NTP, IARC, or ACGIH or regulated as a carcinogen by OSHA.

### SYNERGISTIC MATERIALS:

No data available.

# 12. ECOLOGICAL INFORMATION

No data available.

### 13. DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, state or provincial and federal regulations. The unused product, at its recommended use dilution, is a RCRA non-hazardous waste in accordance with 40 CFR 261. The product has not been evaluated by the Toxicity Characteristic Leachate Procedure (TCLP). According to RCRA, it is the responsibility of the waste generator to ensure proper disposal.

# 14. TRANSPORT INFORMATION

DOT/TDG HAZARDOUS MATERIAL DESCRIPTION: Not regulated

# 15. REGULATORY INFORMATION

Not meant to be all-inclusive—selected regulations represented.

MSDS No: 4218 RTU Page: 5 of 7

Date Prepared: 10/30/2000 Date Revised: 10/30/2000

#### **UNITED STATES**

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Under 40 CFR 370.2, this product meets the following hazard category: Immediate.

313 REPORTABLE INGREDIENTS: Ingredients in this product are not currently subject to notification.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: None of the ingredients in this product are reportable under CERCLA.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: This product complies with all TSCA inventory requirements.

MASSACHUSETTS, NEW JERSEY, PENNSYLVANIA RIGHT-TO-KNOW:

INGREDIENT(S)CAS NO.STATE LISTINGWater7732-18-5Not Listed

NA - Not Applicable


STATE REGULATIONS: Product contains a mixture of phenolic compounds below State reporting requirements.

# 16. OTHER INFORMATION

HMIS RATING

HEALTH	-	3
FLAMMABILITY		0
REACTIVITY	0	
PERSONAL PROTECTION	-	

NFPA RATING



MSDS STATUS

Revision #: 2

This MSDS replaces the January 19, 2000 MSDS. Any changes in information are as follows: In Section 1

Prepared By Date Prepared [] Print CHEMTREC Phone Number

In Section 9

Appearance Odor (Group Field) for Vapor Pressure (Group Field) for Vapor Pressure Density Odor Threshold (Group Field) for Boiling Point (Group Field) for Freezing Point (Group Field) for Evaporation Rate Coeff Oil/Water

In Section 10

MSDS No: 4218 RTU Page: 6 of 7

Date Prepared: 10/30/2000 Date Revised: 10/30/2000

**Hazardous Decomposition Products** 

In Section 15 OSHA Hazard Comm. Rule

In Section 16
HMIS Flammability NFPA Flammability

APPROVED BY: EH&S/Regulatory Affairs APPROVAL DATE: 10/30/2000

The information on this data sheet represents our current data and best opinion as to the proper use in handling of the product under normal foreseeable conditions. Any use of this product which is not in conformance with this data sheet or product label, or which involves using the product in combination with any other product or any other process is the responsibility of the user.

MSDS No: 4218 RTU Page: 7 of 7