

# MATERIAL SAFETY DATA SHEET

5 PROTEIN, MILK & BLOOD Carpet Spotter

Date Prepared: 08/17/2000 Date Revised: 08/17/2000

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name/Use: 5 PROTEIN, MILK & BLOOD Carpet Spotter

#### **MANUFACTURER**

The Butcher Company 67 Forest Street Marlborough, MA 01752-3012 

 Butcher Telephone Number:
 800-225-9475

 Emergency Telephone (24 hours):
 800-228-5635

 CHEMTREC (U.S./Can.):
 800-424-9300

 CHEMTREC (Int'I):
 +1 703-527-3887

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT(S)	CAS NO.	% BY WEIGHT
Triethanolamine	102-71-6	1 – 3
Isopropyl alcohol	67-63-0	1 – 3
Tall oil fatty acid	61790-12-3	1 – 3
Nitrilotriacetic acid	139-13-9	<0.1
Ammonia	7664-41-7	0.1 - 0.5

See Section 8 for Exposure Limits NA - Not Applicable

OSHA REGULATORY STATUS: This product is classified as hazardous under OSHA regulations.

WHMIS CLASS: Class D- Division 2B

### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

Clear, Light Green Liquid. Ammonia Odor. May Cause Eye Irritation.

POTENTIAL HEALTH EFFECTS (See Section 11 for Toxicological Information)

PRIMARY ROUTE(s) OF EXPOSURE: X Eye X Skin Contact Skin Absorption X Ingestion

## **EFFECTS OF ACUTE EXPOSURE**

EYES:

May cause eye irritation. Symptoms may include redness and pain.

SKIN:

May cause mild skin irritation. Symptoms may include redness.

## INHALATION:

High concentrations of vapor or mist may cause nose, throat and respiratory tract irritation. Symptoms may include coughing. High concentrations of vapor or mist may also cause central nervous system effects including headache, dizziness and nausea.

MSDS No: 4345 Page: 1 of 7

Date Prepared: 08/17/2000 Date Revised: 08/17/2000

#### INGESTION:

May cause mouth, throat and stomach irritation. Symptoms may include nausea, vomiting and diarrhea. May also cause central nervous system effects including headache, dizziness and weakness.

#### **EFFECTS OF CHRONIC EXPOSURE:**

Prolonged or repeated contact may cause skin irritation.

#### **MEDICAL CONDITIONS AGGRAVATED:**

May aggravate pre-existing eye, skin and respiratory conditions.

## 4. FIRST AID MEASURES

#### EYES:

Flush eyes with plenty of water while holding eyelids apart. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Do not put any medication in the victim's eyes unless instructed by a physician. Get medical attention if irritation develops.

#### SKIN:

Flush with water, then wash with soap and water. Remove saturated clothing. Get medical attention if irritation develops.

#### INHALATION:

Remove to fresh air. If not breathing, give respiration; if breathing is difficult, give oxygen (by trained personnel only). Get medical attention if symptoms persist.

## INGESTION:

Do not induce vomiting. Drink large quantities of water. Get immediate medical attention. Never give anything by mouth to an unconscious person.

#### 5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD: >200°F 93°C TCC

#### FLAMMABLE LIMITS:

Not applicable.

AUTOIGNITION TEMPERATURE: Not applicable.

#### **EXTINGUISHING MEDIA:**

Use extinguishing media appropriate for surrounding fire.

#### HAZARDOUS COMBUSTION PRODUCTS:

Normal products of combustion (carbon monoxide and carbon dioxide) and nitrogen oxides.

#### FIRE AND EXPLOSION HAZARDS:

None known.

MSDS No: 4345 Page: 2 of 7

Date Prepared: 08/17/2000 Date Revised: 08/17/2000

#### FIRE FIGHTING INSTRUCTIONS:

This product is not flammable. As in any fire, MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear should be worn.

## 6. ACCIDENTAL RELEASE MEASURES

See Section 8, Exposure Controls/Personal Protection and Section 3, Hazard Identification. Floors may be slippery. Use care to avoid falling. Contain and isolate spill. Keep non-essential personnel from entering spill area. Use mop, absorbent, or wet vacuum to collect material for proper disposal. Rinse area with water.

### 7. HANDLING AND STORAGE

#### HANDLING:

Follow label use directions. Do not mix with other chemicals unless instructed by label directions. Avoid contact with eyes. Avoid breathing vapor or mist. Use with adequate ventilation. Wash thoroughly after handling. Remove contaminated clothing. Wash clothing and equipment before reuse.

#### STORAGE:

Keep container closed when not in use. Store away from incompatible materials. (See Section 10, Stability and Reactivity).

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

### EYE:

Where eye contact is possible, wear safety glasses with side shields or chemical splash goggles (ANSI Z87.1 approved).

#### SKIN:

Where prolonged or repeated contact is possible, chemical-resistant clothing (e.g., gloves) is recommended.

### RESPIRATORY:

No respiratory protection is required if ventilation is adequate.

#### **ENGINEERING CONTROLS:**

Good general room ventilation is expected to be adequate. If user operations generate vapor or mist, ventilation should be used to keep airborne concentrations below exposure limits.

MSDS No: 4345 Page: 3 of 7

Date Prepared: 08/17/2000 Date Revised: 08/17/2000

**EXPOSURE LIMITS:** 

INGREDIENT(S) OSHA PEL/STEL ACGIH TLV/STEL

Triethanolamine NA 5 mg/m3

Isopropyl alcohol 400 ppm (980 mg/m3)/ 400 ppm (983 mg/m3)/

500 ppm (1225 mg/m3) 500 ppm (1230 mg/m3)

Tall oil fatty acid NA NA
Nitrilotriacetic acid NA NA

Ammonia 50 ppm (35 mg/m3)/ 25 ppm (17 mg/m3)/ 35 ppm (27 mg/m3) 35 ppm (24 mg/m3)

NA - Not Available

## 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Ammonia

APPEARANCE: Clear, Light Green

pH: 9.4 to 10.4

PERCENT VOLATILE BY WEIGHT: 100
VAPOR PRESSURE: Not Available
VAPOR DENSITY: Not Available
BOILING POINT: Not Available

FREEZING/MELTING POINT: Not Available

SOLUBILITY IN WATER: Complete EVAPORATION RATE: Not Available

SPECIFIC GRAVITY: 1.00 VISCOSITY: Water Thin

OCTANOL/WATER PARTITION COEFFICIENT: Not Available

ODOR THRESHOLD: Not Available

## 10. STABILITY AND REACTIVITY

STABILITY (CONDITIONS TO AVOID): Stable.

POLYMERIZATION:

Will not occur.

HAZARDOUS DECOMPOSITION:

None known.

INCOMPATIBLE MATERIALS:

Oxidizers (e.g., bleach).

MSDS No: 4345 Page: 4 of 7

Date Prepared: 08/17/2000 Date Revised: 08/17/2000

#### 11. TOXICOLOGICAL INFORMATION

## ACUTE DATA:

This product causes mild eye and skin irritation. Based on acute toxicity testing, it is not considered to be toxic by ingestion. The following data are available for this product and its ingredients:

PRODUCT/INGREDIENT	ORAL LD <sub>50</sub> (rat)	DERMAL LD <sub>50</sub> (rabbit)	INHALATION LC <sub>50</sub> (rat)
5 PROTEIN, MILK & BLOOD Carpet Spotter	>5000 mg/kg	Not Available	Not Available
Triethanolamine	4000-9110 mg/kg	2000 mg/kg	Not Available
Isopropyl alcohol	4710 mg/kg	12870 mg/kg	17000 ppm (4-hr)
Tall oil fatty acid	10000 mg/kg	Not Available	Not Available
Nitrilotriacetic acid	1100 mg/kg	Not Available	Not Available
Ammonia	350 mg/kg	Not Available	3670 ppm (4-hr)

#### SENSITIZATION DATA:

No data available.

#### CHRONIC DATA:

Prolonged overexposure to high concentrations of triethanolamine by ingestion and dermal absorption has caused minor liver and kidney effects in laboratory animals. Prolonged overexposure to isopropyl alcohol by ingestion and inhalation has caused central nervous system effects in humans and laboratory animals; overexposure by ingestion has also caused liver effects in animals.

## REPRODUCTIVE/TERATOGENIC DATA:

Ingestion of isopropyl alcohol has caused slight fetotoxic and reproductive effects in laboratory animals.

#### CARCINOGENIC/MUTAGENIC DATA:

Not listed as carcinogenic by NTP, IARC, or ACGIH or regulated as a carcinogen by OSHA.

#### SYNERGISTIC MATERIALS:

No data available.

## 12. ECOLOGICAL INFORMATION

This product is made with all biodegradable detergents. No other data available.

## 13. DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, state or provincial and federal regulations. The unused product, as manufactured, is a RCRA non-hazardous waste in accordance with 40 CFR 261. The product has not been evaluated by the Toxicity Characteristic Leachate Procedure (TCLP). According to RCRA, it is the responsibility of the waste generator to ensure proper disposal.

MSDS No: 4345 Page: 5 of 7

Date Prepared: 08/17/2000 Date Revised: 08/17/2000

## 14. TRANSPORT INFORMATION

DOT/TDG HAZARDOUS MATERIAL DESCRIPTION: Not regulated

## 15. REGULATORY INFORMATION

Not meant to be all-inclusive—selected regulations represented.

#### **UNITED STATES**

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Under 40 CFR 370.2, this product meets the following hazard categories: Immediate, Delayed.

313 REPORTABLE INGREDIENTS: Ingredients in this product are not currently subject to notification.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT) CERCLA REGULATORY: Not reportable under CERCLA.

#### TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: This product complies with all TSCA inventory requirements.

## MASSACHUSETTS, NEW JERSEY, PENNSYLVANIA RIGHT-TO-KNOW:

INGREDIENT(S)	CAS NO.	STATE LISTING
Water	7732-18-5	Not Listed
Triethanolamine	102-71-6	MA, PA
Isopropyl alcohol	67-63-0	MA, NJ, PA
Tall oil fatty acid	61790-12-3	Not Listed

NA - Not Applicable

### **CANADA**

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):


Class D-Division 2B, eye irritant. This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

## 16. OTHER INFORMATION

#### **HMIS RATING**

HEALTH	-	1
FLAMMABILITY		0
REACTIVITY		0
PERSONAL PROTECTION		-

NFPA RATING



MSDS No: 4345 Page: 6 of 7

Date Prepared: 08/17/2000 Date Revised: 08/17/2000

MSDS STATUS New MSDS

APPROVED BY: EH&S/Regulatory Affairs

APPROVAL DATE: 08/17/2000

The information on this data sheet represents our current data and best opinion as to the proper use in handling of the product under normal foreseeable conditions. Any use of this product which is not in conformance with this data sheet or product label, or which involves using the product in combination with any other product or any other process is the responsibility of the user.

MSDS No: 4345 Page: 7 of 7