

MATERIAL SAFETY DATA SHEET

SPEEDBALL 2000 Power Cleaner

Date Prepared: 11/16/2000 Date Revised: 11/16/2000

Ready-to-Use

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name/Use: SPEEDBALL 2000 Power Cleaner Ready-to-Use

MANUFACTURER

The Butcher Company 67 Forest Street Marlborough, MA 01752-3012
 Butcher Telephone Number:
 800-225-9475

 Emergency Telephone (24 hours):
 800-228-5635

 CHEMTREC (U.S./Can.):
 800-424-9300

 CHEMTREC (Int'l):
 +1 703-527-3887

2. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT(S)	CAS NO.	% BY WEIGHT
Monoisopropanolamine Polyglycol aliphatic ether, NJ Trade Secret Registry #11173400-5068P	78-96-6 NA	1 – 3 1 – 3
Aromatic alcohol, NJ Trade Secret Registry #11173400-5069P	NA	1 – 3

See Section 8 for Exposure Limits NA - Not Applicable

OSHA REGULATORY STATUS: This product is classified as hazardous under OSHA regulations. WHMIS CLASS: Class D- Division 2B

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Clear, Gold Liquid. Citrus Odor. May Cause Eye Irritation.

POTENTIAL HEALTH EFFECTS (See Section 11 for Toxicological Information)

PRIMARY ROUTE(s) OF EXPOSURE: <u>X</u> Eye <u>X</u> Skin Contact <u>Skin Absorption</u> <u>X</u> Inhalation <u>X</u> Ingestion

EFFECTS OF ACUTE EXPOSURE

EYES:

May cause eye irritation. Symptoms may include redness and pain.

SKIN:

Non-irritating to the skin.

INHALATION:

High concentrations of vapor or mist may cause nose, throat and respiratory tract irritation. Symptoms may include coughing.

SPEEDBALL 2000 Power Cleaner Ready-to-Use

INGESTION:

May cause mouth, throat and stomach irritation. Symptoms may include nausea, vomiting and diarrhea. May also cause central nervous system effects including headache, dizziness and weakness.

EFFECTS OF CHRONIC EXPOSURE:

Prolonged or repeated contact may cause skin irritation.

MEDICAL CONDITIONS AGGRAVATED:

May aggravate pre-existing eye, skin and respiratory conditions.

4. FIRST AID MEASURES

EYES:

Flush eyes with plenty of water while holding eyelids apart. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Do not put any medication in the victim's eyes unless instructed by a physician. Get medical attention.

SKIN:

Flush with water, then wash with soap and water. Remove saturated clothing. Get medical attention if irritation develops.

INHALATION:

Remove to fresh air. If not breathing, give respiration; if breathing is difficult, give oxygen (by trained personnel only). Get medical attention if symptoms persist.

INGESTION:

Do not induce vomiting. Drink large quantities of water. Get immediate medical attention. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD: >200°F 93°C TCC

FLAMMABLE LIMITS: Not applicable.

AUTOIGNITION TEMPERATURE: Not applicable.

EXTINGUISHING MEDIA:

Use extinguishing media appropriate for surrounding fire.

HAZARDOUS COMBUSTION PRODUCTS: Normal products of combustion (carbon monoxide and carbon dioxide).

FIRE AND EXPLOSION HAZARDS: None known.

FIRE FIGHTING INSTRUCTIONS:

This product is not flammable. As in any fire, MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear should be worn.

6. ACCIDENTAL RELEASE MEASURES

See Section 8, Exposure Controls/Personal Protection and Section 3, Hazard Identification. Floors may be slippery. Use care to avoid falling. Contain and isolate spill. Keep non-essential personnel from entering spill area. Use mop, absorbent, or wet vacuum to collect material for proper disposal. Rinse area with water.

7. HANDLING AND STORAGE

HANDLING:

Follow label use directions. Do not mix with other chemicals unless instructed by label directions. Avoid contact with eyes. Wash thoroughly after handling. Remove saturated clothing. Wash clothing and equipment before reuse.

STORAGE:

Keep container closed when not in use. Store away from incompatible materials. (See Section 10, Stability and Reactivity).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT (PPE)

EYE:

Where eye contact is possible, wear safety glasses with side shields or chemical splash goggles (ANSI Z87.1 approved).

SKIN:

Where prolonged or repeated contact is possible, chemical-resistant clothing (e.g., gloves) is recommended.

RESPIRATORY:

No respiratory protection is required if ventilation is adequate.

ENGINEERING CONTROLS:

Good general room ventilation is expected to be adequate.

SPEEDBALL 2000 Power Cleaner Ready-to-Use

EXPOSURE LIMITS: INGREDIENT(S)	OSHA PEL/STEL	ACGIH TLV/STEL
Monoisopropanolamine	NA	NA
Polyglycol aliphatic ether, NJ Trade Secret Registry #11173400-5068P	NA	NA
Aromatic alcohol, NJ Trade Secret Registry #11173400-5069P	NA	NA

NA - Not Available

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid ODOR: Citrus APPEARANCE: Clear, Gold pH: 11.0 to 11.9 PERCENT VOLATILE BY WEIGHT: 95 VAPOR PRESSURE: Not Available VAPOR DENSITY: Not Available BOILING POINT: Not Available BOILING POINT: Not Available FREEZING/MELTING POINT: Not Available SOLUBILITY IN WATER: Complete EVAPORATION RATE: Not Available SPECIFIC GRAVITY: 1.00 VISCOSITY: Water Thin OCTANOL/WATER PARTITION COEFFICIENT: Not Available ODOR THRESHOLD: Not Available

10. STABILITY AND REACTIVITY

STABILITY (CONDITIONS TO AVOID): Stable.

POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION: None known.

INCOMPATIBLE MATERIALS:

Strong acids (e.g., hydrochloric) and oxidizers (e.g., bleach).

11. TOXICOLOGICAL INFORMATION

ACUTE DATA:

This product causes mild eye irritation. It was found to be non-irritating to skin. Based on acute toxicity testing, it is not considered to be toxic by skin absorption or ingestion. The following data are available for this product and its ingredients:

SPEEDBALL 2000 Power Cleaner Ready-to-Use

Date Prepared: 11/16/2000 Date Revised: 11/16/2000

PRODUCT/INGREDIENT	ORAL LD ₅₀ (rat)	DERMAL LD ₅₀ (rabbit)	INHALATION LC ₅₀ (rat)
SPEEDBALL 2000 Power Cleaner Ready-to-Use	>5000 mg/kg	>2000 mg/kg	Not Available
Monoisopropanolamine	2098 mg/kg	1851 mg/kg	Not Available
Polyglycol aliphatic ether, NJ Trade Secret Registry #11173400-5068P	2600-3100 mg/kg	>2000 mg/kg	Not Available
Aromatic alcohol, NJ Trade Secret Registry #11173400-5069P	1230 mg/kg	2000 mg/kg	1000 ppm (8-hr)

SENSITIZATION DATA:

No data available.

CHRONIC DATA:

Prolonged overexposure to high concentrations of monoisopropanolamine by ingestion has caused liver and kidney effects in laboratory animals. Prolonged overexposure to the aromatic alcohol by ingestion and inhalation has caused central nervous system effects in humans and laboratory animals.

REPRODUCTIVE/TERATOGENIC DATA:

No data available.

CARCINOGENIC/MUTAGENIC DATA: Not listed as carcinogenic by NTP, IARC, or ACGIH or regulated as a carcinogen by OSHA.

SYNERGISTIC MATERIALS:

No data available.

12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, state or provincial and federal regulations. The unused product, as manufactured, is a RCRA non-hazardous waste in accordance with 40 CFR 261. The product has not been evaluated by the Toxicity Characteristic Leachate Procedure (TCLP). According to RCRA, it is the responsibility of the waste generator to ensure proper disposal.

14. TRANSPORT INFORMATION

DOT/TDG HAZARDOUS MATERIAL DESCRIPTION: Not regulated

15. REGULATORY INFORMATION

Not meant to be all-inclusive—selected regulations represented.

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Under 40 CFR 370.2, this product meets the following hazard categories: Immediate, Delayed.

313 REPORTABLE INGREDIENTS: Ingredients in this product are not currently subject to notification.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT) CERCLA REGULATORY: Not reportable under CERCLA.

TSCA (TOXIC SUBSTANCE CONTROL ACT) TSCA STATUS: This product complies with all TSCA inventory requirements.

USDA (U.S. DEPARTMENT OF AGRICULTURE):

This product is authorized for use in federally inspected meat and poultry plants.

MASSACHUSETTS, NEW JERSEY, PENNSYLVANIA RIGHT-TO-KNOW:	:	
INGREDIENT(S)	CAS NO.	STATE LISTING
Water	7732-18-5	Not Listed
Monoisopropanolamine	78-96-6	MA, PA
Polyglycol aliphatic ether, NJ Trade Secret Registry #11173400-5068P	NA	Not Listed
Aromatic alcohol, NJ Trade Secret Registry #11173400-5069P	NA	MA, PA

NA - Not Applicable

CANADA

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):


Class D-Division 2B, eye irritant. This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

EXEMPTION REG. NO.: Claim for exemption filed.

16. OTHER INFORMATION

HMIS RATING

HEALTH	-	1
FLAMMABILITY		0
REACTIVITY		0
PERSONAL PROTECTION	N	-



MSDS STATUS Revision #: 1

> This MSDS replaces the November 25, 1997 MSDS. Any changes in information are as follows: In Section 1

Date Prepared [] Print CHEMTREC Phone Number

In Section 9

Appearance (pH) (To) (Group Field) for Vapor Pressure (Group Field) for Vapor Pressure Density Odor Threshold (Group Field) for Boiling Point (Group Field) for Freezing Point (Group Field) for Evaporation Rate Coeff Oil/Water

In Section 15 OSHA Hazard Comm. Rule WHMIS WHMIS Class

APPROVED BY: EH&S/Regulatory Affairs APPROVAL DATE: 11/16/2000

The information on this data sheet represents our current data and best opinion as to the proper use in handling of the product under normal foreseeable conditions. Any use of this product which is not in conformance with this data sheet or product label, or which involves using the product in combination with any other product or any other process is the responsibility of the user.