

## **The Clorox Company** 1221 Broadway Oakland, CA 94612

Tel. (510) 271-7000

## Material Safety Data Sheet

I Product: CLOROX® AU	TOMATIC TOILET	BOWL CLEANER		
<b>Description:</b> WHITE TABLET	WITH CHLORINE	E ODOR		
Other Designations	Distributor		Emergency Telephone Nos.	
Clorox Sa 1221 I		For Medical Emergencies call: es Company (800) 446-1014 roadway For Transportation Emergencies Chemtrec CA 94612 (800) 424-9300		
II Health Hazard Data	- Caracarra,	III Hazardous	, ,	0000
Direct contact with eyes may cause irreversible damage. Ha	rmful if	Ingredient	Concentration	Worker Exposure Limit
swallowed. Direct contact with mucous membranes may cause severe irritation or irreversible damage. Severe skin irritant. Prolonged contact with skin may cause irreversible damage. Animal ingestion studies in several species, at high doses, indicate that borates cause reproductive and developmental effects. A human study of occupational exposure to borate dust showed no adverse effect on reproduction.		3-Bromo-1-chloro-5,5- dimethyl-hydantoin CAS # 126-06-7		Not established.
		1,3-Dichloro-5,5- dimethylhydantoin CAS # 118-52-5	20-25%	0.2 mg/m³ - TLV-TWAª 0.4 mg/m³ - TLV-STELb
No medical conditions are known to be aggravated by exposure to this product.  FIRST AID:		1,3-Dichloro-5-ethyl-5- methylhydantoin CAS # 89415-87-2	- 5-10%	Not established.
EYE CONTACT: Flush eyes immediately with water for at letthen call a physician.	ast 15 minutes;	Boric Acid CAS #10043-35-3	10-20%	10 mg/m³ – TLV-TWA 15 mg/m³-PEL° (total dust)
NGESTION: Rinse mouth, and drink a glassful of water. Do not induce romiting. Call a physician.		5 mg/m³-PEL°(respirable dust) ° PEL = OSHA Permissible Exposure Limit		
SKIN CONTACT: Wash skin immediately with water for 15 minutes; then call a physician.		<sup>a</sup> TLV-TWA = ACGIH Threshold Limit Value - Time Weighted Average.		
INHALATION: Remove to fresh air. If irritation or breathing problems persist, call a physician.		bTLV-STEL = ACGIH Threshold Limit Value - Short-Term Exposure Limit.  None of the materials in this product are on the IARC, OSHA, or NTP carcinogen lists.		
IV Special Protection and Precautions		V Transportation and Regulatory Data		
Hygienic Practices: Wash hands after direct contact. Do not wear product-		DOT Proper Shipping Name: Consumer Commodity ORM-D.		
Engineering Controls: Not normally required if product is used as directed. However, if handling of product produces dust, local exhaust may be necessary.  Personal Protective Equipment: Wear safety glasses or goggles and rubber gloves. Respiratory equipment is not normally required if product is used as directed. However, if handling of product produces dust, respiratory equipment may be necessary.		IMO Proper Shipping Name: UN 1479, Oxidizing Solid, N.O.S., Class 5.1 Packing Group II, Ltd. Qty		
		IATA Proper Shipping Name: UN 1479, Oxidizing solid, N.O.S., Class 5.1 PG II		
		EPA - SARA Title III/CERCLA: This product is a hazardous chemical reportable under Sections 311/312; contains no chemicals regulated under Section 313; and contains no chemicals which are regulated under Section 304/CERCLA.		
VI Spill Procedures/Waste Disposal		VII Reactivity Data		
Spill Procedures: Wear appropriate protective gear and respiratory protection. Sweep up material and place in a compatible container for disposal. Since material is toxic to fish, do not discharge into lakes, streams, ponds or public water unless in accordance with NPDES permit.		Reacts with other household chemicals such as acid toilet bowl cleaners, rust removers, acids, vinegar, and ammonia-containing products to produce hazardous gases, such as chlorine/bromine and other chlorinated/brominated compounds. Avoid contact with strong alkalis.		
<u>Waste Disposal</u> : Dispose of in accordance with all applicable federal, state, and local regulations.		Material is an oxidizer. Avoid contact with readily-oxidizable materials.  Stable under normal use and storage conditions.		
VIII Fire and Francisco Dete				
VIII Fire and Explosion Data	150	IX Physical Da		
Not flammable or explosive. Decomposes at 165°C. Do not fire extinguishers with fires involving this product.	use ABC-type	Density (a granule)		>200°F 0.77gr/cc NA