

The Clorox Company 1221 Broadway Oakland, CA 94612 Tel. (510) 271-7000

Material Safety Data Sheet

	DMATIC TOILET B				
2000	T WITH CHLORINE	1			
Other Designations	Distr	ributor	Emergency Telephone Nos.		
		es Company Broadway CA 94612	For Medical Emergencies call: (800) 446-1014 For Transportation Emergencies Chemtrec (800) 424-9300		
II Health Hazard Data		III Hazardous Ingredients			
Direct contact with eyes may cause irreversible damage. Ha	armful if	Ingredient	Concentration	Worker Exposure Limit	
swallowed. Direct contact with mucous membranes may cal irritation or irreversible damage. Severe skin irritant. Prolon skin may cause irreversible damage. Animal ingestion studie species, at high doses, indicate that borates cause reproduc	ged contact with es in several ctive and	Bromochloro-5,5- dimethylhydantoin CAS # 126-06-7	51%	Not established.	
Revelopmental effects. A human study of occupational exposure to borate dust showed no adverse effect on reproduction. No medical conditions are known to be aggravated by exposure to this product. FIRST AID:		1,3-Dichloro-5,5- dimethylhydantoin CAS # 118-52-5	23.3%	0.2 mg/m³ - TLV-TWAª 0.4 mg/m³ - TLV-STELb	
		1,3-Dichloro-5-ethyl-5- methylhydantoin CAS # 89415-87-2	9.0%	Not established.	
<u>YE CONTACT</u> : Flush eyes immediately with water for at least 15 minutes; en call a physician.		Boric Acid CAS #10043-35-3	10-20%	10 mg/m³ – TLV-TWA	
INGESTION: Rinse mouth, and drink a glassful of water. Downiting. Call a physician.	TION: Rinse mouth, and drink a glassful of water. Do not induce g. Call a physician.		15 mg/m³-PEL° (total dust) 5 mg/m³-PEL° (tespirable dust) ° PEL = OSHA Permissible Exposure Limit		
KIN CONTACT: Wash skin immediately with water for 15 minutes; then call physician.		^a TLV-TWA = ACGIH Threshold Limit Value - Time Weighted Average.			
INHALATION: Remove to fresh air. If irritation or breathing problems persist, call a physician.					
		None of the materials in this product are on the IARC, OSHA, or NTP carcinogen lists.			
IV Special Protection and Precautions		V Transportation and Regulatory Data			
<u>Hygienic Practices</u> : Wash hands after direct contact. Do no contaminated clothing for prolonged periods.	: <u>Practices</u> : Wash hands after direct contact. Do not wear product- nated clothing for prolonged periods.		DOT Proper Shipping Name: Consumer Commodity ORM-D.		
Engineering Controls: Not normally required if product us used as directed. However, if handling of product produces dust, local exhaust may be		IMO Proper Shipping Name: Dangerous goods in limited quantities of Class 5.1.			
necessary.	,	IATA Proper Shipping Name: Oxidizing solid, n.o.s., Class 5.1, Packing Group II.			
<u>Personal Protective Equipment</u> : Wear safety glasses or goggles and rubber gloves. Respiratory equipment is not normally required if product is used as directed. However, if handling of product produces dust, respiratory equipment may be necessary.		<u>EPA - SARA Title III/CERCLA</u> : This product is a hazardous chemical reportable under Sections 311/312; contains no chemicals regulated under Section 313; and contains no chemicals which are regulated under Section 304/CERCLA.			
VI Spill Procedures/Waste Disposal		VII Reactivity Data			
Spill Procedures: Wear appropriate protective gear and resp protection. Sweep up material and place in a compatible condisposal. Since material is toxic to fish, do not discharge into ponds or public water unless in accordance with NPDES per	ntainer for o lakes, streams,	Reacts with other household chemicals such as acid toilet bowl cleaners, rus removers, acids, vinegar, and ammonia-containing products to produce hazardous gases, such as chlorine/bromine and other chlorinated/brominate compounds. Avoid contact with strong alkalis.			
Waste Disposal: Dispose of in accordance with all applicable federal, state, and local regulations.		Material is an oxidizer. Avoid contact with readily-oxidizable materials. Stable under normal use and storage conditions.			
VIII Fire and Explosion Data		IX Physical Da	eta		
Not flammable or explosive. Decomposes at 165°C. Do not	t use ABC-type			>200°F	
fire extinguishers with fires involving this product.	. 91-	Density (a granule)		0.77gr/cc NA	