

The Clorox Company 1221 Broadway Oakland, CA 94612 Tel. (510) 271-7000

## Material Safety Data Sheet

I Product: FORMULA 409	9® ALL PURPOSE CL	EANER ANTIBACTER	RIAL KITCHEN LEMON FR	RESH
Description: YELLOW LIQU	JID			
Other Designations	Distributor		Emergency Telephone Nos.	
EPA Registration # 5813-73	Clorox Sale: 1221 Bro Oakland, C	oadway	For Medical Emergencies call: (800) 446-1014 For Transportation Emergencies Chemtrec (800) 424-9300	
II Health Hazard Data		III Hazardous Ingredients		
CAUTION: EYE IRRITANT. Avoid eye and prolonged skin contact. Do Not ingest   FIRST AID:   EYE CONTACT: Immediately flush eyes with plenty of water. If irritation persists, see a doctor.   SKIN CONTACT: Wash with water. Seek medical attention if irritation develops or persists.   INGESTION: Drink a glass full of water. Call Physician. Do not induce vomiting. Do not give anything by mouth to an unconscious or convulsing person.   INHALATION: If breathing problems develop remove to fresh air. Seek medical attention if respiratory irritation develops or breathing becomes difficult.   KEEP OUT OF REACH OF CHILDREN   IV Special Protection and Precautions   Hygienic Practices: Wear safety glasses. With repeated or prolonged use, wear gloves.		Ingredients Alkyl (C <sub>12</sub> 40%; C <sub>14</sub> 50% Concentration 0.3% Worker Exposure Limit Not Established   Alkyl (C <sub>12</sub> 40%; C <sub>14</sub> 50% 0.3% Not Established   C <sub>16</sub> 10%) dimethyl benzyl Ammonium chloride CAS# 68424-85-1 0.5-5% 25 ppm TLV-TWA   Ethylene Glycol 0.5-5% 25 ppm PEL   CAS # 111-76-2 Substance can be absorbed through the skin and may contribute to overall exposure.   None of the ingredients in this product are on the IARC, NTP or OSHA carcinogen lists.   TLV - TWA - Threshold Limit Value - Time Weighted Average. Source: ACGIH 1985-86.   PEL - Permissible Exposure Limit. Source: OSHA   V Transportation and Regulatory Data   U.S. DOT Hazard Class: Not restricted		
Engineering Controls: Use general ventilation to minimize exposure to vapor or mist. Work Practices: Minimize skin contact and inhalation of vapor or mist. Not recommended for use on soft vinyl, varnishes or aluminum. If sprayed on these surfaces, rinse and wipe dry immediately.		<u>U.S. DOT Proper Shipping Name</u> : Not restricted. <u>EPA - SARA Title III/CERCLA</u> : Bottled product is not reportable under Sections 311/312; contains chemicals regulated under Section 313 (ethylene oxide = trace, glycol ethers < 5%); and contains chemicals (glycol ethers < 5%, ethylenediaminetetracetic acid < 1.0%, ethylene oxide = trace, and sodium hydroxide < 0.5%) which are regulated under Section 304/CERCLA. <u>TSCA Status</u> : All components of this product are on the TSCA Inventory <u>VOC Content</u> : 48 g/L (EPA Method 24)		
VI Spill Procedures/Waste Disposal		VII Reactivity Data		
<u>Spill Procedures</u> : Absorb and containerize. Wash residual down to sanitary sewer. Contact the sanitary treatment facility in advance to assure ability to process washed-down material. <u>Waste Disposal</u> : Dispose of in accordance with all applicable federal, state, and local regulations.		Stable under normal use and storage conditions.		
VIII Fire and Explosion Data		IX Physical Data		
<u>Flash Point</u> : >200F <u>Fire Extinguishing Agents</u> : Foam, Dry Chemical, Water, C <u>Unusual Fire and Explosion Hazards</u> : Products of combus		Solubility in Water		

©1963, 1991 THE CLOROX COMPANY

DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATIONAL SAFETY AND HEALTH DATE PREPARED 4/04