

1221 Broadway Oakland, CA 94612 Tel. (510) 271-7000

FORMULA 409® ALL PURPOSE CLEANER GREASE & GRIME **GREEN COLORED LIQUID Description:** Other Designations Distributor Emergency Telephone Nos. For Medical Emergencies call: (800) 446-1014 Clorox Sales Company EPA Registration # 5813-73 1221 Broadway For Transportation Emergencies Chemtrec (800) 424-9300 Oakland, CA 94612 II Health Hazard Data III Hazardous Ingredients CAUTION: EYE IRRITANT. Avoid eye and prolonged skin contact. Do Not Ingredients **Concentration** Worker Exposure Limit Alkyl (C1240%; C1450% ingest 0.3% Not Established C₁₆10%) dimethyl benzyl FIRST AID: Ammonium chloride CAS# 68424-85-1 EYE CONTACT: Immediately flush eyes with plenty of water. If irritation persists, see a doctor. Ethylene Glycol 0.5-5% 25 ppm TLV-TWA SKIN CONTACT: Wash with water. Seek medical attention if irritation Monobutyl Ether 25 ppm PEL develops or persists. CAS # 111-76-2 INGESTION: Drink a glass full of water. Call Physician. Do not induce Substance can be absorbed through the skin and may contribute to overall vomiting. Do not give anything by mouth to an unconscious or convulsing exposure person. None of the ingredients in this product are on the IARC, NTP or OSHA INHALATION: If breathing problems develop remove to fresh air. Seek carcinogen lists. medical attention if respiratory irritation develops or breathing becomes difficult TLV - TWA - Threshold Limit Value - Time Weighted Average. Source: ACGIH 1985-86. KEEP OUT OF REACH OF CHILDREN PEL - Permissible Exposure Limit. Source: OSHA V Transportation and Regulatory Data IV Special Protection and Precautions Hygienic Practices: Wear safety glasses. With repeated or prolonged use, U.S. DOT Hazard Class: Not restricted wear gloves. U.S. DOT Proper Shipping Name: Not restricted. Engineering Controls: Use general ventilation to minimize exposure to vapor EPA - SARA Title III/CERCLA: or mist Bottled product is not reportable under Sections 311/312; contains chemicals regulated under Section 313 (ethylene oxide = trace, glycol Work Practices: Minimize skin contact and inhalation of vapor or mist. ethers < 5%); and contains chemicals (glycol ethers < 5%, ethylenediaminetetracetic acid < 1.0%, ethylene oxide = trace, and sodium Not recommended for use on soft vinyl, varnishes or aluminum. If sprayed on hydroxide < 0.5%) which are regulated under Section 304/CERCLA. these surfaces, rinse and wipe dry immediately. TSCA Status: All components of this product are on the TSCA Inventory VOC Content: 48 g/L (EPA Method 24) VI Spill Procedures/Waste Disposal VII Reactivity Data Spill Procedures: Absorb and containerize. Wash residual down to sanitary Stable under normal use and storage conditions. sewer. Contact the sanitary treatment facility in advance to assure ability to process washed-down material. Waste Disposal: Dispose of in accordance with all applicable federal, state, and local regulations VIII Fire and Explosion Data **IX Physical Data** Flash Point: >200F pH.... Solubility in Water.....complete Fire Extinguishing Agents: Foam, Dry Chemical, Water, CO₂ Specific Gravity (H₂O=1)1.015 Unusual Fire and Explosion Hazards: Products of combustion are toxic

©1963, 1991 THE CLOROX COMPANY

DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATIONAL SAFETY AND HEALTH DATE PREPARED 9/03