

The Clorox Company 1221 Broadway Oakland, CA 94612 Tel. (510) 271-7000

Material Safety Data Sheet

Tel. (510) 271-7000		Data Officet	
I Product: PROFESSIONA	AL STRENGTH LIC	QUID-PLUMR®CLOG R	EMOVER
Description: CLEAR ALKALI	INE LIQUID WITH	A CHLORINE ODOR	
Other Designations	Distr	ibutor	Emergency Telephone Nos.
Drain Cleaner Drain Opener			For Medical Emergencies call: (800) 446-1014 For Transportation Emergencies Chemtrac (800) 424-9300
II Health Hazard Data		III Hazardous Ingredients	
CORROSIVE to the eyes. Injures eyes, skin and mucous montact. Harmful if swallowed; nausea, vomiting, and burnin the mouth and throat may occur. No adverse health effects a recommended use. Occasional clinical reports suggest a low sensitization upon exaggerated exposure to sodium hypochl damage (eg. irritation) occurs during exposure. However, cliconducted on intact skin with Liquid-Plumr found no sensitization upon expected, heart conditions or chronic respirator as asthma, chronic bronchitis or obstructive lung disease may be exposure to high concentrations of vapor or mist. FIRST AID: EYE CONTACT: Immediately flush eyes with water for 15 may physician. INGESTION: Drink a glassful of water. DO NOT induce vor Immediately contact a physician or Poison Control Center. SKIN CONTACT: Remove contaminated clothing. Flush skin Contact a physician if irritation or discomfort persists. INHALATION: Remove from exposure to fresh air.	ng sensation of are expected with w potential for lorite if skin linical tests ration in the test ry problems such any be aggravated ininutes. Contact miting.	Ingredient Sodium hydroxide CAS #1310-73-2 Sodium hypochlorite CAS #7681-52-9 None of the ingredien carcinogen lists. TLV exposure limit should 86.	Concentration United States 1985 Concentration 2 mg/m³ TLV-C 5-10% not established ts in this product are on the IARC, OSHA or NTP -C=Threshold Limit Value-Ceiling. The worker not be exceeded at any time. Source: ACGIH., 1985
Hygienic Practices: Wear safety glasses and gloves. The availability of an eye wash and shower is recommended in a manufacturing environment. Engineering Controls: Use general ventilatilation to minimize exposure to vapors. Work Practices: Avoid eye and skin contact and inhalation of vapor or mist. KEEP OUT OF REACH OF CHILDREN. Avoid all splashing; particularly in eyes, on skin and clothing. Keep children away from basins containing Liquid-Plumr. Do not use plunger with Liquid-Plumr. Do not use Liquid-Plumr with ammonia, toilet bowl cleaners or other drain openers. Do not reuse empty container. Rinse container and replace cap before discarding. VI Spill Procedures/Waste Disposal		U.S. DOT Hazard Cla U.S. Proper Shipping EPA - SARA TITLE II Sections 311/312 and This product does col hypochlorite) that are TSCA/DSL STATUS: Inventory and Canadi	Name: n/a I/CERCLA: This product is not reportable under contains no chemicals reportable under Section 313. Itain chemicals (sodium hydroxide and sodium regulated under Section 304/CERCLA. _All components of this product are on the U.S. TSCA an DSL.
Spill Procedures: Immediately contain. Do not neutralize with acid. Dilute		Stable under normal u	use and storage conditions. Reacts with other
with copious amounts of water. Dispose of in accordance with all applicable federal, state, a egulations.	and local	openers to produce h species.	such as toilet bowl cleaners, ammonia or other drain azardous gases, such as chlorine and other chlorinate
VIII Fire and Explosion Data		IX Physical Data	
Flash Point: None Special Firefighting Procedures: None Unusual Fire/Explosion Hazards: None. Not flammable or explosive. Product does not ignite when exposed to open flame.		Specific Gravity (H ₂ 0= Solubility in Water	approx. 212 °F/100 °C =1)