

# MATERIAL SAFETY DATA SHEET

## MSDS V-117 REVISION 2

THE DIAL CORPORATION  
CENTER FOR INNOVATION  
15101 NORTH SCOTTSDALE ROAD  
SCOTTSDALE, ARIZONA 85254

MEDICAL EMERGENCIES: 1-888-689-9082  
CHEMTREC: 1-800-424-9300 (24 Hours Daily)  
OTHER INFORMATION: 1-888-468-6673

### SUBSTANCE IDENTIFICATION

SUBSTANCE: FATTY ACID BLEND

TRADE NAMES/SYNONYMS: **BLEND – AV 215 FATTY ACIDS**  
**BLEND – AV 225 FATTY ACID (COMMON)**  
**FABRIC CARE BLEND – AV 215 FATTY ACID**

TSCA NAME: FATTY ACIDS, C14-C18 and C16-C18 UNSATURATED  
FATTY ACIDS, C8-C18 and C18 UNSATURATED

CHEMICAL FAMILY: Aliphatic carboxylic acids

I.D. NUMBER: 900945 (AV 215), 900975 (AV 225), 88101017 (Fabric Care Blend – AV 215)

NFPA RATINGS (Scale 0-4, where 4=high degree of hazard): HEALTH=1 FLAMMABILITY=1 REACTIVITY=0  
HMIS RATINGS (Scale 0-4, where 4=severe hazard): HEALTH=1 FLAMMABILITY=1 REACTIVITY=0

### HAZARDOUS INGREDIENT INFORMATION

COMPONENT: FATTY ACIDS, C14-C18 and C16-C18 UNSATURATED CAS# 67701-06-8

COMPONENT: FATTY ACIDS, C8-C18 and C18 UNSATURATED CAS# 67701-05-7

OCCUPATIONAL EXPOSURE LIMITS: None established by ACGIH, OSHA, or NIOSH.

CARCINOGEN STATUS OF COMPONENTS: None listed as carcinogens by NTP, IARC, or OSHA.

### PHYSICAL AND CHEMICAL DATA

DESCRIPTION: A white to brown, semi-solid material having a characteristic fatty odor.

ACID VALUE: 214-226 range.

SOLUBILITY IN WATER: Practically insoluble.

SOLVENT SOLUBILITY: Organic solvents, such as alcohol and benzene.

### FIRE AND EXPLOSION DATA

FLASHPOINT:  $\approx$  300-365°F (COC)

OSHA FLAMMABILITY CLASSIFICATION: III B

FIRE AND EXPLOSION HAZARD - Negligible fire hazard when exposed to heat or flame.

FIRE FIGHTING MEDIA - Dry chemical, carbon dioxide, water spray or regular foam. For larger fires, use water spray, fog or regular foam.

**FIRE FIGHTING** - Move container from fire area if you can do it without risk. Do not scatter spilled material with high-pressure water streams. Dike fire-control water for later disposal. Use agents suitable for type of surrounding fire. Avoid breathing hazardous vapors, keep upwind.

## HEALTH EFFECTS AND FIRST AID

**NOTE:** The acute health effects described below are those which could potentially occur for the finished product. They are based on the toxicology information available for the finished product and/or each hazardous ingredient, and are consistent with the product type and the likelihood of a specific route of exposure. Known chronic health effects related to exposure to a specific ingredient are indicated.

### ACUTE HEALTH EFFECTS:

- INHALATION:** Unlikely to occur due to the physical properties of the product. However, if vapors are generated, irritation to mucous membranes and upper respiratory tract with sore throat and coughing may occur.
- SKIN CONTACT:** Repeated or prolonged excessive exposure may cause irritation or dermatitis.
- EYE CONTACT:** May cause significant irritation with pain, burns and corneal opacity. May cause irreversible damage.
- INGESTION:** May cause sore throat, abdominal pain and diarrhea.

**CHRONIC HEALTH EFFECTS:** None known.

**MEDICAL CONDITIONS GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE:** Persons with pre-existing skin disorders.

## REACTIVITY

**REACTIVITY** - Stable under normal temperatures and pressures.

**INCOMPATIBILITIES:** Strong oxidizers, bases, reducing agents, metals.

**DECOMPOSITION** - Thermal decomposition may release acrid smoke and irritating fumes. Hazardous decomposition products may include carbon monoxide and carbon dioxide.

**POLYMERIZATION** - Hazardous polymerization has not been reported to occur under normal temperatures and pressures.

## STORAGE AND DISPOSAL

Store away from incompatible substances. Store in a tightly closed container in order to prevent the development of rancid (oxidized) material. Observe all federal, state and local regulations when storing or disposing of this substance.

## CONDITIONS TO AVOID

May burn but does not ignite readily. Avoid contact with strong oxidizers, excessive heat ( > 60 °C), sparks, or open flame in order to preserve the odor characteristics.

## SPILL AND LEAK PROCEDURES

**OCCUPATIONAL SPILL** - Scoop or scrape up and place in suitable clean, dry containers for reclamation or later disposal. Fatty acid can be readily converted to water soluble soap by the addition of an alkali such as sodium carbonate. This solubilizes the fatty acid in water allowing it to be cleaned up by hosing or flushing with water. Keep unnecessary people away.

## OCCUPATIONAL PROTECTIVE EQUIPMENT

VENTILATION - Provide general dilution ventilation system.

RESPIRATOR -If respiratory protection is required, it must be based on the contamination levels found in the workplace, must not exceed the working limits of the respirator and be jointly approved by the National Institute for Occupational Safety and Health and the Mine Safety and Health Administration (NIOSH-MSHA).

FOR FIRE FIGHTING AND OTHER IMMEDIATELY DANGEROUS TO LIFE OR HEALTH CONDITIONS -

Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode. Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive-pressure mode.

CLOTHING - Protective clothing is required where repeated or prolonged skin contact may occur.

GLOVES - Chemical-resistant gloves are required where repeated or prolonged skin contact may occur.

EYE PROTECTION - Safety glasses are required to prevent eye contact where dusty conditions are anticipated.

EMERGENCY WASH FACILITIES - Where there is any possibility that an employee's eyes and/or skin may be exposed to this substance, the employer should provide an eye wash fountain and quick drench shower within the immediate work area for emergency use.

## REGULATORY INFORMATION

DOT FLAMMABILITY CLASSIFICATION:

Not applicable.

EPA - SARA TITLE III SECTION 313:

Toxic chemical - None.

TSCA:

All components of this product are listed or are exempted or excluded from listing on the U.S. Toxic Substances Control Act (TSCA) chemical substance inventory.

-----  
The information contained herein is provided in good faith and is believed to be correct as of the date hereof. However, The Dial Corporation makes no representation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgment in determining its appropriateness for a particular purpose. Accordingly, The Dial Corporation will not be responsible for damages of any kind resulting from the use of or reliance upon such information. No representations, or warranties, either expressed or implied of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information set forth herein or to the product to which the information refers.  
-----

MSDS CREATION DATE: 04/28/98

SUPERSEDES: 11/02/04; Rev 1

REVISION DATE: 10/12/05

REVISION: Added Trade Name and ID Number.