## **MSD: Sparkle**

ND = Not Determined, NE = Not Established, NA = Not Applicable

Product: Hazard Rating:

Name:SparkleHealth:2Number:X906Flamability:0Type:RTU spray cleaner.Reactivity:0Chemical Family:CleanerP. Protection:B

Chemical Name:	CAS NO	WT%	PEL	TWA-LTV	STEL-TLV	Carcin
Nonionic Surfactant	9016-45-9	0.5-3	3	3	6	N
Sodium Metasillicate	10213-79-3	0.1-1	NA	NA	NA	N
Odor Neutralizer	ND	0.1-1	ND	ND	ND	N
Dipropylene Glycol Methyl Ether	34590-94-8	8-15	100	100	100	N
Optical Brightner	ND	0.1-1	NA	NA	NA	N

Boiling Range: 212 F Vapor Density: ND

Vapor Pressure: ND Solubility in Water: 100%

%Volatile: 95-99 pH: 12.8

Specific Gravity: 1.01 Evaporation Rate: Water

Extinguishing Media: NA

Upper Explosive Limit: NA
Unusual Fire & Explosion Hazards: NA
Special Fire Fighting Procedure: NA
Flash Point (Method Used): NA

Physical Description: Green liquid, sweet apple fragrance

Stability: Stable

Incompatibility: Strong acids

Hazardous decomposition products: Normal Products of Combusiton

Hazardous Polymerization: Will not occur

Precautions to be taken in handling & Storage: Keep out of reach of children. For use by trained person

only. Keep container closed during storage. For Instituti

Industrial use only. Store away from fire.

Respiratory Protection: No special requirements

Protective Gloves: Waterproof or Chemical Resistant

Eye Protection: Where contact is possible wear chemical splash goggles.

Ventilation: Provide good ventilation to keep LTV at acceptable levels.

Spillage: Mop up or pickup with wet vac & hold for proper disposal. Rinse area with w

Disposal: : In accordance with Federal, State, & Local regulations.

## **Physical Hazards:**

Eyes: Liquid & mist may injure/burn eyes.

Skin: skin irritant. May cause reddening, swelling & possible skin damage.

Inhalation: Inhalation of vapor or mist may irritate respiratory tract. High concentrations of vapor

may cause headaches, dizziness, and nausea.

Ingestion: If ingested, product may cause burns to mouth, throat & stomach. Vomitting & Diag

can be expected with large dose. Pre-existing Eye, skin, or respiratory conditions m

aggravated

## **Treatment:**

Eyes: Flush with running water for at least 15 min.

Skin: Flush with water. Seek medical attention if irritation develops. Inhalation: Remove to fresh air. Call a physician if symptoms persist.

Ingestion: Drink two glasses of water. Seek medical attention immediately

## **Supplier Information:**

Name: IDP LABS

Address: 1719 West Farms Rd.

Bronx, N.Y.10460

Telephone: 1-800-877-0847