

**Material Safety Data Sheet** 

# **BRITE STAINLESS STEEL CLEANER**

National Fire Protection Association	Fire Haz Health	zard Reactivity		s Material on System	Health0Fire Hazard4
(NFPA)			( )		Reactivity 0
	Specific H				
Protective None required. Clothing				CONTENTS	Section 9. UNDER PRESSURE. May be /lay be mildly irritating to skin.
Section 1. Chemical	Product and	Company Io	lentification		
Product Name BRITE	STAINLESS S	TEEL CLEA	NER	Code	4763
Product Use Industrial	Institutional: Clea	aning product.		PMS#	3101413
MSDS# 12642800	01			Validation	Date 4/23/2004
U.S. Headquarters		Canadian H	eadquarters	Print Date	4/23/2004
JohnsonDiversey, Inc. 8310 16th Street Sturtevant, Wisconsin 5317 Phone: (888) 352-2249 MSDS Internet Address: www.johnsondiversey.com	JohnsonDiversey 2401 Bristol Circ Oakville, Ontario Phone: 1-800-66	cle 5 L6H 6P1	Supersedes In Case of Emergency	(800) 851-7145	
Section 2. Composit	ion and Infor	mation on Ir	ngredients		
Ingredients	CAS #	% by Weight	Exposure Li	imits	LC50/LD50
Propane	74-98-6	1-5	OSHA (United St TWA: 1800 mg/n ACGIH (United S TWA: 4508 mg/n	n <sup>3</sup> tates).	Not available.
Isoparaffinic Hydrocarbon Solvent	64742-48-9	5-10	Not available.		Not available.
Isobutane	75-28-5	5-10	Not available.		VAPOR (LC50): Acute: 0.0057 ppm 0.25 hour(s) [Rat].
Light Naphthenic Distillate Water	64741-44-2 7732-18-5	10-30 100-1.7977e3	Not available. Not available.		Not available. Not available.

Section 3. Hazards Identification

Routes of Entry	Inhalation. Skin contact. Eye contact.
Potential Acute Health Effe	ects
Eyes	May be mildly irritating to eyes.
Skin	May be mildly irritating to skin.
Inhalation	None known.
Ingestion	None known.
Medical Conditions Aggravated by Overexposure:	None known.
See Toxicological Informat	ion (section 11)

#### Johnson wax PROFESSIONAL

# **BRITE STAINLESS STEEL CLEANER**

#### Section 4. First Aid Measures

Eye Contact	Flush immediately with plenty of water. Get medical attention if irritation occurs.	
Skin Contact	Flush immediately with plenty of water. Get medical attention if irritation occurs.	
Inhalation	No specific first aid measures are required.	
Ingestion	No specific first aid measures are required.	

# Section 5. Fire Fighting Measures

Flammability of the Product	NFPA 30B Level 1 Aerosol.
<b>Flash Points</b>	< -7°C (propellant).
<b>Products of Combustion</b>	None known.
Fire Fighting Media and Instructions	Use water spray to keep fire-exposed containers cool. Dry chemical, carbon dioxide. Fight fire from protected location or maximum possible distance. In case of fire and/or explosion do not breathe fumes.
Protective Clothing (Fire) Special Remarks on Fire and Explosion Hazards	Put on appropriate personal protective equipment (see Section 8). Aerosol product - Containers may rocket or explode in heat of fire.

#### Section 6. Accidental Release Measures

<b>Personal Precautions</b>	Put on appropriate personal protective equipment (see Section 8).		
Environmental Precautions and Clean-up Methods	Eliminate all ignition sources. In the event of major spillage: Use appropriate containment to avoid environmental contamination. Take up with sand or other non-combustible material. Place in suitable clean, dry containers for disposal by approved methods.		

## Section 7. Handling and Storage

Handling	Avoid contact with skin and eyes. Avoid breathing vapors or spray mists Use only in well-ventilated areas. Do not puncture or incinerate. Do not use or spray on floors. Do not let product overspray on to the floor as the product's ingredients could make the floor slippery. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep away from heat, sparks and flame. Pressurized container: protect from sunlight and do not expose to temperature exceeding 50°C. Do not pierce or burn, even after use. KEEP OUT OF REACH OF CHILDREN.

## Section 8. Exposure Controls/Personal Protection

Engineering Controls	Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.
<b>Personal Protection</b>	
Eyes	No special requirements under normal use conditions.
Hands	No special requirements under normal use conditions.
Respiratory	No special requirements under normal use conditions.
Feet	No special requirements under normal use conditions.
Body	No special protective clothing is required.

#### Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid. (Aerosol.)
Odor	Mild.
Color	Off-white.
Specific Gravity	0.9
Solubility in water	Dispersible.

## Continued on Next Page

#### **Ohnson Wax** PROFESSIONAL BR

# **BRITE STAINLESS STEEL CLEANER**

Section 10. Stability and Reactivity		
Stability and Reactivity	The product is stable.	
<b>Conditions of Instability</b>	None known.	
Incompatibility with Various Substances	Reactive with oxidizing agents.	
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.	
<b>Hazardous Polymerization</b>	Will not occur.	

## Section 11. Toxicological Information

Acute toxicity	ORAL (LD50) Estimated to be greater than 5000 mg/kg (rat). DERMAL (LD50) Estimated to be greater than 2000 mg/kg (rat).
Effects of Chronic Exposure	None known.
<b>Other Toxic Effects</b>	Not available.

# Section 12. Ecological Information

Not available.

#### Section 13. Disposal Considerations

Waste Information

tion No special precautions. Dispose of according to all federal, state and local regulations.

## Section 14. Transport Information

#### **DOT Classification**

Shipping Name TDG Class

	DOT Proper Shipping Name	Please refer to the Bill of Lading/receiving documents for up to date shipping information.
TDG	Classification	
	<b>TDG</b> Proper	Please refer to the Bill of Lading/receiving documents for up to date shipping information.

# Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2			
US Regulations			
Federal	SARA 302/304/311/312 hazardous chemicals: Propane, Isobutane SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Propane, Isobutane Clean air act (CAA) 112 accidental release prevention: Propane, Isobutane Clean air act (CAA) 112 regulated flammable substances: Propane, Isobutane CERCLA: Hazardous substances.: Propane, Isobutane		
State	New Jersey: Light Naphthenic Distillate, Propane, Isobutane Massachusetts spill list: Propane, Isobutane Massachusetts RTK: Propane, Isobutane Pennsylvania RTK: Propane, Isobutane		
	This product is not subject to the reporting requirements under California's Proposition 65.		
Registered Product Information	Not applicable.		
<b>Canadian Regulations</b>			

Johnson wax PROFESSIONAL	Material Safety Data Sheet BRITE STAINLESS STEEL CLEANER	
WHMIS Classification	CLASS A: Compressed gas. CLASS B-5: Flammable aerosol.	
WHMIS Icon		
Registered Product Information	Not applicable.	
Chemical Inventory Status	All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.	

Section 16. Other Information		
Other Special Considerations	Not available.	
Version	1	
<u>Notice to Reader</u> This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.		