

CREW FOAMING ACID RESTROOM CLEANER

National Fire Protection Association He (NFPA)	Fire Haz	Reactivity	Hazardou Informatic (HMIS)		5
	Specific H				
Protective Clothing				ORROSIV	n 9. E. CAUSES EYE AND SKIN FATAL IF SWALLOWED.
Section 1. Chemical Pr	oduct and	Company l	Identification		
Product Name CREW F CLEANER		ACID R	ESTROOM	Code	4575
Product Use Industrial/Inst		shroom care.		PMS#	
MSDS# 114458001				Validation	Date 1/14/2005
U.S. Headquarters		Canadian H	eadquarters	Print Date	1/14/2005
JohnsonDiversey, Inc. 8310 16th Street Sturtevant, Wisconsin 53177-0 Phone: (888) 352-2249 MSDS Internet Address: www.johnsondiversey.com	JohnsonDiversey - Canada, Inc. 2401 Bristol Circle Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131		Supersedes In Case of Emergency	(800) 851-7145	
Section 2. Composition	n and Infor	rmation on l	Ingredients		
Ingredients	CAS #	% by Weight	Exposure Li	mits	LC50/LD50
Ethoxylated Oleyl Amine 2-Butoxyethanol	13127-82-7 111-76-2	1-5 1-5	Not available. OSHA (United St TWA: 120 mg/m ³ ACGIH (United S TWA: 97 mg/m ³	-	Not available. ORAL (LD50): Acute: 506 mg/kg [Rat]. DERMAL (LD50): Acute: 406 mg/kg [Rabbit]. VAPOR (LC50): Acute: 450 ppm 4 hour(s) [Rat].
Phosphoric Acid	7664-38-2	10-30	OSHA (United St TWA: 1 mg/m ³ STEL: 3 mg/m ³ ACGIH (United S TWA: 1 mg/m ³ STEL: 3 mg/m ³	-	ORAL (LD50): Acute: 1530 mg/kg [Rat]. DERMAL (LD50): Acute: 2740 mg/kg [Rabbit].
Water	7732-18-5	60-100	Not available.		Not available.

Section 3. Hazards Identification

Routes of Entry

Inhalation. Skin contact. Eye contact.

Potential Acute Health Effects

Eyes <u>Corrosive</u>. May cause permanent damage including blindness.

Skin Corrosive. May cause permanent damage.

Inhalation May cause irritation and corrosive effects to nose, throat and respiratory tract.

Ingestion Corrosive. May cause burns to mouth, throat, and stomach.

Johnson wax PROFESSIONAL

CREW FOAMING ACID RESTROOM CLEANER

Medical Conditions Aggravated by Overexposure: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

See Toxicological Information (section 11)

Section 4. First Aid Measures			
nmediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get edical attention immediately.			
lush immediately with plenty of water for at least 15 minutes. Get medical attention mediately.			
breathing is difficult: Remove to fresh air. Get medical attention immediately.			
o not induce vomiting! Immediately drink plenty of water. Never give anything by mouth to an aconscious person. Get medical attention immediately.			

Section 5. Fire Fighting Measures

Flammability of the	None known.
Product	
Flash Points	CLOSED CUP: >93°C (199.4°F).
Products of Combustion	None known.
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.
Protective Clothing (Fire)	Put on appropriate personal protective equipment (see Section 8.).
	Corrosive material (See sections 8 and 10).
and Explosion Hazards	

Section 6. Accidental Release Measures

Personal Precautions	Put on appropriate personal protective equipment (see Section 8.).
Environmental	In the event of major spillage: Use appropriate containment to avoid environmental
	contamination. Sweep or scrape up material. Place in suitable clean, dry containers for
Methods	disposal by approved methods. Use a water rinse for final clean-up.

Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Wash thoroughly after handling. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR INDUSTRIAL USE ONLY.
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep container tightly closed. KEEP OUT OF REACH OF CHILDREN.

Section 8. Exposure Controls/Personal Protection

•		
Engineering Controls	Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.	
Personal Protection		
Eyes	s Chemical splash goggles.	
Hands	s Chemical resistant gloves. Includes: Neoprene gloves. Rubber gloves.	
Respiratory If mists/vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditio warrant a respirator's use.		
Fee	<i>t</i> Protective footwear.	
4		

Body If major exposure is possible, wear suitable protective clothing and footwear.



Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid.
Odor	Fresh.
Color	Pink.
pH	<1.5 [Acidic.]
Specific Gravity	1.09
Boiling/Condensation Point	>93°C (199.4°F)
Melting/Freezing Point	0°C (32°F)
Viscosity	1-10 cP (Dynamic).
Solubility in water	Complete.

Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.	
Conditions of Instability	None known.	
Incompatibility with Various Substances	Highly reactive with metals. Reactive with alkalis.	
Hazardous Decomposition When exposed to fire: Produces normal products of combustion.		

Products

Hazardous Polymerization Will not occur.

Section 11. Toxicological Information

Acute toxicityCorrosive.Effects of ChronicNone known.ExposureOther Toxic EffectsNot available.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste InformationUndiluted product is regulated under environmental and transportation laws as a corrosive
waste. Dispose of according to all federal, state and local regulations.

Section 14. Transport Information

DOT Classification	
DOT Proper Shipping Name	Please refer to the Bill of Lading/receiving documents for up to date shipping information.
TDG Classification	
TDG Proper Shipping Name TDG Class	Please refer to the Bill of Lading/receiving documents for up to date shipping information.

US Regulations	ion is based on ingredients disclosed in Section 2 SARA 313 toxic chemical notification and release reporting: Phosphoric Acid
Federal	SARA 313 toxic chemical notification and release reporting. Phosphoric Acid
	Clean Water Act (CWA) 311: Phosphoric Acid CERCLA: Hazardous substances.: Phosphoric Acid, 2-Butoxyethanol
State	New Jersey spill list: Phosphoric Acid, 2-Butoxyethanol New Jersey: Phosphoric Acid, 2-Butoxyethanol Massachusetts spill list: Phosphoric Acid, 2-Butoxyethanol Massachusetts RTK: Phosphoric Acid, 2-Butoxyethanol Pennsylvania RTK: Phosphoric Acid, 2-Butoxyethanol
	This product is not subject to the reporting requirements under California's Proposition 65.
Registered Product Information	Not applicable.
Canadian Regulations	
Canadian NPRI	Canadian NPRI: Phosphoric Acid, 2-Butoxyethanol.
WHMIS Classification	CLASS E: Corrosive liquid.
WHMIS Icon	
Registered Product Information	
Chemical Inventory Status	All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Section 16. Other information			
Other Special Considerations	Not available.		
Version	2.01		
Notice to Reader			

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to compl with all Federal, State, Provincial and Local laws and regulations.