

## **MATERIAL SAFETY DATA SHEET**

# **Fastrip Floor Stripper**

HMIS NFPA			Personal protective equipment
Health	3	3	MIN PAR
Fire Hazard	0	0	
Reactivity	0	0	
_	<u> </u>		

Version Number: 2 Preparation date: 2005-08-24

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: Fastrip Floor Stripper

MSDS #: MS0200002

**Product code:** 4122398, 4122401, MS0200002

Recommended use: Floor stripper.

Manufacturer, importer, supplier:

US Headquarters

JohnsonDiversey, Inc.

8310 16th St.

Sturtevant. Wisconsin 53177-0902

Canadian Headquarters

JohnsonDiversey - Canada, Inc.

2401 Bristol Circle

Oakville. Ontario L6H 6P1

Sturtevant, Wisconsin 53177-0902 Oakville, Ontario L6H 6l Phone: 1-888-352-2249 Phone: 1-800-668-3131 MSDS Internet Address:

Emergency telephone number: 1-800-851-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)

#### 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

www.johnsondiversey.com

DANGER. CORROSIVE. CAUSES EYE AND SKIN BURNS. HARMFUL OR FATAL IF SWALLOWED.

Principle routes of exposure: Eyes. Skin. Inhalation. Ingestion.

**Skin contact:** Corrosive. May cause permanent damage.

**Eye contact:** Corrosive. Causes permanent eye damage, including blindness.

**Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract.

**Ingestion:** Corrosive. Causes burns to mouth, throat and stomach.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **HAZARDOUS COMPONENTS**

Ingredient	CAS#	Weight %	LD50 Oral	LD50 Dermal	LC50 Inhalation
Monoethanolamine	141-43-5	10 - 20%	1720 mg/kg (rat)	1 mL/kg (rabbit)	Not available
Potassium hydroxide	1310-58-3	5 - 10%	273 mg/kg (rat)	Not available	Not available
Benzyl alcohol	100-51-6	20 - 30%	1230 mg/kg (rat)	2000 mg/kg (rabbit)	500 mg/m <sup>3</sup> (rat)

## 4. FIRST AID MEASURES

Eye contact: Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical

attention immediately.

Skin contact: Flush immediately with plenty of water for at least 15 minutes. Get medical attention immediately.

Inhalation: If breathing is affected, remove to fresh air. Get medical attention immediately.

**Ingestion:** Do not induce vomiting. Immediately drink one cupful of water or milk. Never give anything by mouth to an

unconscious person. Get medical attention immediately.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be

more susceptible to irritating effects .

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire .

Specific hazards: Not applicable

**Unusual hazards:** Corrosive material (See sections 8 and 10).

**Specific methods:** No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: None.

Fastrip Floor Stripper 1 of 3

### **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions: **Environmental precautions** and clean-up methods:

Put on appropriate personal protective equipment (see Section 8.).

Use appropriate containment to avoid environmental contamination. Soak up with inert absorbent material.

Shovel into suitable container for disposal.

## 7. HANDLING AND STORAGE

#### Handling:

Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY. FOR COMMERCIAL AND INDUSTRIAL USE ONLY

#### Storage:

Keep tightly closed in a dry, cool and well-ventilated place. Protect from freezing. Keep out of the reach of children.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels . Respiratory protection is not required if good ventilation is maintained .

**Personal Protective Equipment** 

Chemical splash goggles. Eye protection:

Hand protection: Chemical resistant gloves. Includes. neoprene gloves.

Skin and body protection: If major exposure is possible, wear suitable protective clothing and footwear.

Respiratory protection: In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that

meets OSHA's 29 CFR 1910 134 and ANSI Z88.2 requirements must be followed whenever workplace

conditions warrant a respirator's use.

Keep away from food, drink and animal feeding stuffs . Handle in accordance with good industrial hygiene Hygiene measures:

and safety practice.

Ingredient	CAS#	ACGIH	OSHA	Mexico
Monoethanolamine	141-43-5	6 ppm (STEL)	6 mg/m <sup>3</sup> 3 ppm	15 mg/m³ (STEL)
		3 ppm (TWA)		8 mg/m³ (TWA)
Potassium hydroxide	1310-58-3	2 mg/m³ (Ceiling)		

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Liquid Color: Yellow Odor: Slight Solvent

Specific gravity: 9.016 lb/gal Dilution pH: No information available

**Bulk density:** No information available Vapor density: No information available **Evaporation rate:** No information available

Solubility in other No information available solvents:

Viscosity: No information available

Partition coefficient (n-octanol/water): No information available

Appearance: Aqueous solution Boiling point/range: Not determined Melting point/range: Not determined pH: 14

1.080 g/ml Density:

**Decomposition temperature:** Not determined Autoignition temperature: No information available

Solubility: Soluble VOC: 17.45 % by wt.

Flash point: >200 (°F) >99.3 (°C)

#### 10. STABILITY AND REACTIVITY

Stability: The product is stable

Polymerization: Hazardous polymerisation does not occur

Hazardous decomposition products: None reasonably foreseeable

Materials to avoid: Strong oxidising agents. Strong exothermic reaction with acids.

### 11. TOXICOLOGICAL INFORMATION

**Acute toxicity** Corrosive, Oral, LD50 estimated to be >1000 and <5000 mg/kg, Dermal, LD50 estimated to be > 2000

mg/kg.

**Component Information:** See Section 3 Chronic toxicity: None known

Specific effects

Carcinogenic effects: None known Mutagenic effects: None known Reproductive toxicity: None known Target organ effects: None known

## 12. ECOLOGICAL INFORMATION

Environmental Information: When used for its intended purpose this product should not cause adverse effects in the environment .

## 13. DISPOSAL CONSIDERATIONS

#### Waste from residues / unused products:

Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local applicable regulations.

## 14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

#### 15. REGULATORY INFORMATION

#### **International Inventories**

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

#### **U.S. Regulations**

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

#### STATE RIGHT TO KNOW

Ingredient	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:	ILRTK:	CTRTK:
Benzyl alcohol	100-51-6	Listed	-	Listed	-	-	-
Water	7732-18-5	-	-	-	-	-	-
Monoethanolamine	141-43-5	Listed	Listed	Listed	Listed	Listed	Listed
Hexyloxyethanol	112-25-4	-	Listed	Listed	-	-	-
Potassium tallate	61790-44-1	-	-	-	-	-	-
Potassium hydroxide	1310-58-3	Listed	Listed	Listed	Listed	Listed	Listed

#### **CERCLA / SARA**

Ingredient	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Hexyloxyethanol	112-25-4	10 - 20%			Listed.
Potassium hydroxide	1310-58-3	5 - 10%	1000		

# SARA 311/312 Hazard Categories

Immediate: Y
Delayed: N
Fire: N
Reactivity: N
Sudden Release of Pressure: N

### Canada

WHMIS hazard class: E Corrosive material .



## **16. OTHER INFORMATION**

Reason for revision:Not applicablePrepared by:NAPRACAdditional advice:None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.