

## ENVIROSTAR GREEN® All Purpose Spotter

*Environmentally preferred treatment for removing tough stains and spots from carpets*

### FEATURES

- *Green formulation protects the environment*
- *Easy to use spray-on application*
- *Fast acting formula for most spots and stains*
- *Compatible with most carpet types*
- *Fragrance free*



Pioneer Eclipse EnviroStar Green Products have been formulated in Partnership with the US Environmental Protection Agency's Design for the Environment Program.



### RECOMMENDED SURFACES

Most commercial carpets and upholstery

### PRODUCT DATA

Description:	Carpet Spot and Stain Cleaner
Appearance:	Clear, light amber liquid
Fragrance:	None added
Viscosity (Brookfield):	<10 centipoise @ 68°F (20°C)
pH (undiluted):	9.5 ± 0.5 ASTM E70-97
Density:	8.4 lb per gal @ 68°F 1.01 kg per liter @ 20°C
Freeze/Thaw:	Passes 3 cycles ASTM D3209-93 (1998)
Shelf Life:	2 years, ASTM D1791-93 (1998)

### PRECAUTIONS:

Keep out of reach of children. Keep container sealed when not in use. Avoid freezing. If frozen, allow to return to room temperature slowly and mix thoroughly before using.

### ORDERING INFORMATION

Product #833MP: 4 x 1.06 gallon per case (4 x 4 liter)

### DIRECTIONS FOR USE:

1. Mix EnviroStar Green All Purpose Spotter per the following dilution ratio:  
1:8 16 US oz per gallon cold water  
1:8 4 US oz per quart cold water  
1:8 125 ml per 1 liter cold water
2. Apply in a pump-up sprayer or spray bottle to the stained area.
3. Allow to penetrate for 5-10 minutes.
4. Agitate with a scraper starting from the outside working to the center of the stained area to keep the spot from enlarging.
5. Blot with clean towels to absorb and remove the stain.
6. Repeat steps 2 through 5 if necessary.
7. Extract or rinse with water and blot dry.

**NOTE:** Before general use, test an inconspicuous area to ensure compatibility with carpet material.

*Pioneer Eclipse®*


# ENVIROSTAR GREEN ALL PURPOSE SPOTTER

**LAST REVISION DATE:** 03/21/06  
**MANUFACTURER:** Pioneer Eclipse® Corporation  
 Sparta, NC 28675 Phone: 1-336-372-8080  
**FOR CHEMICAL EMERGENCY:** Spill, Leak, Fire,  
 Exposure or Accident **CALL CHEMTREC - Day or  
 Night 1-800-424-9300** Toll Free in the  
 Continental US **483-7616** in DISTRICT OF  
 COLUMBIA. For calls originating outside the US:  
 Call Collect **1-202-483-7616** Washington, DC

## SECTION I: GENERAL INFORMATION

**PRODUCT NAME:** EnviroStar Green® All Purpose  
 Spotter  
**PRODUCT #:** 833  
**PRODUCT TYPE:** Carpet Spot and Stain Cleaner  
**PRECAUTIONS:** Possible skin and eye irritant.  
 Keep container sealed when not in use. Keep out  
 of reach of children.  
**HEALTH:** 2  
**FLAMMABILITY:** 0  
**REACTIVITY:** 0  
**NFPA HAZARD RATINGS**

4-EXTREME 3-HIGH 2-MODERATE  
 1-SLIGHT 0-INSIGNIFICANT



## SECTION II: INGREDIENTS

**INGREDIENT:** Water  
**CAS #:** 7732-18-5  
**%:** 45-60  
**OSHA PEL:** N/A  
**ACGIH TLV:** N/A  
**LD<sub>50</sub> SPECIES & ROUTE:**

**INGREDIENT:** Glycol Ether  
**CAS #:** 34590-94-8  
**%:** 25-30  
**OSHA PEL:** 100 ppm (TWA) (skin)  
**ACGIH TLV:** 100 ppm (TWA) 150 ppm (stet)  
**LD<sub>50</sub> SPECIES & ROUTE:** 5,350 mg/kg rat, oral  
 (skin)

**INGREDIENT:** Glycol Ether  
**CAS #:** 29911-28-2  
**%:** 5-10  
**OSHA PEL:** N/E  
**ACGIH TLV:** N/E  
**LD<sub>50</sub> SPECIES & ROUTE:** 3.700 g/kg rat, oral

**INGREDIENT:** Biodegradable Anionic Surfactant  
**CAS #:** 5324-84-5  
**%:** 5-10  
**OSHA PEL:** N/E  
**ACGIH TLV:** N/E  
**LD<sub>50</sub> SPECIES & ROUTE:** >5,000 mg/kg rat, oral

**INGREDIENT:** Biodegradable Nonionic  
 Surfactant Mixture  
**CAS #:** 68991-48-0  
**%:** 5-10  
**OSHA PEL:** N/E  
**ACGIH TLV:** N/E  
**LD<sub>50</sub> SPECIES & ROUTE:** >2,000 mg/kg rat, oral

N/E = Not Established, N/L = Not Listed,  
 N/A = Not Applicable

## SECTION III: PHYSICAL/CHEMICAL DATA

**APPEARANCE:** Clear, light amber  
**PHYSICAL STATE:** Liquid  
**pH:** 9.5 ± 0.5  
**BOILING POINT:** 100°C / 212°F  
**EVAPORATION RATE:** Less than water  
**FREEZING POINT:** 0°C / 32°F  
**VAPOR DENSITY:** Greater than air  
**VOLATILE BY WEIGHT:** 84 ± 0.5 %  
**VAPOR PRESSURE:** Less than water  
**DENSITY:** 8.4 lb per gal @ 68°F  
 1.01 kg per liter @ 20°C  
**SOLUBILITY IN WATER:** Miscible

## SECTION IV: FIRE AND EXPLOSION DATA

**FLASH POINT:** 170°F, 77°C ASTM method D56  
**EXPLOSIVE LIMITS:**  
 LOWER: N/A UPPER: N/A  
**EXTINGUISHING MEDIA:** N/A  
**SPECIAL FIRE FIGHTING PROCEDURES:** None  
**HAZARDOUS COMBUSTIBLE PRODUCTS:** None  
**UNUSUAL FIRE AND EXPLOSION HAZARDS:**  
 Materials can splatter above 100°C / 212°F.

## SECTION V: REACTIVITY DATA

**STABILITY:** Stable  
**HAZARDOUS POLYMERIZATION:** Will not occur.  
**INCOMPATIBILITY (MATERIALS TO AVOID):**  
 Strong acids and bases  
**HAZARDOUS DECOMPOSITION PRODUCTS:** N/A  
**REACTIVITY CONDITIONS:** None

## SECTION VI: HEALTH HAZARD DATA

**EYES:** Irritating to eyes. For eye contact,  
 flush with a large amount of water for at least  
 15 minutes. See a physician if irritation persists.  
**SKIN:** Slightly irritating to skin upon repeated or  
 prolonged contact. For skin contact, wash  
 affected areas with soap and water.  
**INHALATION:** Vapor or mist may cause  
 irritation of the eyes, nose, throat and lungs. For  
 overexposure, move subject to fresh air.  
**INGESTION:** May cause irritation to mouth,  
 esophagus and stomach. If ingested, drink  
 several glasses of water and do not induce  
 vomiting. Seek medical attention.  
**CHRONIC EFFECTS AND MEDICAL CONDITIONS**  
**AGGRAVATED BY OVEREXPOSURE:** Prolonged or  
 repeated contact can cause drying, defatting and  
 dermatitis to skin.  
**CARCINOGEN:** Non-carcinogenic  
**REPRODUCTIVE EFFECTS:** N/E  
**TERATOGENICITY:** N/E  
**MUTAGENICITY:** N/E  
**THRESHOLD LIMIT VALUE:** See Section II.

## SECTION VII: SPILL, LEAK & DISPOSAL PROCEDURES

**SMALL SPILLS:** Absorb spill with inert material  
 (e.g. sand, earth) and dispose of as waste  
 material in accordance with local, state and  
 federal regulations.  
**LARGE SPILLS:** Keep spectators away. Floors  
 may be slippery; use care to avoid falling. Dike  
 and contain spill with inert material (e.g. sand,  
 earth). Transfer liquid to containers for recovery  
 or disposal and solid diking material to separate

containers for disposal. Keep spills and cleaning  
 runoff out of sewers and open bodies of water.  
**WASTE DISPOSAL:** Dispose of as waste  
 material in accordance with local, state, and  
 federal regulation.

## SECTION VIII: SPECIAL PROTECTION

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**  
**EYES:** None required under normal conditions of  
 use. Safety glasses recommended.  
**SKIN:** If prolonged or repeated contact is  
 possible, chemical-resistant clothing  
 (e.g., rubber gloves) is recommended.  
**RESPIRATORY:** No respiratory protection is  
 required if ventilation is adequate.  
**ENGINEERING CONTROLS:** Good general room  
 ventilation is expected to be adequate. Local  
 exhaust ventilation (e.g., fans) may be necessary  
 when general ventilation does not keep airborne  
 concentrations below any exposure limits.

## SECTION IX: SPECIAL PRECAUTIONS

**HANDLING AND STORAGE:**  
 Storage temperature (MAX. 60°C / 140°F)  
 (MIN. 1°C / 34°F)  
**OTHER PRECAUTIONS:** Keep from freezing;  
 product may coagulate.

## SECTION X: ADDITIONAL INFORMATION

Neither this data sheet nor any statement  
 contained herein grants or extends any license,  
 expressed or implied, in connection with patents  
 issued or pending which may be the property of  
 the manufacturer or others. The information in  
 this data sheet has been assembled by the  
 manufacturer based on its own studies and the  
 work of others. The manufacturer makes no  
 warranties, expressed or implied, as to the  
 accuracy, completeness or adequacy of the  
 information contained herein. The manufacturer  
 shall not be liable (regardless of fault) or the  
 vendee, the vendee's employees or anyone for  
 any direct, special or consequential damages  
 arising out of or in connection with the accuracy,  
 completeness, adequacy or furnishing of such  
 information.

This MSDS has been provided to you in  
 accordance with the OSHA HAZARD  
 COMMUNICATION AND STANDARD  
 (29CFR1910.1200).

\*\*\*IMPORTANT SAFETY INFORMATION  
 DO NOT DISCARD\*\*\*  
 \*\*PLEASE ROUTE TO COMPANY SAFETY  
 OFFICER\*\*

Pioneer Eclipse®

LTPD833-03/06