

Section 1. Product and Company Identification

| | | | |
|----------------------------|--|--|---|
| Product Name | PROFESSIONAL EASY-OFF® OVEN & GRILL CLEANER (READY-TO-USE) | MSDS# | Not available. |
| Product Description | Not available. | Validation Date | 3/30/2004 |
| Manufacturer | Reckitt Benckiser North America, Inc. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, N.J. 07054-0225 | Print Date | 3/30/2004 |
| Product Identifier | Not available. | In case of Emergency: | Telephone: 800-677-9218 (Professional Products) |
| Item Number | 358467 | Transportation Emergencies: | Chemtrec: 1-800-424-9300 (U.S. & Canada) Outside the U.S & Canada (North America), call: 703-527-3887 |
| Formula Number | 399-179 (F/F 358467) | | |
| UPC Number | 62338-74377-00 (1 Gallon) | | |

Section 2. Composition and Information on Ingredients

| Name | CAS # | % by Weight | Exposure Limits : TLV/PEL |
|------------------------|-----------|-------------|---|
| 1) SODIUM METASILICATE | 6834-92-0 | 2.0 | Not available. |
| 2) POTASSIUM HYDROXIDE | 1310-58-3 | <5.0 | CEIL: 2 (mg/m ³) from ACGIH (TLV) [United States] |

Section 3. Hazards Identification

Emergency Overview DANGER: Corrosive. Causes burns to eyes and skin on contact. Harmful if swallowed. KEEP OUT OF REACH OF CHILDREN!

Section 4. First Aid Measures

| | |
|---------------------|--|
| Eye Contact | Immediately flush eyes thoroughly with water, remove any contact lenses and continue to flush eyes with plenty of water for at least 15 minutes. Get medical attention. |
| Skin Contact | Immediately flush thoroughly with plenty of water for 10 minutes. If irritation persists, get medical attention. |
| Inhalation | If affected by inhalation, remove to fresh air. Call a physician or poison control center as necessary. |
| Ingestion | Do not induce vomiting. Give several glasses of water to dilute the product. Call a physician or poison control center immediately. NEVER give an unconscious person anything to ingest. |

Section 5. Fire and Explosion Data

| | |
|--------------------------------|---|
| Flammability | Not flammable. See Section 14 for any Shipping Classifications. |
| Flash Point | CLOSED CUP: Higher than 93.3°C (>200°F). (Tagliabue). |
| Explosive Limits in Air | Not available. |
| Products of Combustion | Not available. |

Continued on Next Page

| | |
|---|---|
| Fire and Explosion Hazards | None known. |
| Fire Fighting Media and Instructions | Use water spray, foam, dry chemical or carbon dioxide, as suitable for the surrounding fire. |
| Special Fire Fighting Instructions | Wear self-contained breathing apparatus and protective clothing appropriate for fighting a typical chemical fire. |

Section 6. Accidental Release Measures

| | |
|-------------------------|--|
| Accidental Spill | <p>Small spills: Wearing rubber gloves, spill should be wiped up with inert absorbent material and disposed of in a suitable waste container. The residue should be rinsed or flushed to the sink or sanitary sewer.</p> <p>Large spills: Wearing appropriate personal protective equipment, the spill of concentrated material should be contained, collected and evaluated for disposal according to state and federal hazardous waste regulations. Undiluted or concentrated material SHOULD NOT be flushed to sewer.</p> |
|-------------------------|--|

Section 7. Handling and Storage

| | |
|-----------------------------|---|
| Handling and Storage | <p>DANGER: Corrosive. Causes burns to eyes and skin on contact. Harmful if swallowed. Contains potassium hydroxide and sodium metasilicate. Do not take internally. Do not get in eyes, on skin, on mucous membranes or on clothing. Wear eye protection and long rubber gloves when handling. Avoid breathing spray mist. If clothing is contaminated, remove and wash clothing before reuse.</p> <p>Store in original container in area inaccessible to small children and pets. KEEP OUT OF REACH OF CHILDREN.</p> |
|-----------------------------|---|

Section 8. Exposure Controls/Personal Protection

| | |
|---------------------------------|--|
| Ventilation Requirements | None required. |
| Eye Protection | Wear eye protection when handling. Emergency responders should wear full eye and face protection. |
| Skin Protection | Wear long rubber gloves when handling. Emergency responders should wear impermeable gloves. |
| Respiratory Protection | Avoid breathing spray mist. |
| Other Protection | Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible. |
| Work/Hygienic Practices | Remove and wash any contaminated clothing and clean contaminated shoes before reuse. Wash thoroughly with soap and water after handling. |

Section 9. Physical and Chemical Properties

| | | | |
|-----------------------------------|--|--------------|--|
| Description | Thick, opalescent, clear viscous liquid. | Odor | Characteristic chemical odor (Glycol ether). |
| pH | 14 [Basic.] | Color | Colorless. |
| Boiling/Condensation Point | Not determined. | | |
| Specific Gravity | Not available. | | |
| Vapor Pressure | Not determined. | | |
| Vapor Density | Not available. | | |
| Viscosity | Not available. | | |
| Solubility | Complete | | |
| Physical Chemical Comments | Not available. | | |

Section 10. Stability and Reactivity Data

| | |
|--|--------------------------------------|
| Chemical Stability | The product is stable. |
| Conditions of Instability | None known. |
| Incompatibility with Various Substances | Do not mix with acids and oxidizers. |
| Hazardous Decomposition Products | None known. |
| Hazardous Polymerization | Will not occur. |

Section 11. Toxicological Information

Exposure effects

| | |
|------------------------|--|
| Eye Contact | Corrosive. Causes burns to eyes on contact. |
| Skin Contact | Corrosive. Causes burns to skin and mucous membranes on contact. |
| Inhalation | Corrosive. Avoid breathing spray mist. |
| Ingestion | Corrosive. Harmful if swallowed. |
| Carcinogenicity | Not listed as carcinogenic by OSHA, NTP or IARC. |


Section 12. Ecological Information

| | |
|--------------------|---|
| Ecotoxicity | Not available. Do not allow any spilled material to enter a stream, brook, river, pond, lake or any other waterway to prevent injury to wildlife. |
|--------------------|---|

Section 13. Disposal Considerations

| | |
|-----------------------|---|
| Waste Disposal | For small amount of liquid waste, discard absorbed material in trash collection or dilute liquid with large quantity of water and flush to sanitary sewer. For large amounts of waste product: Contain and collect liquid for evaluation and disposal according to local, state and federal regulations. |
|-----------------------|---|

Section 14. Transport Information

| | | |
|---|--|---|
| DOT Classification | Corrosive Liquid, basic, inorganic, N.O.S. (Contains Potassium Hydroxide, Sodium Metasilicate), Class 8, UN 3266, PG II. |  |
| Proper Shipping Name | Corrosive liquid, basic, inorganic, n.o.s. (contains Potassium Hydroxide, Sodium Metasilicate) | |
| DOT Identification Number | UN3266 | |
| Packing Group | II | |
| Maritime Transportation | Not available. | |
| Hazardous Substances Reportable Quantity | Not available. | |
| Special Provisions for Transport | UN Performance packaging required. | |

Continued on Next Page

**PROFESSIONAL EASY-OFF® OVEN &
GRILL CLEANER (READY-TO-USE)**

Page Number: 4

| | |
|----------------------------|---|
| TDG Classification | Corrosive liquid, basic, inorganic, n.o.s. (contains Potassium Hydroxide, Sodium Metasilicate) Class 8, UN3266, PG II |
| ADR Classification | Not available. |
| IMDG Classification | Corrosive liquid, basic, inorganic, n.o.s. (contains Potassium Hydroxide, Sodium Metasilicate) Class 8, UN3266, PG II |
| IATA Classification | DO NOT SHIP! - Packaging does not meet IATA requirements. |

Section 15. Regulatory Information

| | |
|---|---|
| Federal and State Regulations | SARA Title III, Section 313 Toxic Chemical Notification & Release Reporting: None California Proposition 65: This product contains the following ingredients which require a warning under the Safe Drinking Water & Toxic Enforcement Act: None |
| Other Classifications | WHMIS (Canada) CLASS D-1B: Material causing immediate and serious toxic effects (TOXIC). CLASS E: Corrosive liquid. |
| New Jersey Right-To-Know Regulation: | WATER CAS #: 7732-18-5 POTASSIUM HYDROXIDE CAS #: 1310-58-3 TRIPROPYLENE GLYCOL METHYL ETHER CAS #: 25498-49-1 SODIUM METASILICATE CAS #: 6834-92-0 ACRYLIC COPOLYMER CAS #: N/A |

Section 16. Other Information

| | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|-----------------|---|-------------|---|------------|---|---------------------|---|--|--|--------|---|---|-------------|---|---|------------|--|--|-----------------|--|--|
| HMIS (U.S.A.) | <table border="1"><tr><td>Health Hazard</td><td>3</td></tr><tr><td>Fire Hazard</td><td>0</td></tr><tr><td>Reactivity</td><td>0</td></tr><tr><td>Personal Protection</td><td>D</td></tr></table> | Health Hazard | 3 | Fire Hazard | 0 | Reactivity | 0 | Personal Protection | D | National Fire Protection Association (U.S.A.) | <table border="1"><tr><td>Health</td><td>3</td><td>0</td></tr><tr><td>Fire Hazard</td><td>0</td><td>0</td></tr><tr><td>Reactivity</td><td></td><td></td></tr><tr><td>Specific hazard</td><td></td><td></td></tr></table> | Health | 3 | 0 | Fire Hazard | 0 | 0 | Reactivity | | | Specific hazard | | |
| Health Hazard | 3 | | | | | | | | | | | | | | | | | | | | | | |
| Fire Hazard | 0 | | | | | | | | | | | | | | | | | | | | | | |
| Reactivity | 0 | | | | | | | | | | | | | | | | | | | | | | |
| Personal Protection | D | | | | | | | | | | | | | | | | | | | | | | |
| Health | 3 | 0 | | | | | | | | | | | | | | | | | | | | | |
| Fire Hazard | 0 | 0 | | | | | | | | | | | | | | | | | | | | | |
| Reactivity | | | | | | | | | | | | | | | | | | | | | | | |
| Specific hazard | | | | | | | | | | | | | | | | | | | | | | | |
| | NFPA Aerosol Level | Not applicable. | | | | | | | | | | | | | | | | | | | | | |
| Validated by Product Safety on 3/30/2004. | Printed 3/30/2004. | | | | | | | | | | | | | | | | | | | | | | |

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.