

Material Safety Data Sheet

Section 1. Product and Company Identification			
Product Name	PROFESSIONAL LYSOL® BRAND ALL PURPOSE CLEANER PLUS BLEACH	MSDS#	Not available.
Product Description	All purpose cleaner with bleach for professional use.	Validation Da	te 1/12/2005
Manufacturer	Reckitt Benckiser North America, Inc. Morris Corporate Center IV	Print Date	1/12/2005
	399 Interpace Parkway (P.O. Box 225) Parsippany, N.J. 07054-0225	In case of Emergency:	Telephone: 800-677-9218 (Professional Products)
Product Identifier	Not available.	Transportation	Chemtrec: 1-800-424-9300
Item Number	355389	Emergencies:	(U.S. & Canada)
			Outside the U.S & Canada (North America), call: 703-527-3887
Formula Number	221-034 (F/F 355389)		
UPC Number	36241-94501 (1 gal.), 36241-94532 (32 oz. trigger).		

Section 2. Composition and Information on Ingredients			
Name	CAS#	% by Weight	Exposure Limits : TLV/PEL
1) SODIUM HYDROXIDE	1310-73-2		CEIL: 2 (mg/m³) from ACGIH (TLV) TWA: 2 (mg/m³) from OSHA
2) SODIUM HYPOCHLORITE 7681-52-9 2.5 Not available.			

Section 3. Hazards	s Identification
Emergency Overview	WARNING: Eye and skin irritant. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Odors may irritate. Use only in well ventilated areas. Avoid prolonged breathing of vapors. KEEP OUT OF REACH OF CHILDREN.

Section 4. First Aid Measures		
Eye Contact	Immediately flush eyes with water, remove any contact lenses, and continue flushing eyes for at least 15 minutes. Get medical attention immediately.	
Skin Contact	Immediately wash with plenty of soap and water. If irritation persists get medical attention.	
Inhalation	If breathing is affected, get fresh air immediately.	
Ingestion	If swallowed, rinse mouth and drink a glass of water. Get prompt medical attention. NEVER give an unconscious person anything to ingest.	

Section 5. Fire and Explosion Data	
Flammability	Not flammable. See Section 14 for any Shipping Classifications.
Flash Point	CLOSED CUP: Higher than 93.3°C (>200°F). (Tagliabue).
Explosive Limits in Air	Not available.
Products of Combustion	Not available.

Continued on Next Page

	PROFESSIONAL LYSOL® BRAND ALL PURPOSE CLEANER PLUS BLEACH	
Fire and Explosion Hazards	Acid and heat accelerate decomposition. Decomposition products may include chlorine	· .
Fire Fighting Media and Instructions	Use water spray, foam, dry chemical or carbon dioxide, as suitable for the surrounding f	ïre.
Special Fire Fighting Instructions	Wear self-contained breathing apparatus and protective clothing typical for fighting a che	emical fire.

Section 6. Accidental Release Measures	
Accidental Spill	Small spills may be flushed to sink or sanitary sewer with large quantities of water.
	Large spills should be diked, contained and collected for proper disposal according to local, state and federal regulations.

Section 7. Handling and Storage WARNING: Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Odors may irritate. Use only in well ventilated areas. Avoid prolonged breathing of vapors. Not recommended for use by persons with heart conditions or chronic respiratory problems such as asthma, emphysema or obstructive lung disease. Harmful if swallowed. Apply carefully, this product contains bleach. For senstive skin or prolonged use, wear gloves. Do not mix with other household chemicals, such as products containing ammonia, toilet bowl cleaners, vinegars, or acidic cleaners or with other Lysol® Brand products as hazardous gases may be released. Avoid contact with clothes, fabric, carpet, wood, rubber, painted and paper surfaces, and finished floors. Rinse immediately after use on metal to avoid pitting or discoloration. Prolonged contact with metal, old procelain, wood, Formica®, quarry tile and marble may cause discoloration. STORAGE: Store in original containers in an upright position in a cool, well ventilated area inaccessible to

Section 8. Exposure Controls/Personal Protection		
Ventilation Requirements	Use only in well ventilated areas.	
Eye Protection	Do not get in eyes. The use of appropriate eye protection is recommended. Emergency responders should wear full eye and face protection.	
Skin Protection	Do not get on skin or clothing. For sensitive skin or prolonged use, wear impervious (rubber) gloves. Emergency responders should wear impermeable gloves.	
Respiratory Protection	Avoid prolonged breathing of vapor. Emergency responders should wear suitable respiratory protection where long term exposure to large areas of spilled liquid is possible such as a major spill, a fire or a clean-up operation.	
Other Protection	Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible.	
Work/Hygienic Practices	Wash hands with soap and water after use.	

carefully. This product contains bleach. KEEP OUT OF REACH OF CHILDREN.

children and pets. Keep container securely closed when not in use. Do not reuse empty container. Apply

Description	Clear liquid.	Odor	Chlorinated odor.	
pН	12.4 [Basic.]	Color	Light straw.	
Boiling/Condensation Point	Not determined.			
Specific Gravity	1.045 @ 25°C			
Vapor Pressure	Not determined.			
Vapor Density	Not determined.			

Continued on Next Page

PROFESSIONAL LYSOL® BRAND ALL PURPOSE CLEANER PLUS BLEACH		Page Number: 3
Viscosity	Not available.	
Solubility	Complete.	
Physical Chemical Comments	Not available.	

Section 10. Stability and Reactivity Data		
Chemical Stability	The product is stable.	
Conditions of Instability	None known.	
Incompatibility with Various Substances	Do not use or mix with other household chemicals, such as products containing ammonia, toilet bowl cleaners, vinegars, or acidic cleaners or with other Lysol® Brand Products as hazardous gases may be released.	
Hazardous Decomposition Products	May generate chlorine or oxygen.	
Hazardous Polymerization	Will not occur.	

Section 11. Toxicological Information		
Exposure effects		
Eye Contact	Causes eye irritation.	
Skin Contact	Causes skin irritation.	
Inhalation	Odors may irritate.	
Ingestion	Harmful if swallowed.	
Carcinogenicity	Not listed as carcinogenic by OSHA, NTP or IARC.	

Section 12. Ecological Information	
Ecotoxicity	Not available.

Section 13. Disposal Considerations Waste Disposal Dispose of in accordance with local, state and federal regulations.

DOT Classification	Consumer Commodity, ORM-D		
Proper Shipping Name	Consumer Commodity.		
DOT Identification Number	UN 3266		
Packing Group	Not applicable		
Maritime Transportation	Not applicable.		
Hazardous Substances Reportable Quantity	Not applicable.		
Special Provisions for Transport	ORM-D: For US Domestic Shipments Only.		

Continued on Next Page

PROFESSIONAL LYSOL® BRAND ALL PURPOSE CLEANER PLUS BLEACH PAge Number: 4		
TDG Classification	Consumer Commodity / Limited Quantity / LTD. QTY.	
ADR Classification	Not applicable.	
IMDG Classification	Corrosive liquid, basic, inorganic n.o.s. (Sodium Hydroxide, Sodium Hypochlorite) Class 8, UN3266, PG III Limited Quantity.	
IATA Classification	Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide, Sodium Hypochlorite) class 8, UN3266, PG III Limited Quantity.	
Section 15. Regu	latory Information	
Federal and State	SARA Title III. Section 313 Toxic Chemical Notification & Release Reporting:	

Federal and State Regulations SARA Title III, Section 313 Toxic Chemical Notification & Release Reporting:

None

California Proposition 65: This product contains the following ingredients which require a warning under the Safe

Drinking Water & Toxic Enforcement Act:

None

Other Classifications

WHMIS (Canada)

CLASS E: Corrosive liquid.

New Jersey Right-To-Know Regulation:

WATER CAS #: 7732-18-5

SODIUM HYPOCHLORITE CAS #: 7681-52-9 SODIUM HYDROXIDE CAS #: 1310-73-2 SODIUM CHLORIDE CAS #: 7647-14-5 LAURAMINE OXIDE CAS #: 1643-20-5

Section 16. Other Information

HMIS (U.S.A.)



National Fire Protection Association (U.S.A.)

Health



Fire Hazard

Reactivity

Specific hazard

NFPA Aerosol Level

Not applicable.

Validated by Product Safety on 1/12/2005.

Printed 1/12/2005.

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.