## MATERIAL SAFETY DATA SHEET

## Product Name: NEUTRAL CLEANER

## Product No. 086.00

SAVIN PRODUCTS COMPANY, INC.			
1. CHEMICAL PRODUCT AN	D COMPANY IDENTIFICATION		
Product Name: NEUTRAL CLE	EANER		
Emergency phone: Chemtrec: 800-424-9300		Product Information: 781-961-2744	
214 HIGH	PRODUCTS COMPANY, INC. H STREET LPH, MA 02368		
Date Prepared: 3-4-04 Supersedes: 1		0-02-00	Prepared by: KJS
2. COMPOSITION/INFORMA	TION ON INGREDIENTS		
<u>Component</u>	CAS No.	Exposure Limits	Typical <u>% by Weight</u>
1. Triethanolamine Dodecylbenzenesulfonate	27323-41-7	N/A	1 - 10
2. Nonylphenol Ethoxylate	9016-45-9	N/A	1 - 10
3. HAZARDS IDENTIFICATIO	N		
	EMERGENCY (	OVERVIEW	
	ion. May cause skin irritation with pro sin and clothing. Wash thoroughly afte		ved. Avoid contact with eyes,
EFFECTS of OVEREXPOSUR	E:		
CARCINOGENICITY: NTP: No	IARC: No	OSHA: No	
INGESTION: May result in gas CHRONIC EFFECTS and MED determined. Safe handling of thi	ontact may cause skin irritation. e irritation to mucous membranes and i	long-term, low-level exposures to t l emphasize the avoidance of all eff	

EYES: Flush with copious amounts of water for at least 15 minutes, lifting upper and lower lids occasionally. Get immediate medical attention.

SKIN: Immediately flush with water. Remove contaminated clothing. Launder contaminated clothing before reuse.

INHALATION: Remove to fresh air. If breathing is difficult, oxygen may be given, preferably with a physician's advice. Get medical attention.

INGESTION: If swallowed, give several glasses of water. Do not induce vomiting. If vomiting does occur, give fluids again and keep head below hips to help prevent aspiration. Do not give anything by mouth to an unconscious person. Get immediate medical attention.

## Product Name: NEUTRAL CLEANER

### 5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES:

Flash Point: >200 F Test: Tag Closed Cup (Method D-56) Explosive Limits: LEL: N/A UEL: N/A

EXTINGUISHING MEDIA: Use water spray, dry chemical, CO2, or alcohol foam.

SPECIAL PROCEDURES AND UNUSUAL HAZARDS: Combustion may produce noxious and irritating gases which will require fresh air source in fire fighting.

FIREFIGHTING INSTRUCTIONS: Firefighters should wear NIOSH approved, positive pressure, self-contained breathing apparatus and full protective clothing when appropriate.

### 6. ACCIDENTAL RELEASE MEASURES

SMALL SPILLS: Soak up small spills with inert solids. Use suitable disposal container.

LARGE SPILLS: Limit access to area. Dike and contain spill with inert material (sand, earth, etc.) and transfer the liquid and solid separately to containers for recovery or disposal. Keep spill out of sewers and open bodies of water. CAUTION: Floor may become slippery.

### 7. HANDLING AND STORAGE

Handle according to good manufacturing and warehousing practices. Keep containers tightly closed when not in use. Use good personal hygiene practices. Wash hand before eating, drinking, smoking or using toilet facilities. Promptly remove soiled clothing and wash thoroughly before reuse. Store only in tightly closed containers away from heat, sparks, open flame or strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE PROTECTION: Avoid splashing. Wear chemical-resistant safety goggles if necessary. Contact lenses must not be worn. PROTECTIVE GLOVES: Depending on conditions of use, protective gloves, apron, boots, head and face protection should be worn. This equipment should be cleaned thoroughly after each use.

RESPIRATORY PROTECTION: No occupational exposure standards have been developed for this material. Where exposure through inhalation may occur from use, NIOSH/MSHA approved respiratory protection equipment is recommended.

VENTILATION: Either local exhaust or general room ventilation is usually adequate.

OTHER PROTECTIVE EQUIPMENT: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear, blue, low viscosity, foamy liquid. BOILING POINT: approx. >212F >100C @ 1ATM FREEZE/MELT POINT: approx. 0C VAPOR PRESSURE (mm): ca water VAPOR DENSITY (air=1): ca water EVAPORATION RATE: approx. water VOLATILE CONTENT: 90% SOLUBILITY IN WATER: Complete. SPECIFIC GRAVITY: 1.014 @ 20C DENSITY: 8.46 lb./gal. @ 20C pH( as is ): 7.5 ODOR: Mild. Citrus ODOR THRESHOLD (ppm): Not determined.

### 10. STABILITY AND REACTIVITY

CHEMICAL STABILITY (CONDITIONS TO AVOID): Stable. INCOMPATIBILITY: Strong acids, strong oxidizers and excessive heat. HAZARDOUS DECOMPOSITION PRODUCTS: Sulfur Dioxide, Carbon monoxide, Carbon Dioxide, Ammonia, Nitrous oxides and other toxic gases. HAZARDOUS POLYMERIZATION: None

# MATERIAL SAFETY DATA SHEET

## Product Name: NEUTRAL CLEANER

### 11. TOXICOLOGICAL INFORMATION

No LD50 or LC50 found for oral, dermal or inhalation routes of administration.

### 12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL/CHEMICAL FATE INFORMATION: Not available.

### 13. DISPOSAL CONSIDERATIONS

RCRA: This product, if disposed as shipped, is not considered a hazardous waste as specified in 40 CFR 261. Dispose in accordance with all applicable federal, state and local regulations.

### 14. TRANSPORT INFORMATION

SHIPPING NAME:Compound, Cleaning, LiquidHAZARD CLASS:Not regulated as HAZMAT.ID #:N/APACKING GROUP:N/ALABEL:N/A

### 15. REGULATORY INFORMATION

This material does not contain nor was it manufactured using ozone-depleting chemicals.

### U.S. FEDERAL REGULATIONS:

TSCA STATUS: All ingredients on Toxic Substance Control Act Inventory.

CERCLA REPORTABLE QUANTITY: Triethanolamine Dodecylbenzenesulfonate (1000 lbs)

#### SARA TITLE III:

Section 302 Extremely Hazardous Substances: Section 311/312 Hazardous Categories: Section 313 Toxic Chemicals:

None. Immediate (Acute) None.

RCRA STATUS: Based on chemical composition and pH (40 CFR Sec. 261.22), this material is not classified as a hazardous waste if disposed as shipped.

#### 16. OTHER INFORMATION

All label precautions must be observed when handling, storing and transporting empty containers due to product residues. Do not reuse this container unless it is professionally cleaned and reconditioned.

#### REFERENCES:

- U.S. Dept. of Health and Human Services, NIOSH: <u>Registry of Toxic Effects of Chemical Substances</u>, 1985-86 Editions.
- Sax, N. Irving and Lewis, R.J.: <u>Dangerous Properties of Industrial Materials</u>, 7th Edition, Van Nostrand Reinhold Co., 1989.
- Lewis, R.J.: Hawley's Condensed Chemical Dictionary, 12th Edition, Van Nostrand Reinhold Co., 1993.
- U.S. Dept. of Transportation, U.S. Coast Guard: CHRIS Hazardous Chemical Data, 1982.
- U.S. Dept. of Labor, OSHA: Air Contaminants Permissible Exposure Limits, 1989.
- National Fire Protection Association (NFPA): Fire Protection Guide on Hazardous Materials (NFPA 325M/49/491M/704), 9th Edition, 1986.
- National Fire Protection Association (NFPA): <u>Hazardous Materials Response Handbook</u>, Henry, M.F., Editor, 1989.
- Merck & Co., Inc.: <u>The Merck Index</u>, 11th Edition, 1989.

Information herein is given in good faith as authoritative and valid; no warranty, express or implied can be made.