

**ENFORCER Products** A Division of Acuity Specialty Products Group, Inc. P.O. Box 1060 Cartersville, GA 30120 1-888-805-HELP www.zepcommercial.com

# **Material Safety Data Sheet**

# and Safe Handling and Disposal Information

Section 1. Chemical Product and Company Identification

**Product name** Glass Cleaner

**Product Code** HD112032-128 CN112032-128 Date of issue 01/24/06 **Supersedes** 11/15/02

**Emergency** For a Medical Emergency:

Telephone INFOTRAC

**Numbers** (877) 541-2016 (Toll Free - Calls Recorded)

For a Transportation Emergency:

**CHEMTREC** 

(800) 424-9300 (Toll Free - Calls Recorded)

**HMIS** 

1

2

0

В

Health

Fire Hazard

Personal

**Protection** 

Prepared by Compliance Services Group

> Acuity Specialty Products Group 1420 Seaboard Industrial Blvd.

Atlanta, GA 30318

Section 2. Composition. Information on Ingredients

**Printing Date:** 

Name of Hazardous Ingredients	CAS#	% by Weight	Exposure Limits
ISOPROPYL ALCOHOL; ipa; dimethylcarbinol;	67-63-0	1 - 10	ACGIH TLV (United States).
2-propanol			TWA: 200 ppm 8 hour(s).
			OSHA PEL (United States).
			TWA: 400 ppm 8 hour(s).
			ACGIH/OSHA (United States).
			STEL: 400 ppm 15 minute(s).
ETHYLENE GLYCOL MONOBUTYL ETHER;	111-76-2	1 - 10	ACGIH TLV (United States).
2-butoxyethanol; butyl cellosolve			TWA: 20 ppm 8 hour(s).
			OSHA PEL (United States). Skin
			TWA: 50 ppm 8 hour(s).

#### Section 3. Hazards Identification

**Acute Effects** Routes of Entry Dermal contact. Eye contact.

Skin May cause skin irritation. Product may be dermal absorbed. Skin inflammation is characterized Reactivity

by itching, scaling, or reddening.

Causes eye irritation. Inflammation of the eye is characterized by redness, watering, and itching. **Eyes Inhalation** Avoid breathing vapors or spray mists. Over-exposure by inhalation may cause respiratory

irritation.

Ingestion May be harmful if swallowed. Aspiration hazard if swallowed- can enter lungs and cause damage.

Carcinogenic **Effects** 

Ingredients: Not listed as carcinogen by OSHA, NTP or IARC.

**Chronic Effects** The substance may be toxic to blood, kidneys, liver, upper respiratory tract, skin, eyes,

central nervous system (CNS). Repeated or prolonged exposure to the substance can produce target organs damage. Overexposure of this product by inhalation or absorption can produce central nervous system depression resulting in headache,

nausea and/or dizziness.

See Toxicological Information (section 11)

#### Section 4. First Aid Measures

**Eve Contact** Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15

minutes, keeping eyelids open. Get medical attention immediately.

Skin Contact In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes.

Wash clothing before reuse. Get medical attention if irritation develops.

Inhalation If inhaled, remove to fresh air. If irritation persists, get medical attention.

Ingestion Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If affected person is conscious, give plenty of water to drink. Get medical attention

immediately.

Product Code HD112032-128 Material Safety Data Sheet Product Name Glass Cleaner

#### Section 5. Fire Fighting Measures

Flash Point Closed cup: 43°C (109.4°F). Flammable Limits Not available.

**Flammability** COMBUSTIBLE LIQUID AND VAPOR.

**Fire Hazard** Cool closed containers exposed to fire with water.

**Fire-Fighting Procedures** Use DRY chemicals, CO<sub>2</sub>, water spray or foam. Fire-fighters should wear

proper protective equipment.

#### Section 6. Accidental Release Measures

**Spill Clean up** Absorb with an inert material and put the spilled material in an appropriate waste disposal.

## Section 7. Handling and Storage

**Handling** Keep away from heat, sparks and flame. Avoid contact with eyes, skin and clothing. Avoid breathing vapors or

spray mists. Use with adequate ventilation. Do not ingest. Do not reuse product container. Wash thoroughly after

andling.

Storage Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid

all possible sources of ignition (spark or flame). Keep away from food, drink and animal feeding stuffs. Keep out of

the reach of children.

### Section 8. Exposure Controls, Personal Protection

**Personal Protection** 

**Protective Clothing (Pictograms)** 

**Eyes** Safety glasses.

**Body** Gloves: Protective gloves should be worn under normal conditions of

use.

**Respiratory** A respirator is not needed under normal and intended conditions of product use.

## Section 9. Physical and Chemical Properties

Physical State Liquid. Color Clear. Blue. (Light.)

pH9.5-10.5Odor Pleasant.Boiling Point $96.1^{\circ}\text{C}$  ( $205^{\circ}\text{F}$ )Vapor Pressure Not determined.Specific Gravity0.97 (Water = 1)Vapor Density Not determined.SolubilitySoluble in cold water, hot water.Evaporation Rate 1 compared to Water

VOC (Consumer) 38.25 (g/l). 0.32 lbs/gal (3.95%)

## Section 10. Stability and Reactivity

**Stability and Reactivity** The product is stable.

**Incompatibility** Slightly reactive to reactive with oxidizing agents, acids.

**Hazardous Polymerization** Will not occur.

**Hazardous Decomposition** carbon oxides (CO, CO<sub>2</sub>)

**Products** 

#### Section 11. Toxicological Information

**Toxicity to Animals** Isopropyl Alcohol:

ORAL (LD50): Acute: 4700 mg/kg [Rat].
DERMAL (LD50): Acute: 13000 mg/kg [Rabbit].

VAPOR (LC50): Acute: 22500 ppm 8 hour(s) [Rat (Male)]. 19000 ppm 8 hour(s) [Rat

(Female)].

**Ethylene Glycol Monobutyl Ether:** 

ORAL (LD50): Acute: 1746 mg/kg [Rat]. DERMAL (LD50): Acute: 680 mg/kg [Rabbit].

VAPOR (LC50): Acute: 450 ppm 4 hour(s) [Rat (Female)].

# Section 12. Ecological Information

**Ecotoxicity** Not available. Biodegradable/OECD Not available.

#### Section 13. Disposal Considerations

Waste Information Waste must be disposed of in accordance with federal, state and local environmental control

regulations.

Waste Stream Non-hazardous waste

Consult your local or regional authorities.

Section 14. Transport Information			
Proper shipping name	None.		
DOT Classification	Not a DOT controlled material (United States).		
UN number	Not regulated.		
TDG Classification	Not a TDG controlled material.		
Section 15. Regulatory II	nformation		
<b>U.S. Federal Regulation</b>	s SARA 313 toxic chemical notification and release reporting:		
	Ethylene Glycol Monobutyl Ether		
	Clean Water Act (CWA) 311: No products were found.		
	Clean air act (CAA) 112 regulated toxic substances: No products were found.		
	All Components of this product are listed or exempt from listing on TSCA inventory.		
State Regulations	California prop. 65: No products were found.		
WHMIS (Canada)	Class B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F). Class D-1B: Material causing immediate and serious toxic effects (TOXIC).		

**Material Safety Data Sheet** 

Product Name Glass Cleaner

#### Section 16. Other Information

Product Code HD112032-128

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Class D-2B: Material causing other toxic effects (TOXIC).

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.